BARNETT, M. B. See BAILIE, R., 358

BARTON, A. 'Alarm signals' over warning signs?: editorial, 809

Author Index, Volume 46 (1991)

c = correspondence; f = forum ABBOTT, P. See ANTROBUS, J. H. L., 407 (f) ABEL, M., EISENKRAFT, J. B. & PATEL, N. Response to suxamethonium in a myasthenic patient during remission, 30 ACKERMAN, W., CASES-CRISTOBAL, V., JUNEJA, M. & RIGOR, B. M. Sprotte needle for Caesarean section, 230 (c) ADAMS, A. P. See KHO, H. G., 135 (f) ADAMS, A. P. See O'FLAHERTY, D., 323 (c) ADAMS, A. P. & GOROSZENIUK, T. Hysteria. A cause of failure to recover after anaesthesia, 932 ADLEY, R. & GERAGHTY, I. F. Defective spinal needle, 159 (c) AGOSTON, S. See LAMBALK, L. M., 907 A'HERN, R. P. See NICOL, M. E., 67 (f) AHUJA, S. See KUMAR, A., 57 (f) AITKEN, A. W. See ROWBOTTAM, S. J., 1084 (c) AITKEN, H. A. & FARLING, P. A. The cost of propofol infusion in neurosurgery, 329 (c) AITKENHEAD. A. R. See LIU, W. H. D., 435 AKHTAR, T. M. Research difficulties for junior anaesthetists, 421 (c) ALDERSON, J. D. The Woolley and Roe case, 235 (c) ALEXANDER, J. P. See WRIGHT, P. M. C., 119 ALI, M. T. & MATHIAS, I. M. Continued problems with diclofenac injections, 1089 (c) ALI, S., DIGGER, T. J. & PERKS, D. On demand epidural fentanyl, 983 (c) ALLAGAIN, J. See HEATH, M. L., 545 ALLAGAIN, J. See HEATH, M. L., 985 (c) AMBESH, S. P., KUMAR, A., BHUKAL, I. & SINGH, H. Epidural catheterisation, 74 (c) AMOROSO, P. See DALEY, H., 997 (c) AMOROSO, P. & SALE, J. P. Scavenging in the operating theatre, 159 (c) ANANDACIVA, s. Visual disturbances after transurethral resection of the prostate, 894 (c) ANDERSON, J. R. See MURRAY, A. W., 181 ANTROBUS, J. H. L., ABBOTT, P., CARR, C. M. E. & CHATRATH, R. R. Midazolam-droperidol premedication for cardiac surgery. A comparison with papaveretum and hyoscine, 407 (f) APADOO, A. See CHARLTON, G. A., 898 (c) APPADU, B. & CALDER, I. Ketamine does not always work in treatment of priapism, 426 (c) ARMSTRONG, A. L. See TROTTER, T. N., 596 (c) ARMSTRONG, P., POWER, I. & WILDSMITH, J. A. W. Addition of fentanyl to prilocaine for intravenous regional anaesthesia, 278 ARMSTRONG, P. J. See SWANN, D. G., 174 ARMSTRONG, P. J. See SWANN, D. G., 707 ARROWSMITH, J. E. Extracorporeal pseudoaneurysm: an unusual complication of radial artery cannulation, 894 (c) ASBURY, A. J. See HIGGINS, M. J., 973 (f) ATKINS, M. See COBLEY, M., 957 AU, J., SCOTT, D. H. T. & WALKER, W. S. Withdrawal syndrome after propofol: a reply, 238 (c) AUN, C. S. T. See SHORT, S. M., 783 (f) BACH, A. See BÖHRER, H., 856 BACKON, J. Ginger as an antiemetic: possible side effcets due to its thromboxane synthetase activity, 705 (c) BACON, P. J. See HOLDEN, R., 922 BAILIE, R., BARNETT, M. B. & FRASER, J. F. The Brain laryngeal mask. A comparative study with the nasal mask in paediatric dental outpatient anaesthesia, 358 BAJOREK, P. K. See JONES, R. M., 686 (f) BAKER, J. A. See BROWNLIE, G. S., 775 (f) BAKKER, N. C. See VAN DIJK, B., 893 (c) BALI, I. See DEVLIN, E., 75 (c) BALSON, I. See DUNNE, J., 1093 (c) BANNISTER, J. See LEE, A., 447 BARAKA, A. The oesophageal detector device, 697 (c) BARANOWSKI, A. P., DEAN, Y. & PITHER, C. E. The effect of a priming epidural injection of adrenaline on epidural blockade with bupivacaine, 1023 BARBER, N. D. See COTTER, S. M., 1009 BARCELLOS, W. See KUMAR, V., 117 BARCLAY, K. See EDWARDS, N. D., 1077 (f) BARKER, J. P. See VAFIDIS, G. C., 148 (c) BARKER, J. P., VAFIDIS, G. C., ROBINSON, P. N. & HALL, G. M. Plasma catecholamine response to cataract surgery: a comparison between general and local anaesthesia, 642 BARKER, P. & CALLANDER, C. C. Coagulation screening before epidural analgesia in pre-eclampsia, 64 (f) BARKER, P., MASON, R. A. & THORPE, M. H. Computerised axial tomography of the trachea. A useful investigation when a retrosternal goitre causes symptomatic tracheal compression, 195 BARKER, P. Guide wire embolism, 595 (c) BARKER, P., LANGTON, J. A., MURPHY, P. & ROWBOTHAM, D. J. effect of prior administration of cold saline on pain during propofol injection. A comparison with cold propofol and propofol with lignocaine, 1069 (f)

```
BAXTER, A. D. Cricoid pressure in the sniffing position, 327 (c)
BELLWOOD, A. See HINTON, W., 791 (c)
BERENT, A. & OTTO, H. J. Duplicate markings on an epidural catheter: a reply, 795 (c)
BERG, E. M., FASTING, S. & SELLEVOLD, O. F. M. Serious complications with dextran-70 despite hapten prophylaxis. Is it best avoided prior
    to delivery?, 1033
BERRY, A. M. & PATRICK, M. R. Misdiagnosis caused by an epidural dresssing, 425 (c)
BHATTACHARYA, A. See KUMAR, A., 57 (f)
BHATTACHARYA, A. See SETHI, A. K., 1084 (c) BHUKAL, I. See AMBESH, S. P., 74 (c)
BHUKAL, 1. See KUMAR, A., 594 (c)
BICKFORD-SMITH, P. J. Luer lock connections—a potential hazard?, 996 (c)
BICKLER, P. See MILLER, A. C., 659
BIGGAM, M. See RIDLEY, S., 523
BINK-BOELKENS, M. TH. E. See KEANE, T. K., 38
BISHTON, I. M. & CLARK, M. J. Ball-valve effect of a contaminated spinal needle, 233 (c)
BLACK, A. E. & MACKERSIE, A. M. Accidental bronchial intubation with RAE tubes, 42
BLACK, A. E. See WRIGLEY, S. R., 615
BLACK, G. W. Isoflurane anaesthesia in children, 1087 (c)
BLOCK, R., JANKOWSKI, J. & COLVIN, J. Cardiorespiratory effects during gastrointestinal endoscopy, 698 (c)
BLOGG, C. E. See POPAT, M. T., 816
BLUMGART, C. H. Prolonged local analgesia is not always ideal, 233 (c)
BLUMGART, C. H. & HO, B. Y. M. Resolution of acute brachial artery embolism following brachial plexus block, 1092 (c)
BODENHAM, A., DIAMENT, R., COHEN, A. & WEBSTER, N. Percutaneous dilational tracheostomy. A bedside procedure on the intensive care
    unit, 570
BODENHAM, A. R. See GRAY, P. A., 638
BOERSMA, G. A. See BROEKEMA, A. A., 942
BOGOD, D. G. Awareness during Caesarean section: a reply, 157 (c)
BOHEIMER, N. O. See THOMAS, J. S., 508 (c)
BOHEIMER, N. O. & THOMAS, J. S. Amorous behaviour? Be discreet, 797 (c)
BÖHRER, H., SCHICK, M., SCHÖNSTEDT, R. & BACH, A. Marked decrease in arterial oxygen tension associated with continuous intravenous
    nifedipine administration, 856
BOOIJ, L. H. D. J. & KNAPE, H. T. A. The neuromuscular blocking effect of Org 9426. A new intermediately-acting steroidal non-
    depolarising muscle relaxant in man, 341
воон, L. H. D. J. See LIEM, Т. Н., 654
BORGEAT, A. & WILDER-SMITH, O. Acute choreoathetoid reaction to propofol, 797 (c)
BOULY, A., NATHAN, N. & FEISS, P. Propofol in myotonic dystrophy, 705 (c)
BOUNDS, G. See HOSAIN, S. I., 422 (c)
BOWLER, G. M. R. See SWANN, D. G., 174
BOWLER, G. M. R. See SWANN, D. G., 707
BRADFORD, R. H. See LEWIS, R. P., 767
BRADSHAW, E. G. See FRITZ, G. A., 603 (c)
BRAIN, A. I. J. Studies on the laryngeal mask: first, learn the art, 417 (c)
BRAIN, A. I. J. Aspiration pneumonia and the laryngea! mask airway, 418 (c)
BRAIN, A. I. J. The laryngeal mask and the oesophagus, 701 (c)
BRAITHWAITE, P. See STEVENS, J. D., 256
BREEN, D. P. See WELCHEW, E. A., 438
BRICCHI, M. See FIACCHINO, F., 980 (f)
BRIDGES, R. T. Vaporizers - serviced and checked?: a reply, 695 (c)
BRIGHOUSE, D. Pre-operative removal of dentures, 992 (c)
BRIMACOMBE, J. Cricoid pressure and the laryngeal mask airway, 986 (c)
BRIMACOMBE, J. & MACFIE, A. A better extensometer, 1088 (c)
BRIMACOMBE, J. R. Fenem CO<sub>2</sub> detector device, 77 (c)
BRIMACOMBE, J. R., MACFIE, A. G. & MCCRIRRICK, A. The Extensometer. Potential applications in anaesthesia and intensive care, 756
BRISTOW, A. See RAMAGE, C. H. M., 395
BRISTOW, A. See VYVYAN, H. A. L., 728
BROCKWAY, M. See SWANN, D. G., 174
BROCKWAY, M. See LEE, A., 447
BROCKWAY, M. See SWANN, D. G., 707
BRODIE, M. J. See HIGGINS, M. J., 973 (f)
BROEKEMA, A. A., BOERSMA, G. A. & HENNIS, P. J. A case of malignant hyperthermia?, 942
BROMLEY, L. See HILL, A. J., 266
BROOME, I. J. & REILLY, C. S. Explanation for the overestimation of oxygen saturation seen using nasal pulse oximetry, 424 (c)
BROWN, G. W., PATEL, N. & ELLIS, F. R. Comparison of propofol and thiopentone for laryngeal mask insertion, 771 (f)
BROWN, M. M. Another complication of arterial cannulation, 326 (c)
BROWNE, D. A. See HARROP-GRIFFITHS, A. W., 11
BROWNE, D. A. See HARROP-GRIFFITHS, A. W., 504 (c)
BROWNLIE, G. S., BAKER, J. A. & OGG, T. W. Propofol: bolus or continuous infusion. A day case technique for the vaginal termination of
    pregnancy, 775 (f)
BRUCE, J. See CHARLTON, A. J., 820
BRUYNS, T., DEVULDER, J., VERMEULEN, H., DE COLVENAER, L. & ROLLY, G. Possible inadvertent subdural block following attempted stellate
     ganglion blockade, 747
BRYAN, A. G. & JONES, A. Skiers neck: an unusual cause of difficult intubation, 802 (c)
BRYDEN, F. M. M. & DAVIES, F. W. 'Bow-ties' in ITU, 164 (c)
BUDD, A. J. See JOLLIFFE, D. M., 288
BUIST, R. J. An unusual cause of obstructive emphysema, 283
BULLINGHAM, A. See JOSHI, P., 1030
BULLINGHAM, R. E. See RICE, A. S. C., 541
BURNS, A. M. & PARK, G. R. Prolonged action of enoximone in renal failure, 864
```

CABIRO, C. See CESARINI, M., 230 (c)

CAGGESE, G. See TARGA, L., 141 (f)

CALDER, I. See APPADU, B., 426 (c)

CALLANDER, C. See VOLNEY, R., 892 (c)

CALLANDER, C. C. See BARKER, P., 64 (f)

CALLANDER, C. C. See RODNEY, G. E., 648

CALLEJA, M. A. Extradural analgesia and previous spinal surgery. A radiological appraisal, 946

CALLESEN, T., JARNVIG, I., THAGE, B., KRANTZ, T. & CHRISTIANSEN, C. Influence of temperature of bupivacaine on spread of spinal analgesia, 17

CAMERON, E. M. Pulmonary artery wedge pressure in ARDS, 699 (c)

CAMPBELL, A. M. & O'LEARY, A. Acute airway obstruction as a result of minitracheotomy, 854

CANET, J. See VILA, P., 967 (f)

CARABINE, U. A., WRIGHT, P. M. C., HOWE, J. P. & MOORE, J. Cardiovascular effects of intravenous clonidine. Partial attenuation of the pressor response to intubation by clonidine, 634

CARABINE, U. A., WRIGHT, P. M. C., KEARNEY, E., HOWE, J. P. & MOORE, J. The effect of intravenous clonidine on the forearm circulation, 1013

CAREY, M. F., SMITH, J. & COONEY, C. M. Larvngeal mask to aid tracheal intubation, 1083 (c)

CARLI, F. See SMITH, I. D., 970 (f)

CARLISLE, R. J. T. See MULHOLLAND, D., 312 (f)

CARR, C. M. E. See ANTROBUS, J. H. L., 407 (f)

CARR, C. M. E. & WHITELEY, S. M. The automatic implantable cardioverter-defibrillator. Implications for anaesthetists, 737

CARRIE, L. E. S. & DONALD, F. A 26-gauge pencil-point needle for combined-epidural anaesthesia for Caesarean section, 230 (c)

CARTER, J. A. See COLLINS, S., 471

CARTER, J. A. See GOLDHILL, D. R., 496 (f)

CARTER, J. A. See SURESH, D., 877 (f)

CARTWRIGHT, D. P. See MATTHEWS, P., 157 (c)

CARTWRIGHT, P. D., HELFINGER, R. G., HOWELL, J. J. & SIEPMANN, K. K. Introducing an acute pain service, 188

CASES-CRISTOBAL, V. See ACKERMAN, W., 230 (c)

CASEY, K. R. See REEDER, M. K., 849

CATLING, S. See EDWARDS, N., 803 (c)

CATLING, S. J. See EDWARDS, N. D., 1077 (f)

CAUNT, J. A. See MICHAEL, S., 1071 (f)

CESARINI, M., TORRIELLI, R., LAHAYE, F., MENE, J. M. & CABIRO, C. Sprotte needle for Caesarean section: a reply, 230 (c)

CHAKRABARTI, M. K. See KADIM, M. Y., 948

CHAKRABARTI, M. K. See KADIM, M. Y., 952

CHANG, R. W. S. APACHE II and clinical sickness score, 988 (c)

CHARLTON, A. J., BRUCE, J. & DAVENPORT, M. Timing of surgery in congenital diaphragmatic hernia. Low mortality after pre-operative stabilisation, 820

CHARLTON, G. A. & LAWES, E. G. The effect of micropore filters on the aspiration test in epidural analgesia, 573

CHARLTON, G. A. & APADOO, A. Blood pressure cuff changeover in paediatric anaesthesia, 898 (c)

CHATRATH, R. R. See ANTROBUS, J. H. L., 407 (f)

CHAWLA, R. See SETHI, A. K., 1084 (c)

CHESTNUT, J. See ROWBOTTOM, S. J., 158 (c)

CHISAKUTA, A. See GEORGE, K. A., 732 CHOUDRY, A. K. See JACKSON, I. J. B., 475

CHOW, B. F. M., LEWIS, M. & JONES, S. E. F. Laryngeal mask airway in children: insertion technique, 590 (c)

CHRISTIAN, A. S. Safe use of propofol in a child with acute intermittent porphyria, 423 (c)

CHRISTIANSEN, C. See CALLESEN, T., 17

CHUNG, R. A. & LIBAN, J. B. Ludwig's angina and tracheal tube obstruction, 228 (c)

CHURCH, J. A., POLLOCK, J. S. S., STILL, D. M. & PARBROOK, G. D. Comparison of two techniques for sedation in dental surgery, 780 (f) CLAPHAM, M. C. C. See FISHER, G. C., 413 (f)

CLARK, G. P. M., DOBSON, P.M., THICKETT, A. & TURNER, N. M. Chickenpox pneumonia, its complications and management. A report of three cases, including the use of extracorporeal membrane oxygenation, 376

CLARK, G. S. See HOLDEN, R., 922

CLARK, M. J. See BISHTON, I. M., 233 (c)

CLARKE, J. T. See MCEWAN, A. I., 1041

CLAYTON, D. G., WEBB, R. K., RALSTON, D., DUTHIE, D. & RUNCIMAN, W. B. A comparison of the performance of 20 pulse oximeters under conditions of poor perfusion, 3

CLAYTON, D. G., WEBB, R. K., RALSTON, A. C., DUTHIE, D. & RUNCIMAN, W. B. Pulse oximeter probes. A comparison between finger, nose, ear and forehead probes under conditions of poor perfusion, 260

CLAYTON, K. See MANNION, D., 585 (f)

CLEMENTS, E. A. F. See GREVILLE, A. C., 113

CLEMENTS, E. A. F. See GREVILLE, A. C., 317 (c)

CLEMENTS, E. A. F. See GREVILLE, A. C., 698 (c)

CLOWES, N. W. B. See FOSTER, S. J., 701 (c) CLUTTON-BROCK, T. See HARDWICK, M., 664

CLYBURN, P. A. See SANDERS, L. D., 451

COAKLEY, J. Suxamethonium and intensive care, 330 (c)

COBLEY, M. & DUNNE, J. Is the pre-operative removal of dentures necessary?, 596 (c) COBLEY, M., ATKINS, M. & JONES, P. L. Environmental contamination during tracheal suction. A comparison of disposable conventional

catheters with a multiple-use closed system device, 957 COBLEY, M., DUNNE, J. A. & SANDERS, L. D. Stressful pre-operative preparation procedures. The routine removal of dentures during preoperative preparation contributes to pre-operative stress, 1019

COE, A., SARGINSON, R., SMITH, M. W., DONNELLY, R. J. & RUSSELL, G. N. Pain following thoracotomy. A randomised, double-blind comparison of lumbar versus thoracic epidural fentanyl, 918

COHEN, A. See BODENHAM, A., 570

COHEN, J. D., LOEWINGER, J., ZELIKOVSKI, A. & GASSNER, S. Unilateral pulmonary oedema of the contralateral lung following transaxillary sympathectomy, 651 COLE, L. See TROTTER, T. N., 404 (f) COLEY, S. See TROTTER, T. N., 404 (f) COLLETT, B.-J. See THOMSON, S. J., 563 COLLINS, C. H. See SINCLAIR, J. R., 442 COLLINS, S. & CARTER, J. A. Resedation after bolus administration of midazolam to an infant and its reversal by flumazenil, 471 COLVIN, J. See BLOCK, R., 698 (c) CONACHER, I. D. Foreign body in a laryngeal mask airway, 164 (c) CONACHER, I. D. A coaxial technique for facilitating one-lung ventilation, 400 CONIAM, S. W. Withdrawal of levorphanol, 518 (c) CONN, D.A., MOFFAT, A.C. & DUCKWORTH, R.A. Regional anaesthesia and cough effectiveness, 504 (c) COONEY, C. M. See CAREY, M. F., 1083 (c) COOPER, A. E. Percutaneous tracheostomy insertion can be difficult, 1091 (c) COOPER, D. W. Glycopyrronium and reflex bradycardia on elevation of zygoma, 991 (c) CORK, R. See KAUL, B., 885 (c) CORKE, C. F. See STEVENS, J. D., 256 CORKE, C. F. See JACKSON, I. J. B., 475 CORKE, C. F. See MCVEY, F. K., 744 CORNWELL, E. See LANIGAN, C., 600 (c) COSSHAM, P. S. Gum elastic bougie and difficult tracheal intubation, 234 (c) COSTER, M. L. See GUIT, J. B. M., 24 COTTER, S. M., PETROS, A. J., DORÉ, C. J., BARBER, N. D. & WHITE, D. C. Low-flow anaesthesia. Practice, cost implications and acceptability, 1009 COTTERELL, A. M. Exploding ampoules: a reply, 322 (c) COZANITIS, D. A. Faulty Portex epidural needle, 516 (c) CRABBE, G. G. See LEWIS, R. P., 767 CRAMB, R. See THOMPSON, J. M., 673 CRANSTON, A. See WILKINSON, K. A., 296 CRISWELL, J. Pain on intradermal injection with lignocaine. The effect of concentration, 691 (f) CROFTS, S. L. & HUTCHISON, G. L. General anaesthesia and undrained pneumothorax. The use of a computer-controlled propofol infusion, 192 CROSS, M. H. Freezing of thiopentone solution, 602 (c) CROSSE, M. M. See MICHEL, M. Z., 422 (c) CRUL, B. J. P. See VAN DONGEN, R. T. M., 862 CUNDY, J. M. Problems of awareness, 896 (c) CURRIE, M. S. See RILEY, R. H., 421 (c) CURTIS, N. J. See RUDKIN, G. E., 90 CURTIS, N. J. See OSBORNE, G. A., 553 CZECH, T. See WEINSTABL, C., 837 DAHL, J. B. Lumbar plexus block after total knee replacement, 793 (c) DALE, R. H. Regional anaesthesia must be properly managed, 329 (c) DALEY, H. & AMOROSO, P. Dangerous repairs, 997 (c) DALEY, M. J. See MA, V., 892 (c) DANKS, J. L. & JACKSON, A. F. P. Sensitivity to papaveretum in Gilbert's disease, 998 (c) DANKS, J. L. See HUTTON, P., 1087 (c) DANN, W. L. See MATTHEWS, P., 157 (c) DAVENPORT, M. See CHARLTON, A. J., 820 DAVIDSON, D. G. See GREGORY, M. A., 716 DAVIES, C. & HALL, L. W. Propofol and excitatory sequelae in dogs, 797 (c) DAVIES, F. W. See BRYDEN, F. M. M., 164 (c) DAVIES, J. R. A false compatibility, 991 (c) DAVIES, P. R. F. See TIGHE, S. Q. M., 163 (c) DAVIES, R. Two incidents of complete failure of OAV 7750 ventilators: a reply, 788 (c) DAVIS, A. G. See MCGRADY, E. M., 787 (c) DAVIS, M. E. See HILL, A. J., 266 DAWALIBI, L., ROZARIO, C. & VAN DEN BERGH, A. A. Pulse oximetry in pulseless patients, 990 (c) DE COLVENAER, L. See BRUYNS, T., 747 DE JONGE, M. See SMITH, B. E., 875 (f) DE LANGE, J. J. See VAN DIJK, B., 893 (c) DE MELLO, W. & GRIFFITHS, C. Anaesthetists and trauma, 151 (c) DE WIT, A. P. M. See LAMBALK, L. M., 907 DEAN, S. G. See STEWART, K. G., 833 DEAN, Y. See BARANOWSKI, A. P., 1023 DEARDEN, N. M. See MORTON, C. P. J., 601 (c) DELISSER, E. A. See WHIRLEY-DIAZ, J., 220 (f) DELISSER, E. A. See WHIRLEY, J., 885 (c) DENMAN, W. T. See WILKINSON, D. J., 323 (c) DENNY, N. M. 32-gauge spinal catheters through 26-gauge needles, 599 (c) DESGRAND, D. See MARKS, L. F., 703 (c) DEVLIN, E. & BALI, I. Accidental intra-arterial injection of tubocurarine, 75 (c) DEVULDER, J. See BRUYNS, T., 747 DHARA, S. S. See TAN, S. S., 741 DHIR, A. K. Heparin dose response: in vitro versus in vivo technique, 232 (c) DHIR, A. K. & DHIR, S. Esmolol in infindibular spasm, 998 (c) DHIR, S. See DHIR, A. K., 998 (c) DIAMENT, R. See BODENHAM, A., 570

```
DIAMOND, A. The future development of chronic pain relief: editorial, 83
DIAMOND, S. J. See JONES, R. M., 686 (f)
DICKSON, G. See HARDWICK, M., 664
DIGGER, T. J. See ALI, S., 983 (c)
DINGLEY, J. Severe earache following nitrous oxide anaesthesia, 896 (c)
DOBB, G. J. Research difficulties for junior anaesthetists, 1089 (c)
DOBSON, M. B. Oxygen concentrators offer cost savings for developing countries. A study based on Papua New Guinea, 217 (f)
DOBSON, P.M. See CLARK, G. P. M., 376
DOGRA, S., FALCONER, R. & LATTO, I. P. Successful difficult intubation: a reply, 72 (c)
DONALD, F. See CARRIE, L. E. S., 230 (c)
DONNELLY, J. A. & WEBSTER, R. E. Computer-controlled anaesthesia in the management of bronchopleural fistula, 383
DONNELLY, R. J. See COE, A., 918
donovan, a. See konarzewski, w., 595 (c)
DORÉ, C. J. See COTTER, S. M., 1009
DOUGLAS, E. See SWANN, D. G., 174
DOUGLAS, E. See MCLELLAN, I., 420 (c)
DOUGLAS, E. See SWANN, D. G., 707
DOW, A. A. C. See NOLAN, J. P., 318 (c)
DROGHETTI, L. See TARGA, L., 141 (f)
DRURY, P. M. E. & WILLIAMS, E. G. N. Vocal cord paralysis in the Shy-Drager syndrome. A cause of postoperative respiratory obstruction,
    466
DUCKWORTH, R.A. See CONN, D.A., 504 (c)
DUNDEE, J. W. Acupuncture and postoperative sickness, 512 (c)
DUNNE, J. & WISE, C. The pump that gave too much: accidental overinfusion of prostacyclin, 75 (c)
DUNNE, J. See COBLEY, M., 596 (c)
DUNNE, J. & BALSON, I. Obstructed ventilation: the blocked catheter mount, 1093 (c)
DUNNE, J. A. See COBLEY, M., 1019
DUTHIE, D. See CLAYTON, D. G., 3
DUTHIE, D. See CLAYTON, D. G., 260
DUTHIE, R. A. See HUNTER, W. A. H., 505 (c)
DUTTON, D. A. A 'postspinal headache' associated with incidental intracranial pathology, 1044
DYAR, O. J. See POPAT, M. T., 816
EDBROOKE, D. L. See HOOD, G., 138 (f)
EDMONDSON, W. C., ELTRINGHAM, R. J. & GEAR, M. W. L. Cardiorespiratory changes during upper gastrointestinal endoscopy, 1090 (c)
EDWARDS, N., MARTIN, D. & CATLING, S. Attenuation of suxamethonium myalgias, 803 (c)
EDWARDS, N. D., BARCLAY, K., CATLING, S. J., MARTIN, D. G. & MORGAN, R. H. Day case laparoscopy: a survey of postoperative pain and an
    assessment of the value of diclofenac, 1077 (f)
ЕЈК, R. J. R. See кно, н. G., 129 (f)
EISENKRAFT, J. B. See ABEL, M., 30
EISENKRAFT, J. B. See MINGUS, M. L., 588 (c)
EL-ATTAR, A. M. Guided isoflurane injection in a totally closed circuit, 1059 (f)
ELDOR, J. & GUEDJ, P. A new way to measure the width of the epidural space, 162 (c)
ELLIOTT, P. See MCCARTHY, G., 824
ELLIS, F. R. See HOPKINS, P. M., 95
ELLIS, F. R. See HOPKINS, P. M., 374
ELLIS, F. R. See BROWN, G. W., 771 (f)
ELTON, R. A. See LEW, J. K. L., 810
ELTRINGHAM, R. J. See EDMONDSON, W. C., 1090 (c)
EMMETT, C. See THOMPSON, J. M., 673
ENEVER, G. R., NOBLE, H. A., KOLDITZ, D., VALENTINE, S. & THOMAS, T. A. Epidural infusion of diamorphine with bupivacaine in labour. A
     comparison with fentanyl and bupivacaine, 169
ENEVER, G. R. See NOBLE, H. A., 549
ERWIN, D. C. See GREVILLE, A. C., 113
EVANS, G. H. See TIGHE, S. Q. M., 163 (c)
EVANS, J., ROUT, C. C. & ROCKE, D. A. Acid aspiration prophylaxis, 73 (c)
EVANS, M. Another set of twins, 800 (c)
EWART, I. A. & WESTON, M. Blood clot obstruction of the upper airway, 598 (c)
EWART, M. C. See YAU, G., 20
EWART, M. C. See YAU, G., 795 (c)
EZRI, T., HALPERIN, D., LURIE, S. & SOROKER, D. A complication of a flexible tracheostomy tube during laryngectomy, 328 (c)
FAIRFIELD, J. E. See WRIGLEY, S. R., 615
FALCONER, R. See DOGRA, S., 72 (c)
FANNING, A. See GAMIL, M., 712
FARLING, P. A. See AITKEN, H. A., 329 (c)
FARQUHAR, I. K. Continuous direct and indirect blood pressure (Finapres) in the critically ill, 1050
FASTING, S. See BERG, E. M., 1033
FEISS, P. See BOULY, A., 705 (c)
FELDMAN, S. & OOI, R. Clonidine-a horse or an ass: editorial, 1003
FELDMAN, S. A. See JOSHI, P., 151 (c)
FELDMAN, S. A. See OOL R., 632
FELL, D. See TROTTER, T. N., 404 (f)
FELL, D. See MOBLEY, K. A., 500 (f)
FELL, D. See ROBINSON, S. L., 580 (f)
FELL, D. See TROTTER, T., 999 (c)
```

FENECK, R. O. See HILL, A. J., 266

```
FIACCHINO, F., GEMMA, M., BRICCHI, M., GIOMBINI, S. & REGI, B. Sensitivity to curare in patients with upper and lower motor neurone
FINCH, M. D. & MORGAN, G. A. R. Traumatic pneumocephalus following head injury. A complication of general anaesthesia, 385
FISHER, A. P., JAYAWARDENE, B., RAMSTEAD, K. D. & FISHER, A. R. Life-saving use of extracorporeal membrane gas exchange in severe, acute
    respiratory failure, 866
FISHER, A. R. See FISHER, A. P., 866
FISHER, G. C., CLAPHAM, M. C. C. & HUTTON, P. Flumazenil in intensive care. The duration of arousal after an assessment dose, 413 (f)
FISHER, G. C. Modification of the Down's Adjustable flow generator, 424 (c)
FITCH, W. See GARRIOCH, M. A., 828
FLATT, T. See SCHAEFER, H. G., 791 (c)
FLETCHER, M. E. See WILKINSON, K. A., 296
FLYNN, P. J. See GOLDHILL, D. R., 496 (f)
FLYNN, P. J. See SURESH, D., 877 (f)
FOGARTY, D. F. See MCCLEANE, G. J., 59 (f)
FORREST, F. & MILLETT, S. Intermittent obstruction of tracheal tube revealed during pressure-supported ventilation, 799 (c)
FORTUNA, A. A co-axial technique for facilitating one-lung ventilation, 1094 (c)
FOSTER, S. J. & CLOWES, N. W. B. Laryngeal mask airway for coronary artery bypass grafting, 701 (c)
FRANCIS, G. Emergency adenotonsillectomy for acute airway obstruction, 514 (c)
FRANCIS, G. A. See MCEWAN, A. I., 1041
FRASER, J. F. See BAILIE, R., 358
FRASER, S. J. See MERRIDEW, C. G., 1000 (c)
FRERK, C. M. Intubaion through the laryngeal mask, 985 (c)
FRERK, C. M. Predicting difficult intubation, 1005
FRESHWATER, J. V. See MCGRADY, E. M., 794 (c)
FRITZ, G. A. & BRADSHAW, E. G. Contiplex (Braun) Katheterset, 603 (c)
FRY, E. N. S. See SARMA, V., 460
FURNESS, G. See MCCOY, E. P., 423 (c)
GALE, S. See KLUGER, M. T., 456
GALLETLY, D. C. See SHORT, T. G., 929
GAMIL, M. & FANNING, A. The first 24 hours after surgery. A study of complications after 2153 consecutive operations, 712
GAMIL, M. Regional anaesthesia and cough effectiveness, 790 (c)
GANNON, K. Mortality associated with anaesthesia. A case review study, 962
GARCIA, E. See LAWLER, P. G., 597 (c)
GARRIOCH, M. A., WARDALL, G. J. & FITCH, W. A comparison of azapropazone and aspirin for pain relief following dental extractions, 828
GASSNER, S. See COHEN, J. D., 651
GAUSS, A., HEINRICH, H. & WILDER-SMITH, O. H. G. Echocardiographic assessment of the haemodynamic effects of propofol: a comparison
    with etomidate and thiopentone, 99
GAUTIER, H. Doxapram and shivering, 1092 (c)
GEAR, M. W. L. See EDMONDSON, W. C., 1090 (c)
GEDDES, S. M., THORBURN, J. & LOGAN, R. W. Gastric emptying following Caesarean section and the effect of epidural fentanyl, 1016
GEMMA, M. See FIACCHINO, F., 980 (f)
GEORGE, K. A., WRIGHT, P. M. C. & CHISAKUTA, A. Continuous thoracic epidural fentanyl for post-thoracotomy pain relief: with or without
    bupivacaine?, 732
GERAGHTY, I. F. See ADLEY, R., 159 (c)
GERRISH, S. P. See HOOD, G., 138 (f)
GIELEN, M. J. M. See KERKKAMP, H. E. M., 361
GILDERSLEVE, C. D. See SANDERS, L. D., 1056 (f)
GILL, R. S. & LACK, J. A. Vaporizers - serviced and checked?, 695 (c)
GILL, R. S., O'CONNELL, N. & SCOTT, R. P. F. Reversal of prolonged suxamethonium apnoea with fresh frozen plasma in a 6-week-old
    infant, 1036
GILLIES, E. A. D. See LIVESEY, J. R., 36
GILMAN, D. H. Caesarean section in undiagnosed Eisenmenger's syndrome. Report of a patient with a fatal outcome, 371
GIL-RODRIGUEZ, J. A. Scavenging in the operating theatre, 704 (c)
GILSTON, A. Son with lumière for cardiovascular monitoring, 420
GILSTON, A. Does complicated mean better?, 515 (c)
GIN, T. See YAU, G., 20
GIOMBINI, S. See FIACCHINO, F., 980 (f)
GITLIN, D. A. See REEDER, M. K., 849
GLEN, J. B. Quality of anaesthesia during spontaneous respiration: a proposed scoring system, 1081 (c)
GLYNN, C. J. See NAGLE, C. J., 599 (c)
GLYNN, C. J. See POPAT, M. T., 859
GLYNN, C. J. See JADAD, A. R., 935
GODDARD, J. M. See MILLS, G. H., 893 (c)
GOLD, M. I. See WHIRLEY-DIAZ, J., 220 (f)
GOLD, M. I. See WHIRLEY, J., 885 (c)
GOLDBERG, A. A. J. Foreign body in a laryngeal mask airway, 700 (c)
GOLDHILL, D. R., CARTER, J. A., SURESH, D., WHITEHEAD, J. P. & FLYNN, P. J. Antagonism of atracurium with neostigmine. Effect of dose on
    speed of recovery, 496 (f)
GOLDHILL, D. R. See SURESH, D., 877 (f)
GOLDMAN, M. D. See REEDER, M. K., 849
GOODMAN, N. W. See KESTIN, I. G., 93
GOODMAN, N. W. Hypotension and brain death?, 324 (c)
GOODMAN, N. W. Pain and basic human rights, 790 (c)
GOODWIN, A. P. L. Postoperative oxygen via the laryngeal mask airway, 700 (c)
GOODWIN, A. P. L., ROWE, W. L., OGG, T. W. & SAMAAN, A. Oral fluids prior to day surgery. The effect of shortening the pre-operative fluid
     fast on postoperative morbidity, 1066 (f)
GOOLD, J. E. Anaesthesia for cataract surgery, 518
```

GOROSZENIUK, T. See KHO, H. G., 135 (f) GOROSZENIUK, T. See ADAMS, A. P., 932 GORVEN, A. M. See WILLIAMSON, R., 593(c) GOTTSCHALK, B. See STRIEBEL, H. W., 899 (c) GOULD, T. H. See SINCLAIR, J. R., 442 GRAHAM, I. F. M. See SHAW, S. D., 887 (c) GRAHAM, S. G. See LIU, W. H. D., 435 GRANT, I. S. & WORSLEY, M. Withdrawal syndrome after propofol, 238 (c) GRAY, P. A., BODENHAM, A. R. & PARK, G. R. A comparison of dopexamine and dopamine to prevent renal impairment in patients undergoing orthotopic liver transplantation, 638 GRAY, T. C. Harold King. A notable contributor to anaesthesia, 679 GREEN, N. Faulty Portex epidural needle: a reply, 516 (c) GREENSLADE, G. L. See TIGHE, S. Q. M., 163 (c) GREENSLADE, G. L. Single operator cardiopulmonary resuscitation in anmbulances. Which ventilation device?, 391 GREGORY, M. A. & DAVIDSON, D. G. Plasma etomidate levels in mother and fetus, 716 GREVILLE, A. C., CLEMENTS, E. A. F., ERWIN, D. C., MCMILLAN, D. L. & WELLWOOD, J. MCK. Pulmonary air embolism during laparoscopic laser cholecystectomy, 113 GREVILLE, A. C. & CLEMENTS, E. A. F. Anaesthesia for laparoscopic cholecystectomy: a reply, 317 (c) GREVILLE, A. C. & CLEMENTS, E. A. F. Nitrous oxide and laparoscopy: a reply, 698 (c) GREWAL, M. S. See SMITH, J. E., 683 (f) GRIFFIN, R. M. & HATCHER, I. S. Aspiration pneumonia and the laryngeal mask airway: a reply, 418 (c) GRIFFITHS, C. See DE MELLO, W., 151 (c) GRIFFITHS, J. M. See SMITH, B. E., 875 (f) GROVER, V. K. See KUMAR, A., 594 (c) GROVE-WHITE, I. G. The anaesthetic management of tracheal stenosis, 602 (c) GRUBB, D. See ROWBOTTOM, S. J., 489 (f) GUEDJ, P. See ELDOR, J., 162 (c) GUIT, J. B. M., KONING, H. M., COSTER, M. L., NIEMEIJER, R. P. F. & MACKIE, D. P. Ketamine as analgesic for total intravenous anaesthesia with propofol, 24 GUIT, J. B. M. See KONING, H. M., 1085 (c) GUPTA, A., VEGFORS, M. & LENNMARKEN, G. Hypoxaemia during induction of anaesthesia, 513 (c) GUPTA, S. See KUMAR, A., 57 (f) GWILT, D. J. See JOLLIFFE, D. M., 288 HALL, G. M. See IMRIE, M. M., 44 HALL, G. M. See VAFIDIS, G. C., 148 (c) HALL, G. M. See BARKER, J. P., 642 HALL, G. M. See LOUGHNAN, B. A., 912 HALL, L. W. See DAVIES, C., 797 (c) HALPERIN, D. See EZRI, T., 328 (c) HALSALL, P. J. See HOPKINS, P. M., 95 HALSALL, P. J. See HOPKINS, P. M., 374 HALSEY, M. J. Occupational health and pollution from anaesthetics. A report of a seminar, 486 HAMMOND, K. A. See RILEY, R. H., 421 (c) HANAFIAH, Z. & SELLERS, W. F. S. Nudging the emergency oxygen, 331 (c) HANNING, C. D. & LANGTON, J. A. Pulse oximeters and poor perfusion, 887 (c) HANNINGTON-KIFF, J. G. Faulty Superset plastic catheter mounts. A cautionary tale applicable to other mass-produced disposable products, 671 HANNINGTON-KIFF, J. G. The length of RAE preformed tubes, 791 (c) HANSBRO, S. D. See KEELER, J. F., 925 HARDWICK, M., DICKSON, G. & CLUTTON-BROCK, T. Use of the Inspiron nebuliser during continuous positive airway pressure ventilation, 664 HARGREAVES, D. M. Raised intra-abdominal pressure and renal failure, 796 (c) HARMER, M. Postoperative pain relief-time to take our heads out of the sand?: editorial, 167 HARMER, M. See RODNEY, G. E., 648 HARMER, M. Pain and basic human rights: a reply, 790 (c) HARPER, S. J. & WILKES, R. G. Posthypoxic myoclonus (the Lance-Adams syndrome) in the intensive care unit, 199 HARRIS, M. F. See PENNANT, J. H., 126 HARRIS, R. W. See SPIERS, S. P. W., 420 (c) HARRISON, J. C. & HORTON, W. A. pre-operative removal of dentures, 992 (c) HARRISON, M. Masseter spasm in Williams syndrome: a reply, 706 (c) HARRISON, M. J. See PATEL, J., 115 HARRISON, M. J. See PENBERTHY, A., 1085 (c) HARROP-GRIFFITHS, A. W., RAVALIA, A., BROWNE, D. A. & ROBINSOBN, P. N. Regional anaesthesia and cough effectiveness. A study in patients undergoing Caesarean section, 11 HARROP-GRIFFITHS, A. W. See JONES, J. A., 502 (c) HARROP-GRIFFITHS, A. W., RAVALIA, A., BROWNE, D. A. & ROBINSON, P. N. Regional anaesthesia and cough effectiveness: a reply, 504 (c) HARWOOD, R. J., KING, T. A., JOHNSTON, D. F. & WATKINSON, J. C. Emergency Adenotonsillectomy for acute airway obstruction, 514 (c) haselby, k. a. See presson, jr, r. g., 319 (c) HASHAM, F., KUMAR, C. M. & LAWLER, P. G. P. The use of the laryngeal mask airway to assist fibreoptic orotracheal intubation, 891 (c) HASSETT, P. See VICTORY, R. A., 940 HATCH, D. See WILKINSON, K. A., 888 (c) HATCH, D. J. See WILKINSON, K. A., 296 HATCHER, I. S. See GRIFFIN, R. M., 418 (c) HAY, A. See IMRAY, J. MCG., 704 (c) HAYES, C. An interesting misconnexion, 508 (c) HAYES, M. See WILKINSON, D. J., 323 (c) HAYES, S. R. Pressure generated during insertion of lumbar epidurals, 506 (c)

```
HAYES-GREGSON, P. See TROTTER, T. N., 404 (f)
HEATH, M. L. & ALLAGAIN, J. Intubation through the laryngeal mask. A technique for unexpected difficult intubation, 545
HEATH, M. L. See PEARCE, A. W., 592(c)
HEATH, M. L. Pneumatic tourniquets, 593 (c)
HEATH, M. L. & ALLAGAIN, J. Intubation through the laryngeal mask: a reply, 985 (c)
HEATH, P. J. & MARKS, L. F. Modified occlusion tests for the Bain breathing system, 213
HECKER, J. F. See WILLIAMS, S., 14
HEDLEY, R. M. & OOI, T. K. Bubbles may be deceiving, 895 (c)
HEIJKE, S. A. M., SMITH, G. & KEY, A. The effect of the Trendelenburg position of lower oesophageal sphincter tone, 185
HEUKE, S. A. M., SMITH, G. & KEY, A. Comparison of the combined effects of atropine and neostigmine with atropine and edrophonium on
    the lower oesophageal sphincter, 628
HEINRICH, H. See GAUSS, A., 99
HELFINGER, R. G. See CARTWRIGHT, P. D., 188
HELFMAN, S. See WHIRLEY, J., 885 (c)
HELFMAN, S. M. See WHIRLEY-DIAZ, J., 220 (f)
HENDLEY, B. J. Block of epidural needlie by blood clots, 996 (c)
HENDLEY, B. J. Extradural vein puncture—an avoidable complication, 1092 (c)
HENNIS, P. J. See KEANE, T. K., 38
HENNIS, P. J. See LAMBALK, L. M., 907
HENNIS, P. J. See BROEKEMA, A. A., 942
HERLEVI, M. & PALOHEIMO, M. Cyclopropane and Datex Capnomac, 893 (c)
HERLICH, A. See MINGUS, M. L., 588 (c)
HERRICK, I. A. See PILLOW, K., 388
HIGGINS, D. & MACKERSIE, A. Elohes administration following an anaphylactoid reaction to Haemaccel, 162 (c)
HIGGINS, D. See WILKINSON, D. J., 323 (c)
HIGGINS, M. J., ASBURY, A. J. & BRODIE, M. J. Inhaled nebulised fentanyl for postoperative analgesia, 973 (f)
HILL, A. J., FENECK, R. O., UNDERWOOD, S. M., DAVIS, M. E., MARSH, A. & BROMLEY, L. The haemodynamic effects of bronchoscopy.
    Comparison of propofol and thiopentone with and without alfentanil pretreatment, 266
HILL, D. J. See JAYAWARDENA, B., 473
HILL, S. See JOHN, R. E., 366
HILL, S. A., QUINN, K., SHELLY, M. P. & PARK, G. R. Reversible renal failure following opioid administration, 938
HILLIER, S. C. See PRESSON, JR, R. G., 319 (c)
HINTON, W. & BELLWOOD, A. Polarisation of a 2.5 mm tracheal tube, 791 (c)
HJERTBERG, H. See HULTÉN, J., 349
HO, B. Y. M. See BLUMGART, C. H., 1092 (c)
HODGSON, C. A. & MOSTAFA, S. M. Riddle of the persistent leak, 799 (c)
HODGSON, C. A. & MCHUGH, P. Bleeding postbronchoscopy, 425 (c)
HOLDCROFT, A. See LALOR, J. M., 762
HOLDEN, R., MORSMAN, C. D. G., BUTLER, J., CLARK, G. S., HUGHES, D. S. & BACON, P. J. Intra-ocular pressure changes using the laryngeal
    mask airway and tracheal tube, 922
HOLLWAY, T. E. & TELFORD, R. J. Observations on deliberate dural puncture with a Tuohy needle: depth measurements, 722
HOLLWAY, T. E. See TELFORD, R. J., 725
HOOD, G., EDBROOKE, D. L. & GERRISH, S. P. Postoperative analgesia after triple nerve block for fractured neck of femur, 138 (f)
HOPKINS, P. M., ELLIS, F. R. & HALSALL, P. J. Evaluation of local anaesthetic blockade of the lateral femoral cutaneous nerve, 95
HOPKINS, P. M., ELLIS, F. R. & HALSALL, P. J. Hypermetabolism in arthrogryposis multiplex congenita, 374
HOPKINS, P. M. See STEWART, K. G., 833
HORSELL, A. See METS, B., 28
HORTON, W. A. See HARRISON, J. C., 992 (c)
HOSAIN, S. I., BOUNDS, G. & STANFORD, J. Angina haemmorrhagica bullosa causing respiratory obstruction postoperatively, 422 (c)
HOSIE, H. E. & TODD, J. G. Persistent erection and general anaesthesia, 76 (c)
HOWE, J. P. See CARABINE, U. A., 634
HOWE, J. P. See CARABINE, U. A., 1013
HOWELL, J. J. See CARTWRIGHT, P. D., 188
HUGHES, D. S. See HOLDEN, R., 922
HUGHES, J. A. & OLDROYD, G. J. A technique to avoid dural puncture by the epidural catheter, 802 (c)
HUGHES, T. J. See JOHN, R. E., 366
HULTÉN, J., SARMA, V. J., HJERTBERG, H. & PALMQUIST, B. Monitoring of irrigating fluid absorption during transurethral prostatectomy. A
    study in anaesthetised patients using a 1% ethanol tag solution, 349
HUMPHREY, S. J. E., LUFF, N. P. & WHITE, D. C. Evaluation of the Lamtec anaesthetic agent monitor, 478
HUNTER, J. M. See KENT, A. P., 271
HUNTER, J. M. See SHEARER, E. S., 750
HUNTER, S. J. See SPITTAL, M. J., 788 (c)
HUNTER, S. J. See SPITTAL, M. J., 1093 (c)
HUNTER, W. A. H. & DUTHIE, R. A. Malfunction of a Laerdal resuscitation valve, 505 (c)
HUTCHINSON, R. See LEW, J. K. L., 719
HUTCHISON, G. L. See CROFTS, S. L., 192
HUTCHISON, G. L. See LONSDALE, M., 410 (f)
HUTTER, C. D. D. The Woolley and Row case: a reply, 235 (c)
HUTTON, P. See FISHER, G. C., 413 (f)
HUTTON, P. See THOMPSON, J. M., 673
HUTTON, P. & DANKS, J. L. Cardiac arrhythmias during rigid oesophagoscopy, 1087 (c)
HYDE, R. A. & MORTIMER, A. J. Safe use of propofol in a patient receiving translcypromine, 1090 (c)
```

Author Index JACKSON, A. F. P. See DANKS, J. L., 998 (c) JACKSON, I. J. B., CHOUDRY, A. K., RYAN, D. W., MATTHEWS, H. R. & CORKE, C. F. Minitracheotomy Seldinger - assessment of a new technique, 475 JACKSON, I. J. B., SEMPLE, P. & STEVENS, J. D. Evaluation of the Graseby PCAS. A clinical and laboratory study, 482 JACKSON, I. J. B. See SEMPLE, P., 1074 (f) JADAD, A. R. See POPAT, M. T., 859 JADAD, A. R., POPAT, M. T., GLYNN, C. J. & MCQUAY, H. J. Double-blind testing fails to confirm analgesic response to extradural morphine, 935 JAGO, R. H. See MORRISON, P., 33 JAHANGIR, S. M. & RAHMAN, K. Prolonged apnoea, trismus and ketamine, 1086 (c) JAMES, M. F. M. Labelling on oxygen analysers, 155 (c) JAMES, R. H. Withdrawal of levorphanol, 71 (c) JAMES, R. H. Hazards from homely anaesthetic rooms, 76 (c) JAMES, R. H. See RABEY, P. G., 897 (c) JANKOWSKI, J. See BLOCK, R., 698 (c) JANKOWSKI, S. & PETROS, A. J. Chickenpox pneumonia: NAB before IPPV?, 993 (c) JARNVIG, I. See CALLESEN, T., 17 JAYAWARDENA, B. & HILL, D. J. Myoclonic spasms after epidural diamorphine infusion, 473 JAYAWARDENE, B. See FISHER, A. P., 866 JEWKES, D. A. See PARRY, T. M., 229 (c) JOHN, R. E., HILL, S. & HUGHES, T. J. Airway protection by the laryngeal mask. A barrier to dye placed in the pharynx, 366 JOHNSON, T. W. Device to maintain the position of spinal needles, 890 (c) JOHNSTON, D. F. See WRIGLEY, S. F., 321 (c) JOHNSTON, D. F. See HARWOOD, R. J., 514 (c) JOHNSTON, I. G. See RESTALL, J., 319 (c) JOLLIFFE, D. M., BUDD, A. J. & GWILT, D. J. Massive acute arsenic poisoning, 288 JONES, A. See SKEA, G., 510 (c) JONES, A. See BRYAN, A. G., 802 (c) JONES, A. G. Three in one block for fractured neck of femur, 517 (c) JONES, G. & SCOTT, D. H. T. Anaesthesia for adults with congenital heart disease, 698 (c) JONES, G. W. See MULLA, S. C., 706 (c) JONES, H. E. See WRIGLEY, S. F., 321 (c) JONES, J. A. & HARROP-GRIFFITHS, A. W. Pain after surgery, 502 (c) JONES, P. L. Hazard: single-use parallel Lack breathing system, 316 (c) JONES, P. L. See COBLEY, M., 957 JONES, R. M. See WRIGLEY, S. R., 615 IONES, R. M., DIAMOND, S. J., POWER, S. J., BAJOREK, P. K. & MUNDAY, I. A prospective study of liver function in infants and children exposed to daily isoflurane for several weeks, 686 (f) JONES, R. P. See SCOTT, P. V., 1047 JONES, S. E. F. See CHOW, B. F. M., 590 (c) JONES, S. E. F. & STOKES, M. A. Papaveretum infusions in infants under 6 months of age, 688 (f) JØRGENSEN, L. N. See WILLE-JØRGENSEN, P., 623 JOSHI, N. See MANTHA, S., 491 (f) JOSHI, P., OOI, R. & FELDMAN, S. A. The supraglottic oropharyngeal airway, 151 (c) JOSHI, P., MAHONEY, A. & SONI, N. C. Other implications of laser laparoscopic cholecystectomy, 318 (c) JOSHI, P., BULLINGHAM, A. & SONI, N. Septic atrial thrombus. A complication of central venous catheterisation, 1030 JUNEJA, M. See ACKERMAN, W., 230 (c) KADIM, M. Y., LOCKWOOD, G. G., CHAKRABARTI, M. K. & WHITWAM, J. G. A low-flow to-and-fro system. Laboratory study of mixing of anaesthetic and driving gases during mechanical ventilation, 948 KADIM, M. Y., LOCKWOOD, G. G., CHAKRABARTI, M. K. & WHITWAM, J. G. Evaluation of a small soda lime canister in a to-and-fro system, 952 KALMANOVITCH, D. V. A. Dilatation of hand veins, 517 (c) KAPTEUNS, W. M. M. J. See KHO, H. G., 129 (f) KASSAB, J. Y. See TEILLOL-FOO, W. L. M., 881 (f) KAUL, B. & CORK, R. Consent to clinical research, 885 (c) KEANE, P. K. See SAUNDERS, P. R., 152 (c) KEANE, T. K., HENNIS, P. J. & BINK-BOELKENS, M. TH. E. Non-drug related asystole associated with anaesthetic induction, 38 KEARNEY, E. See CARABINE, U. A., 1013 KEE, S. See VYVYAN, H. A. L., 728 KEE, S. S. See RAMAGE, C. H. M., 395 KEELER, J. F., SHAH, M. V. & HANSBRO, S. D. Protamine—the need to determine the dose. Comparison of a simple protamine titration method with an empirical dose regimen for reversal of heparinisation following cardiopulmonary bypass, 925 KELLOW, N. H. Parents do not always want to be present at induction of anaesthesia of their children, 993 (c) KENDALL, A. P. & LIN, E. Respiratory failure as presentation of achalasia of the oesophagus, 1039 KENNY, G. N. C. & WHITE, M. Intravenous propofol anaesthesia using a computerised infusion system, 156 (c) KENNY, G. N. C. See MURRAY, A. W., 181

KENNY, G. N. C. See WOTHERSPOON, H. A., 915

KENT, A. P. & HUNTER, J. M. The pharmacodynamics of alcuronium in the elderly, 271

KERKKAMP, H. E. M. & GIELEN, M. J. M. Cardiovascular effects of epidural local anaesthetics. Comparison of 0.75% bupivacaine and 0.75% ropivacaine, both with adrenaline, 361

KESTIN, I. G. & GOODMAN, N. W. Incremental spinal anaesthesia using a 32-gauge catheter, 93

KEY, A. See HEUKE, S. A. M., 185

KEY, A. See HEIJKE, S. A. M., 628

KHALIL, S. N. Anaesthesia for cataract surgery - time for change, 148 (c)

KHALIL, S. N. Local anaesthesia for eye surgery, 232 (c)

KHO, H. G., EIJK, R. J. R., KAPTEIJNS, W. M. M. J. & MCMILLAN, D. L. Acupuncture and transcutaneous stimulation analgesia in comparison with moderate-dose fentanyl anaesthesia in major surgery. Clinical efficacy and influence on recovery and morbidity, 129 (f)

```
KHO, H. G., GOROSZENIUK, T., TULLY, A. M. & ADAMS, A. P. Oxygen delivery systems - a comparison of two devices, 135 (f)
KIM, C. K. See TAN, S. S., 741
KING, T. A. See HARWOOD, R. J., 514 (c)
KLUBIEN, K. E. See SMITH, I. D., 970 (f)
KLUGER, M. T. & OWEN, H. Premedication: an audit, 224 (f)
KLUGER, M. T., GALE, S., PLUMMER, J. L. & OWEN, H. Peri-operative drug prescribing pattern and manufacturers' guidelines. An audit. 456
KLUGER, M. T. See OWEN, H., 786 (c)
KLUGER, M. T. & OWEN, H. On demand epidural fentanyl, 983 (c)
KNAPE, H. T. A. See BOOIJ, L. H. D. J., 341
KOEHLI, N. Aspiration and the laryngeal mask airway, 419 (c)
KOLDITZ, D. See ENEVER, G. R., 169
KONARZEWSKI, W., WALKER, P. & DONOVAN, A. Upper airway obstruction by enlarged tonsils, 595 (c)
KONING, H. M. See GUIT, J. B. M., 24
KONING, H. M., MACKIE, D. P. & GUIT, J. B. M. Ketamine and propofol for TIVA: a reply, 1085 (c)
KOSAKA, Y. See SAKURA, S., 560
KOTUR, C. F. See YAU, G., 20
KRANTZ, T. See CALLESEN, T., 17
KRAPEZ, J. R. Aspiration pneumonia and the laryngeal mask airway, 418 (c)
KRINGS-ERNST, I. See LYNCH, J., 891 (c)
KUMAR, A., GUPTA, S., AHUJA, S., SETHI, A. & BHATTACHARYA, A. The role of a critical care unit in an epidemic, 57 (f)
KUMAR, A. See AMBESH, S. P., 74 (c)
KUMAR, A., GROVER, V. K., BHUKAL, I. & SHARMA, S. Precordial stethoscopes, 594 (c)
KUMAR, C. M. Another antipollution device for the Jackson-Rees modification of Ayer's T-Piece system, 792 (c)
KUMAR, C. M. See HASHAM, F., 891 (c)
KUMAR, V., MAVES, T. & BARCELLOS, W. Epidural blood patch for treatment of subarachnoid fistula in children, 117
LACK, J. A. See GILL, R. S., 695 (c)
LAHAYE, F. See CESARINI, M., 230 (c)
LAIDLOW, D. C. See SPITTAL, M. J., 788 (c)
LALOR, J. M., ORTIZ, J. C. G. & HOLDCROFT, A. The Alton Dean pressure infusor: an evaluation, 762
LAMBALK, L. M., DE WIT, A. P. M., WIERDA, J. M. K. H., HENNIS, P. J. & AGOSTON, S. Dose-response relationship and time course of action of
     Org 9426. A new muscle relaxant of intermediate duration evaluated under various anaesthetic techniques, 907
LANGTON, J. A. & MEIKLEJOHN, B. H. Pressure generated during insertion of lumbar epidurals: a reply, 506 (c)
LANGTON, J. A. See HANNING, C. D., 887 (c)
LANGTON, J. A. See BARKER, P., 1069 (f)
LANIGAN, C. & CORNWELL, E. Pulmonary artery catheter entrapment, 600 (c)
LATTO, I. P. See DOGRA, S., 72 (c)
LAURENCE, A. S. & SMITH, S. O. Attenuation of suxamethonium myalgias, 588 (c)
LAVIES, N.G. See VAN-ANDEL, J., 427 (c)
LAWES, E. G. See CHARLTON, G. A., 573
LAWLER, P. G., PATLA, V. R., GARCIA, E. & PUTTICK, N. Assessment of training in anaesthesia and related skills, 597 (c)
LAWLER, P. G. P. See HASHAM, F., 891 (c)
LEADER, G. L. Facilitation of the insertion of the laryngeal mask, 987 (c)
LEE, A., MCKEOWN, D., BROCKWAY, M., BANNISTER, J. & WILDSMITH, J. A. W. Comparison of extradural and intravenous diamorphine as a
    supplement to extradural bupivacaine, 447
LEE, E. M. See PARRIS, W. C. V., 997 (c)
LEE, J. J. Capnography and the Bain coaxial breathing system, 899 (c)
LEIGH, J. M. Postoperative ventilation and pre-operative anticholinergics: a reply, 231 (c)
LEIGH, J. M. Hypotension and brain death?: a reply, 324 (c)
LENNMARKEN, G. See GUPTA, A., 513 (c)
LETT, Z. See MENON, M. R. B., 155 (c)
LEUNG, R. K. W. See YAU, G., 20
LEVACK, I. D. Lumbar plexus block after total knee replacement, 793 (c)
LEW, J. K. L., HUTCHINSON, R. & LIN, E. S. Intra-arterial blood sampling for clotting studies. Effects of heparin contamination, 719
LEW, J. K. L., SPENCE, A. A. & ELTON, R. A. Cross-sectional study of complications of inhalational anaesthesia in 16995 patients, 810
LEWIS, M. See CHOW, B. F. M., 590 (c)
LEWIS, P. See STRUNIN, L., 148 (c)
LEWIS, R. P. & PORTER, M. Supplementary oxygen and the laryngeal mask airway, 70 (c)
LEWIS, R. P., SZAFRANSKI, J., BRADFORD, R. H., SMITH, H. S. & CRABBE, G. G. The use of the Penlon Nuffield 200 in a monoplace hyperbaric
    oxygen chamber. An evaluation of its use and a clinical report in two patients requiring ventilation for carbon monoxide poisoning,
    767
LI, Y. H. See LIM, E. T. M., 597 (c)
LIBAN, J. B. See CHUNG, R. A., 228 (c)
LIEM, T. H., MOLL, J. E. & BOOIJ, L. H. D. J. Thoracic epidural analgesia in a patient with bilateral phaeochromocytoma undergoing
    coronary artery bypass grafting, 654
LIM, E. T. M., TEH, T. S. & LI, Y. H. Block of epidural needle by blood clots, 597 (c)
LIN, E. See KENDALL, A. P., 1039
LIN, E. S. See LEW, J. K. L., 719
LINDGREN, L. See RANDELL, T., 801 (c)
LINDSAY, W. A. Ethyl chloride and diethyl ether for assessing the extent of epidural blockade, 596 (c)
LINDSAY, W. A. Intubation guide marks on tracheal tubes, 702 (c)
LINTER, S. P. K. See SUTTON, D. N., 97
LINTON, D. M. See METS, B., 28
LIU, W. H. D. & LUXTON, M. C. The effect of prophylactic fentanyl on shivering in elective Caesarean section under epidural analgesia, 344
LIU, W. H. D., THORP, T. A. S., GRAHAM, S. G. & AITKENHEAD., A. R. Incidence of awareness with recall during general anaesthesia, 435
LIVESEY, J. R., SOLOMONS, N. B. & GILLIES, E. A. D. Emergency adenotonsillectomy for acute postoperative upper airway obstruction, 36
LLOYD, E. L. It would have been the anaesthetist's fault, 999 (c)
LLOYD, J. See RICE, A. S. C., 541
```

S.

LLOYD-THOMAS, A. See MURPHY, P. M., 106 LLOYD-THOMAS, A. R. See MASON, D. G., 398 LOCKWOOD, G. G. See KADIM, M. Y., 948 LOCKWOOD, G. G. See KADIM, M. Y., 952 LOEWINGER, J. See COHEN, J. D., 651 LOGAN, A. ST C. Use of the laryngeal mask in a patient with an unstable fracture of the cervical spine, 987 (c) LOGAN, M. R. Failure of the Ruben circle control valve, 325 (c) LOGAN, R. W. See GEDDES, S. M., 1016 LOH, L. See REEDER, M. K., 849 LOHMANN, G. Fault with an Ohmeda Excel 410 machine, 695 (c) LOMAX, D. M. See THOMSON, S. J., 563 LONSDALE, M. & HUTCHISON, G. L. Patient's desire for information about anaesthesia. Scottish and Canadian attitudes, 410 (f) LOUGHNAN, B. A., YAU, K. W., RANSFORD, A. O. & HALL, G. M. Effects of epidural diamorphine on the somatosensory evoked potential to posterior tibial nerve stimulation, 912 LUFF, N. P. See HUMPHREY, S. J. E., 478 LUMLEY, J. & ZIDEMAN, D. A. Purchasing equipment: editorial, 433 LURIE, S. See EZRI, T., 328 (c) LUTCH, S. B. See VENDITTI, R. C., 995 (c) LUXTON, M. C. See LIU, W. H. D., 344 LYNCH, J. & KRINGS-ERNST, I. The use of a 25-gauge Whitacre needle for spinal anaesthesia in orthopaedic surgery, 891 (c) LYONS, G. & MACDONALD, R. Awareness during Caesarean section, 62 (f) LYONS, G. Spinal needles, flow and dural puncture, 236 (c) MA, V. & DALEY, M. J. Dosage of phenylephrine in spinal anaesthesia for Caesarean section, 892 (c) MACDONALD, R. See LYONS, G., 62 (f) MACFARLANE, P. See MURRAY, A. W., 181 MACFIE, A. See BRIMACOMBE, J., 1088 (c) MACFIE, A. G. See BRIMACOMBE, J. R., 756 MACINTYRE, P. E. See SEMPLE, T. J., 75 (c) MACKERSIE, A. See HIGGINS, D., 162 (c) MACKERSIE, A. M. See BLACK, A. E., 42 MACKERSIE, A. M. The length of RAE preformed tubes: a reply, 791 (c) MACKIE, D. P. See GUIT, J. B. M., 24 MACKIE, D. P. See KONING, H. M., 1085 (c) MACPHERSON, G. H. See SMITH, B. E., 875 (f) MACRAE, D. J. See SMITH, I. D., 970 (f) MADEJ, T. H. See STEVENS, J. D., 256 MAEDA, M. See SAKURA, S., 560 MAGEE, P. See SINCLAIR, R., 988 (c) MAGEE, P. T. See SINCLAIR, J. R., 442 MAGIDES, A. D. A personal view of postdural puncture headache, 694 (c) MAHONEY, A. See JOSHI, P., 318 (c) MALTBY, J. R. The Woolley and Roe case, 426 (c) MANNION, D., WALKER, R. & CLAYTON, K. Extradural vein puncture - an avoidable complication, 585 (f) MANSOUR, N. Y. Need for special needle for caudal block, 996 (c) MANTHA, S., RAO, S. M., SINGH, A. K., MOHANDAS, S., RAO, B. S. P. & JOSHI, N. Visual evoked potentials and visual acuity after transurethral resection of the prostate, 491 (f) MANTHA, S. & RAO, S. M. Peri-operative management of diabetes mellitus, 900 (c) MAPPES, A. & SCHAER, H. M. Accidental injection of ether into the epidural space, 124 MARJOT, R. Trauma to the posterior pharyngeal wall caused by a laryngeal mask airway, 589(c) MARKS, L. F. Monitoring of tidal carbon dioxide in spontaneously breathing patients using a mainstream analysing monitor, 154 (c) MARKS, L. F. See HEATH, P. J., 213 MARKS, L. F. & DESGRAND, D. Prilocaine associated methaemoglobinaemia and the pulse oximeter, 703 (c) MARKS, R. J. Successful difficult intubation, 72 (c) MARSCH, S. C. U. See SCHAEFER, H. G., 238 (C) MARSCH, S. C. U. See SCHAEFER, H. G., 791 (C) MARSH, A. See HILL, A. J., 266 MARSH, B. & MCDONALD, P. A modified technique for the insertion of an interpleural catheter, 889 (c) MARTIN, D. See EDWARDS, N., 803 (c) MARTIN, D. G. See EDWARDS, N. D., 1077 (f) MARUŠIĆ, M. See PERIĆ, M., 531 MARX. G. F. See YAMA. A. Z., 330 (c) MASON, D. G. & LLOYD-THOMAS, A. R. Cyclopropane and the Datex Capnomac. Effect of cyclopropane on the single wavelength infrared measurement of volatile anaesthetic agents, 398 MASON, R. A. See BARKER, P., 195 MATHER, C. M. Paediatric blood pressure and anaesthesia: a reply, 897 (c) MATHER, C. M. P. Paediatric blood pressure and anaesthesia, 381 MATHIAS, I. M. See ALI, M. T., 1089 (c) MATHIAS, R. S. Intravenous cannulae colour coding, 72 (c) MATHUR, A. K. Obituaries - Dr Gordon Knowles, 519 (c) MATTHEWS, A. J. & VERNON, J. M. Masseter spasm in Williams syndrome, 706 (c) MATTHEWS, H. R. See JACKSON, I. J. B., 475 MATTHEWS, P., DANN, W. L. & CARTWRIGHT, D. P. Awareness during Caesarean section, 157 (c) MAVES, T. See KUMAR, V., 117 MAY, A. E. See TROTTER, T. N., 596 (c) MAYER, N. See WEINSTABL, C., 837 MAYOR, A. H. See WILSON, M. E., 599 (c)

MCARDLE, C. S. See WOTHERSPOON, H. A., 915

```
MCBRIDE, L. J. See RILEY, D. P., 122
MCBURNEY, A. See MOBLEY, K. A., 500 (f)
MCCARTHY, G., ELLIOTT, P., MIRAKHUR, R. K. & MCLOUGHLIN, C. A comparison of different pre-oxygenation techniques in the elderly, 824
MCCLEANE, G. J., FOGARTY, D. F. & WATTERS, C. H. Factors that influence the induction dose of propofol, 59 (f)
MCCLEANE, G. J. Factors that influence the induction dose of propofol: a reply, 513 (c)
MCCLURE, J. H. See MORRISON, L. M. M., 576 (f)
MCCLURE, J. H. See WILDSMITH, J. A. W., 613
MCCONACHIE, I. Vasovagal asystole during spinal anaesthesia, 281
MCCONACHIE, I. Fluid balance in ARDS, 511 (c)
MCCOY, E. P. & WILSON, C. M. A comparison of lignocaine with prilocaine in axillary brachial plexus anaesthesia, 309 (f)
MCCOY, E. P. & FURNESS, G. Problems with the 32-gauge spinal catheter, 423 (c)
MCCOY, E. P. & WILSON, C. M. A comparison of lignocaine with prilocaine in axillary brachial plexus anaesthesia (Erratum), 707
MCCRIRRICK, A. & PRACILIO, J. A. Awake intubation: a new technique, 661
MCCRIRRICK, A. See BRIMACOMBE, J. R., 756
MCDONALD, P. See MARSH, B., 889 (c)
MCEWAN, A. I., FRANCIS, G. A. & CLARKE, J. T. A serious complication of minitracheotomy, 1041
MCGRADY, E. M. & DAVIS, A. G. Epidural diamorphine for the obstetric patient, 787 (c)
MCGRADY, E. M. & FRESHWATER, J. v. 'Spinal' headache-with no headache, 794 (c)
MCHALE, S. A critical incident with the Ohmeda Excel 410 machine, 150 (c)
MCHUGH, P. See HODGSON, C.A., 425 (c)
MCKEOWN, D. See LEE, A., 447
MCLAUCHLAN, G. A. Acute mercury poisoning, 110
MCLAUCHLAN, G. A., SPIERS, P. & PEACOCK, J. E. Factors that influence the induction dose of propofol, 513 (c)
MCLELLAN, I. & DOUGLAS, E. Midazolam withdrawal syndrome, 420 (c)
MCLOUGHLIN, C. See MCCARTHY, G., 824
MCMILLAN, D. L. See GREVILLE, A. C., 113
VAN EGMOND, J. See KHO, H. G., 129 (f)
MCNICOL, L. R. Insertion of laryngeal mask airway in children, 330 (c)
MCQUAY, H. J. See NAGLE, C. J., 599 (c)
MCQUAY, H. J. See JADAD, A. R., 935
MCQUILLAN, P. J. & YOUNG, J. D. Measurement and manipulation of pulmonary artery wedge pressure in adult respiratory distress
    syndrome, 160 (c)
MCVEY, F. K. & CORKE, C. F. Extracorporeal circulation in the management of massive propanolol overdose, 744
MEHTA, S. Intubation guide marks for correct tube placement. A clinical study, 306 (f)
MEIKLEJOHN, B. H. See WILSON, I. G., 177
MEIKLEJOHN, B. H. See LANGTON, J. A., 506 (c)
MELERO, A. See VILA, P., 967 (f)
MENE, J. M. See CESARINI, M., 230 (c)
MENON, M. R. B. & LETT, Z. Incorrectly filled cylinders, 155 (c)
MERRIDEW, C. G. & FRASER, S. J. Isoflurane field anaesthesia at extreme temperatures, 1000 (c)
MERRILL, S. B. See TIGHE, S. Q. M., 52 (f)
MERRY, A. F. Variables of patient-controlled analgesia, 786 (c)
METS, B., HORSELL, A. & LINTON, D. M. Midazolam-induced benzodiazepine withdrawal syndrome, 28
MEYER-WITTING, M. See PATRICK, J. A., 85
MICHAEL, S., REILLY, C. S. & CAUNT, J. A. Policies for oral intake during labour. A survey of maternity units in England and Wales, 1071
    (f)
MICHEL, M. Z. & STUBBING, J. F. Laryngeal mask airway and laryngeal spasm, 71 (c)
MICHEL, M. Z. & RYDER, I. Potential hazard of central venous cannulation, 156 (c)
MICHEL, M. Z. & CROSSE, M. M. Modification of laryngeal mask airway, 422 (c)
MIDDLETON, H. Fixation of nasotracheal and nasogastric tubes, 600 (c)
MILLAR, F. A. See SERPELL, M. G., 275
MILLAR, F. A. See SERPELL, M. G., 793 (c)
MILLER, A. C. & BICKLER, P. The laryngeal mask airway. An unusual complication, 659
MILLER, C. G. See RICE, A. S. C., 541
MILLER, R. See SMITH, G., 255
MILLETT, S. See FORREST, F., 799 (c)
MILLS, G. H. & GODDARD, J. M. A case of patient controlled analgesia exacerbating postoperative pain, 893 (c)
MILLS, P. J. Avoidable overinflation of a tourniquet, 229 (c)
MILLS, P. J. Glove-wearing by anaesthetists, 237 (c)
MINGUS, M. L., HERLICH, A. & EISENKRAFT, J. B. Attenuation of suxamethonium myalgias: a reply, 588 (c)
MIRAKHUR, R. K. See MCCARTHY, G., 824
MITCHELL, A. & MOSKOVITS, P. E. Anaesthesia for a patient with giant axonal neuropathy, 469
MOBLEY, K. A., WANDLESS, J. G., FELL, D. & MCBURNEY, A. Serum bupivacaine concentrations following wound infiltration in children
     undergoing inguinal herniotomy, 500 (f)
MOFFAT, A.C. See CONN, D.A., 504 (c)
MOHANDAS, S. See MANTHA, S., 491 (f)
MOLL, J. E. See LIEM, T. H., 654
MOLLOY, A. R. Unexpected position of the laryngeal mask airway, 592(c)
MOORE, J. See CARABINE, U. A., 634
MOORE, J. See CARABINE, U. A., 1013
MORALLEE, K. G. Malfunction of a Laerdal resuscitation valve: a reply, 505 (c)
MORGAN, G. A. R. See FINCH, M. D., 385
MORGAN, M. Tributes and tribulations: editorial, 1
MORGAN, M. See SMITH, G., 255
MORGAN, M. Getting there: editorial, 709
MORGAN, R. H. See EDWARDS, N. D., 1077 (f)
MORIARTY, J. See NICOL, M. E., 67 (f)
MORRAN, C. G. See MURRAY, A. W., 181
```

MORRISON, G. See VICTORY, R. A., 940 MORRISON, L. M. M., MCCLURE, J. H. & WILDSMITH, J. A. W. Clinical evaluation of a spinal catheter technique in femoro-popliteal graft surgery, 576 (f) MORRISON, P. & JAGO, R. H. Emery-Dreifuss muscular dystrophy, 33 MORSMAN, C. D. G. See HOLDEN, R., 922 MORTIMER, A. J. See HYDE, R. A., 1090 (c) MORTON, C. P. J. See ROWBOTTOM, S. J., 158 (c) MORTON, C. P. J. See ROWBOTTOM, S. J., 161 (c) MORTON, C. P. J. & DEARDEN, N. M. Central venous cannulation: a complication, 601 (c) MOSKOVITS, P. E. See MITCHELL, A., 469 MOSTAFA, S. M. See HODGSON, C. A., 799 (c) MUIR, A. D. See REEDER, M. K., 849 MUIR, J. D., RANDALLS, P. B., SMITH, G. B. & TAYLOR, B. L. Disposable carbon dioxide detectors, 323 (c) MULHOLLAND, D. & CARLISLE, R. J. T. Intubation with propofol augmented with intravenous lignocaine, 312 (f) MULHOLLAND, D. & WEIR, P. s. The role of the teaching hospital. A survey of paediatric anaesthetic techniques used by trainee anaesthetists on a regional training scheme, 777 (f) MULLA, S. C. & JONES, G. W. Airway management in patients with an end-tracheostomy stoma, 706 (c) MUNDAY, I. See JONES, R. M., 686 (f) MURAD, S. See STILLMAN, P. C., 148 (c) MURALIDHAR, K. Impairment of ventricular diastolic function during coronary artery bypass grafting, 504 (c) MURPHY, D. F. & OPIE, N. J. Nurse-controlled intravenous analgesia. Effective control of pain after thoracotomy, 772 (f) MURPHY, D. F. See TURNER, G. A., 1064 (f) MURPHY, P. See BARKER, P., 1069 (f) MURPHY, P. J. & RABEY, P. G. The Humphrey ADE breathing system and ventilator alarms, 1000 (c) MURPHY, P. M. & LLOYD-THOMAS, A. The anaesthetic management of congenital tracheal stenosis, 106 MURRAY, A. W., MORRAN, C. G., KENNY, G. N. C., MACFARLANE, P. & ANDERSON, J. R. Examination of cardiorespiratory changes during upper gastrointestinal endoscopy. Comparison of monitoring of arterial oxygen saturation, arterial pressure and the electrocardiogram, 181 MURRELL, D. See WALKER, R. W. M., 591(c) NAGLE, C. J., MCQUAY, H. J. & GLYNN, C. J. 32-gauge spinal catheters through 26-gauge needles: a reply, 599 (c) NATHAN, N. See BOULY, A., 705 (c) NESLING, A. E. See SAUNDERS, P. R., 152 (c) NEWMAN, P. T. F. Insertion of a partially inflated laryngeal mask airway, 235 (c) NEWTON, N. I. Supplementary oxygen-potential for disaster: editorial, 905 NICHOLS, P. K. T. Higher pressure ventilation and the Bain coaxial breathing system, 994 (c) NICOL, M. E., MORIARTY, J., WATTERS, C. H., ROBBIE, D. S. & A'HERN, R. P. Modification of pain on injection of propofol - a comparison between lignocaine and procaine, 67 (f) NIEMEIJER, R. P. F. See GUIT, J. B. M., 24 NOBLE, H. & WOOLLER, D. J. Laryngeal, masks and chair dental anaesthesia, 591(c) NOBLE, H. A. See ENEVER, G. R., 169 NOBLE, H. A., ENEVER, G. R. & THOMAS, T. A. Epidural bupivacaine dilution for labour. a comparison of three concentrations infused with a fixed dose of fentanyl, 549 NOLAN, J. P. & DOW, A. A. C. The Level 1 Fluid Warmer, 318 (c) NORTHWOOD, D. & WADE, M. J. Novel use of the Rendell-Baker Soucek mask, 319 (c) NORTHWOOD, D. Temperature and drug potency, 995 (c) NOTCUTT, w. Oesophageal rupture and cricoid pressure, 424 (c) NOTCUTT, W. G. Wound infiltration and Caesarean section, 999 (c) NOTT, M. R. An alternative throat spray, 518 (c) NUNN, G. Pre-operative removal of dentures, 992 (c) O'CONNELL, N. See GILL, R. S., 1036 O'FLAHERTY, D. & ADAMS, A. P. Disposable carbon dioxide detectors: a reply, 323 (c) OGG, T. W. See BROWNLIE, G. S., 775 (f) OGG, T. W. See GOODWIN, A. P. L., 1066 (f) OGILVY, A. J. Cardiovascular effects of epidural local anaesthetics, 990 (c) OH, T. E. See YAU, G., 20 OH, T. E. See YAU, G., 795 (c) O'KEEFFE, N. Epidural analgesia and hypotension, 163 (c) O'KELLY, S. W. & PARSONS, P. J. The potential hazards of using iodine as an antiseptic solution, 1000 (c) OLDROYD, G. J. See HUGHES, J. A., 802 (c) O'LEARY, A. See CAMPBELL, A. M., 854 O'LEARY, M. J. & PARK, G. R. Acute renal failure in association with a pneumatic antishock garment and with tense ascites, 326 (c) оог, к. See Joshi, р., 151 (с) OOI, R., PATTISON, J. & FELDMAN, S. A. The effects of intravenous clonidine on ventilation, 632 OOI, R. See FELDMAN, S., 1003 001, T. K. The serotonin syndrome, 507 (c) OOI, T. K. See HEDLEY, R. M., 895 (c) OPIE, N. J. See MURPHY, D. F., 772 (f) ORTIZ, J. C. G. See LALOR, J. M., 762 OSBORNE, G. A. See RUDKIN, G. E., 90 OSBORNE, G. A., RUDKIN, G. E., CURTIS, N. J., VICKERS, D. & O'SULLIVAN, G. M. Intra-operative patient-controlled sedation. Comparison of patient-controlled propofol with anaesthetist-administered midazolam and fentanyl, 553 O'SULLIVAN, E. P. See SHEARER, E. S., 750 O'SULLIVAN, G. M. See RICE, A. S. C., 541 CRAKER, A. J. See OSBORNE, G. A., 553 отто, н. л. Contiplex (Braun) Katheterset: a reply, 603 (c) ОТТО, Н. J. See BERENT, A., 795 (с)

other pigments, 291 RALSTON, D. See CLAYTON, D. G., 3

RAMAGE, C. H. M., KEE, S. S. & BRISTOW, A. A new portable oxygen system using liquid oxygen, 395

```
OWEN, H. See KLUGER, M. T., 224 (f)
OWEN, H. See KLUGER, M. T., 456
OWEN, H., KLUGER, M. T. & PLUMMER, J. L. Variables of patient-controlled analgesia: a reply, 786 (c)
OWEN, H. See KLUGER, M. T., 983 (c)
PALMOUIST, B. See HULTÉN, J., 349
PALOHEIMO, M. See HERLEVI, M., 893 (c)
PARBROOK, G. D. See CHURCH, J. A., 780 (f)
PARK, G. R. See O'LEARY, M. J., 326 (c)
PARK, G. R. See GRAY, P. A., 638
PARK, G. R. See BURNS, A. M., 864
PARK, G. R. See HILL, S. A., 938
PARKE, T. J. & SMITH, T. G. C. Accidental intra-ocular vecuronium, 796 (c)
PARR, M. J. A. & WILLATTS, S. M. Fatal theophylline poisoning with rhabdomyolysis. a potential role for dantrolene treatment, 557
PARRIS, W. C. V. & LEE, E. M. Anaesthesianfor laparoscopic cholecystectomy, 997 (c)
PARRY, T. M., JEWKES, D. A. & SMITH, M. A sticking flutter valve, 229 (c)
PARSONS, P. J. See O'KELLY, S. W., 1000 (c)
PASCH, T. Acoustic monitoring of arterial blood pressure, 898 (c)
PATEL, J. & HARRISON, M. J. Williams syndrome: masseter spasm during anaesthesia, 115
PATEL, N. See ABEL, M., 30
PATEL, N. See BROWN, G. W., 771 (f)
PATLA, V. R. See LAWLER, P. G., 597 (c)
PATRICK, J. A., MEYER-WITTING, M. & REYNOLDS, F. Lumbar epidural diamorphine following thoracic surgery. A comparison of infusion
    and bolus administration, 85
PATRICK, M. R. See BERRY, A. M., 425 (c)
PATTISON, J. See OOI, R., 632
PEACOCK, J. E. See MCLAUCHLAN, G. A., 513 (c)
PEARCE, A. W. & HEATH, M. L. Aspiration pneumonia and the laryngeal mask airway, 592(c)
PENBERTHY, A. & HARRISON, M. J. Ketamine and propofol for TIVA, 1085 (c)
PENNANT, J. H. & HARRIS, M. F. Anaesthesia for Proteus syndrome, 126
PERIĆ, M., VRANEŠ, Z. & MARUŠIĆ, M. Immunological disturbances in anaesthetic personnel chronically exposed to high occupational
    concentrations of nitrous oxide and halothane, 531
PERKS, D. See ALI, S., 983 (c)
PETERS, C. G. Pressure generated during insertion of lumbar epidurals, 506 (c)
PETHYBRIDGE, R. J. See TIGHE, S. Q. M., 52 (f)
PETROS, A. J. Oral ketamine. Its use for mentally retarded adults requiring day care dental treatment, 646
PETROS, A. J. See JANKOWSKI, S., 993 (c)
PETROS, A. J. See COTTER, S. M., 1009
PHILLIPS, A. J. & VIRDEE, M. Blood pressure recording during carotid endarterectomy, 697 (c)
PHILPOTT, B. Aspiration pneumonia and the laryngeal mask airway, 418 (c)
PILLAI, R. See WHITE, A., 234 (c)
PILLAI, R. See WHITE, A., 1083 (c)
PILLOW, K. & HERRICK, I. A. Pulse oximetry compared with Doppler ultrasound for assessment of collateral blood flow to the hand, 388
PITHER, C. E. See RICE, A. S. C., 354
PITHER, C. E. See BARANOWSKI, A. P., 1023
PLUMMER, J. L. See KLUGER, M. T., 456
PLUMMER, J. L. See OWEN, H., 786 (c)
POLLOCK, J. S. S. See CHURCH, J. A., 780 (f)
POPAT, M. T., SUPPIAH, N. & WHITE, J. B. Cardiac arrest following intramyometrial injection of prostaglandin E2, 236 (c)
POPAT, M. T., DYAR, O. J. & BLOGG, C. E. Comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH in patients
     undergoing gynaecological laparoscopy, 816
POPAT, M. T., JADAD, A. R. & GLYNN, C. J. Exaggerated epidural blockade resulting from unusual spread of bupivacaine in a patient with
     low back pain, 859
POPAT, M. T. See JADAD, A. R., 935
 PORTER, M. See LEWIS, R. P., 70 (c)
 POWER, I. See ARMSTRONG, P., 278
POWER, S. J. See JONES, R. M., 686 (f)
 PRACILIO, J. A. See MCCRIRRICK, A., 661
PRAKASH, S. Visual disturbances after transurethral resection of the prostate, 163 (c)
 PRESSON, JR, R. G., HILLIER, S. C. & HASELBY, K. A. Blood or fluid warmers?, 319 (c)
 PURI, G. D., VENKATRAMEN, R. & SINGH, H. End-tidal CO2 monitoring in mitral stenosis patients undergoing closed mitral
     commissurotomy, 494 (f)
 PUTTICK, N. See LAWLER, P. G., 597 (c)
 QUINN, K. See HILL, S. A., 938
 RABEY, P. G. & JAMES, R. H. Pilo-erection in anaphylactoid reaction, 897 (c)
 RABEY, P. G. See MURPHY, P. J., 1000 (c)
 RAHMAN, K. See JAHANGIR, S. M., 1086 (c)
 RALPH, S. J. & WAREHAM, C. A. Rupture of the oesophagus during cricoid pressure, 40
 RALSTON, A. C., WEBB, R. K. & RUNCIMAN, W. B. Potential errors in pulse oximetry. I. Pulse oximeter evaluation, 202
 RALSTON, A. C. See WEBB, R. K., 207
 RALSTON, A. C. See CLAYTON, D. G., 260
 RALSTON, A. C., WEBB, R. K. & RUNCIMAN, W. B. Potential errors in pulse oximetry. III. Effects of interference, dyes, dyshaemoglobins and
```

RAMSTEAD, K. D. See FISHER, A. P., 866 RANDALLS, P. B. See MUIR, J. D., 323 (c) RANDELL, T. & LINDGREN, L. Inadvertent submucosal penetration with a minitracheostomy cannula inserted by the Seldinger technique, 801 (c) RANSFORD, A. O. See LOUGHNAN, B. A., 912 RAO, B. S. P. See MANTHA, S., 491 (f) RAO, S. M. See MANTHA, S., 491 (f) RAO, S. M. See MANTHA, S., 900 (c) RASMUSSEN, L. S. See WILLE-JØRGENSEN, P., 623 RAVALIA, A. See HARROP-GRIFFITHS, A. W., 11 RAVALIA, A. See HARROP-GRIFFITHS, A. W., 504 (c) RAVALIA, A. Hazard with the Penlon AM 700 anaesthetic machine, 798 (c) RAVISHANKAR, M. See SHOREY, S., 592 (c) REEDER, M. K., GOLDMAN, M. D., LOH, L., MUIR, A. D., CASEY, K. R. & Postoperative obstructive sleep apnoea. Haemodynamic effects of treatment with nasal CPAP, 849 REES, L. T. See SANDERS, L. D., 1056 (f) REGI, B. See FIACCHINO, F., 980 (f) REILLY, C. S. See BROOME, I. J., 424 (c) REILLY, C. S. See MICHAEL, S., 1071 (f) RESTALL, J. & JOHNSTON, I. G. Anaesthesia in the field: a reply, 319 (c) RESTALL, J. See WARD, P. J., 598 (c) REYNOLDS, F. See PATRICK, J. A., 85 REYNOLDS, F. Ropivacaine: editorial, 339 REYNOLDS, K. J. See WHIRLEY, J., 886 (c) RICE, A. S. C., PITHER, C. E. & TUCKER, G. T. Plasma concentrations of bupivacaine after supraclavicular brachial plexus blockade in patients with chronic renal failure, 354 RICE, A. S. C., LLOYD, J., MILLER, C. G., BULLINGHAM, R. E. & O'SULLIVAN, G. M. A double-blind study of the speed of onset of analgesia following intramuscular administration of ketorolac tromethamine in comparison to intramuscular morphine and placebo, 541 RICHLING, B. See WEINSTABL, C., 837 RIDDELL, P. L. Aspiration pneumonia and the laryngeal mask airway, 418 (c) RIDLEY, S., BIGGAM, M. & STONE, P. Cost of intensive therapy. A description of methodology and initial results, 523 RIGOR, B. M. See ACKERMAN, W., 230 (c) RILEY, D. P. & MCBRIDE, L. J. Ketamine, midazolam and vecuronium infusion, Anaesthesia for Down's syndrome and congenital heart disease, 122 RILEY, R. H., HAMMOND, K. A. & CURRIE, M. S. 'Hazards' of oxygen therapy during spinal anaesthesia, 421 (c) ROBB, P. F. See WRIGLEY, S. F., 321 (c) ROBBIE, D. S. See NICOL, M. E., 67 (f) ROBINSOBN, P. N. See HARROP-GRIFFITHS, A. W., 11 ROBINSON, J. O. See SANDERS, L. D., 451 ROBINSON, P. N. See HARROP-GRIFFITHS, A. W., 504 (c) ROBINSON, P. N. See BARKER, J. P., 642 ROBINSON, S. See TROTTER, T. N., 404 (f) ROBINSON, S. L., ROWBOTHAM, D. J. & SMITH, G. Morphine compared with diamorphine. A comparison of dose requirements and sideeffects after hip surgery, 538 ROBINSON, S. L. & FELL, D. Nausea and vomiting with use of a patient-controlled analgesia system, 580 (f) ROCCELLA, P. See TARGA, L., 141 (f) ROCKE, D. A. See EVANS, J., 73 (c) RODNEY, G. E., CALLANDER, C. C. & HARMER, M. Spondyloepiphyseal dysplasia congenita. Caesarean section under epidural anaesthesia, 648 ROLLY, G. See BRUYNS, T., 747 ROSEN, M. See SANDERS, L. D., 451 ROSEWARNE, F. A. Capnography and sticking valves in the circle system, 599 (c) ROUT, C. C. See EVANS, J., 73 (c) ROWBOTHAM, D. J. See ROBINSON, S. L., 538 ROWBOTHAM, D. J. See BARKER, P., 1069 (f) ROWBOTTAM, S. J., STEWART, K. G., SUDHAMAN, D. A. & AITKEN, A. W. Oral ketamine, 1084 (c) ROWBOTTOM, S. J., MORTON, C. P. J. & CHESTNUT, J. The Engstrom Elsa anaesthetic machine, 158 (c) ROWBOTTOM, S. J. & MORTON, C. P. J. Diagnostic fibreoptic bronchoscopy using the laryngeal mask, 161 (c) ROWBOTTOM, S. J., SIMPSON, D. L. & GRUBB, D. The laryngeal mask airway in children. a fibreoptic assessment of positioning, 489 (f) ROWBOTTOM, S. J. See STEWART, K. G., 668 ROWE, W. L. See GOODWIN, A. P. L., 1066 (f) ROZARIO, C. See DAWALIBI, L., 990 (c) RUBIN, A. P. Anaesthesia for cataract surgery - time for change: a reply, 148 (c) RUDKIN, G. E., OSBORNE, G. A. & CURTIS, N. J. Intra-operative patient-controlled sedation, 90 RUDKIN, G. E. See OSBORNE, G. A., 553 RUNCIE, C. J. & TELFER, A. B. M. Long distance transport of the critically ill, 800 (c) RUNCIMAN, W. B. See CLAYTON, D. G., 3 RUNCIMAN, W. B. See RALSTON, A. C., 202 RUNCIMAN, W. B. See WEBB, R. K., 207 RUNCIMAN, W. B. See CLAYTON, D. G., 260 RUNCIMAN, W. B. See RALSTON, A. C., 291 RUPREHT, J. Hyoscine derivative in children - but was it hyoscine?, 514 (c) RUSSELL, D. Trainee anaesthetists and the laryngeal mask airway, 701 (c) RUSSELL, G. N. See COE, A., 918 RYAN, D. W. See JACKSON, I. J. B., 475 RYAN, D. W. Cost of intensive care, 990 (c) RYDER, I. See MICHEL, M. Z., 156 (c) RYDER, I. G. & SPARGO, P. M. Parents in the anaesthetic room. A questionnaire survey of parents' reactions, 977 (f)

```
SAIDMAN, J. See SMITH, G., 255
SAITO, Y. See SAKURA, S., 560
SAKURA, S., SAITO, Y., MAEDA, M. & KOSAKA, Y. Epidural analgesia in Eaton-Lambert myasthenic syndrome. effects on respiratory function,
    560
SALE, J. P. See AMOROSO, P., 159 (c)
SAMAAN, A. See GOODWIN, A. P. L., 1066 (f)
SAMMUT, M. S. Bronchospasm following application of bilateral lower limb tourniquets, 509 (c)
SANDERS, L. D., CLYBURN, P. A., ROSEN, M. & ROBINSON, J. O. Propofol in short gynaecological procedures. Comparison of recovery over 2
    days after anaesthesia with propofol or thiopentone as sole anaesthetic agent, 451
SANDERS, L. D. See COBLEY, M., 1019
SANDERS, L. D., GILDERSLEVE, C. D., REES, L. T. & WHITE, M. The impact of the appearance of the anaesthetist on the patient's perception
    of the pre-operative visit, 1056 (f)
SARGINSON, R. See COE, A., 918
SARMA, V. & FRY, E. N. S. Doxapram after general anaesthesia. Its role in stopping shivering during recovery, 460
SARMA, V. J. See HULTÉN, J., 349
SAUNDERS, P. R. & KEANE, P. K. Hazard with Boyle vaporizer, 152 (c)
SCHAEFER, H. G. & MARSCH, S. C. U. Forewarning patients of sexual arousal following anaesthesia, 238 (c)
SCHAEFER, H. G., MARSCH, S. C. U. & FLATT, T. The length of RAE preformed tubes, 791 (c)
SCHAER, H. M. See MAPPES, A., 124
SCHICK, M. See BÖHRER, H., 856
SCHÖNSTEDT, R. See BÖHRER, H., 856
SCOTT, D. B. Awareness during Caesarean section, 693 (c)
SCOTT, D. H. T. See AU, J., 238 (c)
SCOTT, D. H. T. See JONES, G., 698 (c)
SCOTT, P. V. & JONES, R. P. Variable apparatus deadspace, 1047
SCOTT, R. P. F. See GILL, R. S., 1036
SECHER, O. First anaesthetics in the world, 900 (c)
SEDWARDS, B. J. Higher pressure ventilation and the Bain coaxial mbreathing system: a reply, 994 (c)
SELLERS, W. F. S. See HANAFIAH, Z., 331 (c)
SELLEVOLD, O. F. M. See BERG, E. M., 1033
SEMPLE, P. See JACKSON, I. J. B., 482
SEMPLE, P. & JACKSON, I. J. B. Postoperative pain control. A survey of current practice, 1074 (f)
SEMPLE, T. J. & MACINTYRE, P. E. Subcutaneous morphine, 75 (c)
SERPELL, M. G. ABGs as easy as ABCs, 71 (c)
SERPELL, M. G., MILLAR, F. A. & THOMSON, M. F. Comparison of lumbar plexus block versus conventional opioid analgesia after total knee
    replacement, 275
SERPELL, M. G. children's fingers and spurious pulse oximetry, 702 (c)
SERPELL, M. G., THOMSON, M. F. & MILLAR, F. A. Lumbar plexus block after total knee replacement: a reply, 793 (c)
SETHI, A. See KUMAR, A., 57 (f)
SETHI, A. K., CHAWLA, R. & BHATTACHARYA, A. Intra-operative airway maintenance for short ophthalmological procedures in children.
    1084 (c)
SHAH, M. V. See KEELER, J. F., 925
SHARMA, S. See KUMAR, A., 594 (c)
SHAW, S. D., GRAHAM, I. F. M. & SNOWDON, S. L. Contamination of piped oxygen supplies, 887 (c)
SHEARER, E. S., O'SULLIVAN, E. P. & HUNTER, J. M. An assessment of the Cerebrotrac 2500 for continuous monitoring of cerebral function
    in the intensive care unit, 750
SHELLY, M. P. See HILL, S. A., 938
SHERRY, E. Ohmeda 9000 syringe pump, 788 (c) SHERRY, K. M. See WATSON, D. M., 285
SHOREY, S. & RAVISHANKAR, M. Malfunctioning of disposable breathing systems, 592 (c)
SHORT, S. M. & AUN, C. S. T. Haemodynamic effects of propofol in children, 783 (1)
SHORT, T. G. & GALLETLY, D. C. Acute tolerance from benzodiazepine night sedation, 929
SHULMAN, M. S. See VENDITTI, R. C., 995 (c)
SIEPMANN, K. K. See CARTWRIGHT, P. D., 188
SIM, P. A critical incident with the Ohmeda Excel 410 machine: a reply, 150 (c)
SIM, P. Fault with an Ohmeda Excel 410 machine: a reply, 695 (c)
SIMPSON, D. L. See ROWBOTTOM, S. J., 489 (f)
SINCLAIR, J. R., MAGEE, P. T., GOULD, T. H. & COLLINS, C. H. A comparison of APACHE II and a clinical sickness score. A study of 97
    consecutive admissions to a District General Hospital Intensive Care Unit, 442
SINCLAIR, M. See WHITE, A., 234 (c)
SINCLAIR, M. See WHITE, A., 1083 (c)
SINCLAIR, R. & MAGEE, P. APACHE II and clinical sickness score: a reply, 988 (c)
SINGH, A. K. See MANTHA, S., 491 (f)
SINGH, H. See AMBESH, S. P., 74 (c)
SINGH, H. See PURI, G. D., 494 (f)
SKEA, G., JONES, A. & SNOWDON, S. L. Routine pre-oxygenation, 510 (c)
SKIDMORE, A. L. A retrospective analysis of epidural vein trauma, 516 (c)
SMART, N. G. Leaking T-connector in Toptronic oxygen analyser, 890 (c)
SMITH, B. E., MACPHERSON, G. H., DE JONGE, M. & GRIFFITHS, J. M. Rectus sheath and mesosalpinx block for laparoscopic sterilization, 875
    (1)
SMITH, G. See WILSON, I. G., 177
SMITH, G. See HEUKE, S. A. M., 185
SMITH, G., MILLER, R., SAIDMAN, J. & MORGAN, M. Ethics in publishing: editorial, 255
SMITH, G. See ROBINSON, S. L., 538
SMITH, G. See HEUKE, S. A. M., 628
SMITH, G. B. See MUIR, J. D., 323 (c)
SMITH, H. S. See LEWIS, R. P., 767
```

SMITH, I. D., KLUBIEN, K. E., WOOD, M. L. B., MACRAE, D. J. & CARLI, F. Diamorphine analgesia after Caesarean section. Comparison of intramuscular and epidural administration of four dose regimens, 970 (f) SMITH, J. See CAREY, M. F., 1083 (c) SMITH, J. E. & GREWAL, M. S. Cardiovascular effects of nasotracheal intubation, 683 (f) SMITH, M. See PARRY, T. M., 229 (c) SMITH, M. W. See COE, A., 918 SMITH, S. C. H. See THOMPSON, J. M., 673 SMITH, S. O. See LAURENCE, A. S., 588 (c) SMITH, T. G. C. See PARKE, T. J., 796 (c) SNEYD, J. R. 'Finger-painting' and the pulse oximeter, 420 (e) SNOWDON, S. L. See SKEA, G., 510 (c) SNOWDON, S. L. See SHAW, S. D., 887 (c) SOLOMONS, N. Emergency adenotonsillectomy for acute airway obstruction: a reply, 514 (c) SOLOMONS, N. B. See LIVESEY, J. R., 36 SONI, N. See JOSHI, P., 1030 SONI, N. C. See JOSHI, P., 318 (c) SOROKER, D. See EZRI, T., 328 (c) SPARGO, P. M. See RYDER, I. G., 977 (f) SPENCE, A. A. Pain after surgery: a reply, 502 (c) SPENCE, A. A. See LEW, J. K. L., 810 SPIERS, P. See MCLAUCHLAN, G. A., 513 (c) SPIERS, S. P. W. Atropine or glycopyrronium? - a dangerous dilemma, 151 (c) SPIERS, S. P. W. & HARRIS, R. W. Failure of an Ohmeda Oxicap 4700, 420 (c) SPISS, C. K. See WEINSTABL, C., 837 SPITTAL, M. J., HUNTER, S. J. & LAIDLOW, D. C. Two incidents of complete failure of OAV 7750 ventilators, 788 (c) SPITTAL, M. J., WARWICK, J. P. & HUNTER, S. J. Under pressure, 1093 (c) SRIVATSA, K. M. Fixation of tracheal tubes, 153 (c) STACK, C. G. & WYSE, R. K. H. Incidence and management of airway problems in the CHARGE Association, 582 (f) STANFORD, J. See HOSAIN, S. I., 422 (c) STANNARD, C. F. Ventricular fibrillation during examination of nose, 794 (c) STANTON, J. M. Anaesthesia for laparoscopic cholecystectomy, 317 (c) STEVENS, J. D., BRAITHWAITE, P., CORKE, C. F., MADEJ, T. H. & WHEATLEY, R. G. Double-blind comparison of epidural diamorphine and intramuscular morphine after elective Caesarean section, with computerised analysis of continuous pulse oximetry, 256 STEVENS, J. D. See JACKSON, I. J. B., 482 STEVENS, J. D. Epidural diamorphine for the obstetric patient: a reply, 787 (c) STEVENSON, G. Defective spinal needle: a reply, 159 (c) STEWART, K. G. & ROWBOTTOM, S. J. Inaccuracy of pulse oximetry in patients with severe tricuspid regurgitation, 668 STEWART, K. G., HOPKINS, P. M. & DEAN, S. G. Comparison of high and low doses of suxamethonium, 833 STEWART, K. G. See ROWBOTTAM, S. J., 1084 (c) STILL, D. M. See CHURCH, J. A., 780 (f) STILLMAN, P. C. & MURAD, S. Anaesthesia for cataract surgery - time for change, 148 (c) STOKES, M. A. See JONES, S. E. F., 688 (f) STONE, P. See RIDLEY, S., 523 STRIDE, P. C. Failure of hydrocortisone to prevent postoperative sore throat: a reply, 512 (c) STRIEBEL, H. W. & GOTTSCHALK, B. Caudal buprenorphine in children: where should they be nursed?, 899 (c) STRUNIN, L. & LEWIS, P. Anaesthesia for cataract surgery - time for change, 148 (c) STUBBING, J. F. See MICHEL, M. Z., 71 (c) SUDHAMAN, D. A. See ROWBOTTAM, S. J., 1084 (c) **SUPPIAH**, N. See POPAT, M. Т., 236 (с) SURESH, D. See GOLDHILL, D. R., 496 (f) SURESH, D., CARTER, J. A., WHITEHEAD, J. P., GOLDHILL, D. R. & FLYNN, P. J. Cardiovascular changes at antagonism of atracurium. Effects of different doses of premixed neostigmine and glycopyrronium in a ratio of 5:1, 877 (f) SUTTON, D. N. & LINTER, S. P. K. Depth of extradural space and dural puncture, 97 SWANN, D. G., ARMSTRONG, P. J., DOUGLAS, E., BROCKWAY, M. & BOWLER, G. M. R. The alkalinisation of bupivacaine for intercostal nerve blockade, 174 SWANN, D. G., ARMSTRONG, P. J., DOUGLAS, E., BROCKWAY, M. & BOWLER, G. M. R. The alkalinisation of bupivacaine for intercostal nerve blockade (Erratum), 707 SWINHOE, C. F. Postoperative ventilation and pre-operative anticholinergics, 231 (c) SYDERS, J. Failure of the Ruben circle control valve: a reply, 325 (c) SYKES, M. K. See TIPPING, T. R., 565 SZAFRANSKI, J. See LEWIS, R. P., 767 TAN, S. S., DHARA, S. S. & KIM, C. K. Removal of a laryngeal foreign body using high frequency jet ventilation, 741 TANAKA, M. & TANAKA, Y. Cardiac anaesthesia in a patient with myotonic dystrophy, 462 TANAKA, Y. See TANAKA, M., 462 TARGA, L., DROGHETTI, L., CAGGESE, G., ZATELLI, R. & ROCCELLA, P. Rhabdomyolysis and operating position, 141 (f) TAYLOR, B. L. See MUIR, J. D., 323 (c) TAYLOR, J. C. & TUNSTALL, M. E. Dosage of phenylephrine in spinal anaesthesia for Caesarean section, 314 (c) TEH, T. S. See LIM, E. T. M., 597 (c) TEILLOL-FOO, W. L. M. & KASSAB, J. Y. Topical glyceryl trinitrate and eutectic mixture of local anaesthetics in children. A randomised controlled trial on choice of site and ease of venous cannulation, 881 (f) TEILLOL-FOO, W. L. M. Indwelling intramuscular cannula for postoperative analgesia, 897 (c) TELFER, A. B. M. See RUNCIE, C. J., 800 (c) TELFORD, R. J. See HOLLWAY, T. E., 722 TELFORD, R. J. & HOLLWAY, T. E. Observations on deliberate dural puncture with a Tuohy needle: pressure measurements, 725 THAGE, B. See CALLESEN, T., 17 THICKETT, A. See CLARK, G. P. M., 376

```
THICKETT, M. A. A problem with thiopentone solution, 74 (c)
THOMAS, D. v. Failure of hydrocortisone to prevent postoperative sore throat, 512 (c)
THOMAS, D. V. Pre-operative removal of dentures, 1094 (c)
THOMAS, J. S. & BOHEIMER, N. O. An isolated grand mal seizure 5 days after propofol anaesthesia, 508 (c)
THOMAS, J. S. See BOHEIMER, N. O., 797 (c)
THOMAS, T. A. See ENEVER, G. R., 169
THOMAS, T. A. See NOBLE, H. A., 549
THOMPSON, J. M., EMMETT, C., SMITH, S. C. H., CRAMB, R. & HUTTON, P. Whole blood electrolyte assay using ChemPro 500. A comparison
    of assay performance with standard laboratory instruments, 673
THOMPSON, M. C. Pre-operative removal of dentures, 992 (c)
THOMSON, M. F. See SERPELL, M. G., 275
THOMSON, M. F. See SERPELL, M. G., 793 (c)
THOMSON, S. J., LOMAX, D. M. & COLLETT, B.-J. Chemical meningism after lumbar facet joint block with local anaesthetic and steroids. 563
THORBURN, J. See GEDDES, S. M., 1016
THORP, T. A. S. See LIU, W. H. D., 435
THORPE, M. H. See BARKER, P., 195
TIGHE, S. Q. M., TURNER, G. A., MERRILL, S. B. & PETHYBRIDGE, R. J. Minimum oxygen requirements during anaesthesia with the Triservice
    anaesthetic apparatus. A study of drawover anaesthesia in the young adult, 52 (f)
TIGHE, S. Q. M., GREENSLADE, G. L., DAVIES, P. R. F. & EVANS, G. H. Use of the laryngeal mask airway in primary care, 163 (c)
TIGHE, S. Q. M. Anaesthesia in the field, 319 (c)
TIPPING, T. R. & SYKES, M. K. Tracheal tube resistance and airway and alveolar pressures during mechanical ventilation in the neonate,
    565
TODD, J. G. See HOSIE, H. E., 76 (c)
TOOMEY, P. J. Spinal needles, flow and dural puncture: a reply, 236 (c)
TORRIELLI, R. See CESARINI, M., 230 (c)
TROTTER, T. & FELL, D. Wound infiltration and Caesarean section: a reply, 999 (c)
TROTTER, T. N., HAYES-GREGSON, P., ROBINSON, S., COLE, L., COLEY, S. & FELL, D. Wound infiltration of local anaesthetic after lower
    segment Caesarean section, 404 (f)
TROTTER, T. N., WOOD, J. K., ARMSTRONG, A. L. & MAY, A. E. Coagulation screening before epidural analgesia in pre-eclampsia, 596 (c)
TSUJI, M. See YAMASHITA, M., 872
TUCKER, G. T. See RICE, A. S. C., 354
TULLY, A. M. See KHO, H. G., 135 (f)
TUNSTALL, M. E. See TAYLOR, J. C., 314 (c)
TURNER, G. A. See TIGHE, S. Q. M., 52 (f)
TURNER, G. A. & MURPHY, D. F. Antireflux valves in intravenous opiate analgesia: are they necessary?, 1064 (f)
TURNER, N. M. See CLARK, G. P. M., 376
TYLER, C. K. G. See WALDER, A., 1091 (c)
UNDERWOOD, S. M. See HILL, A. J., 266
VAFIDIS, G. C., BARKER, J. P. & HALL, G. M. Anaesthesia for cataract surgery - time for change, 148 (c)
VAFIDIS, G. C. See BARKER, J. P., 642
VALENTINE, S. See ENEVER, G. R., 169
VALLÈS, J. See VILA, P., 967 (f)
VAN DEN BERGH, A. A. See DAWALIBI, L., 990 (c)
VAN DIJK, B., BAKKER, N. C. & DE LANGE, J. J. Propofol for sedation of a spontaneously breathing infant, 893 (c)
VAN DONGEN, R. T. M. & CRUL, B. J. P. Paraplegia following coeliac plexus block, 862
VAN-ANDEL, J. & LAVIES, N.G. Meningitis following spinal anaesthesia. 427 (c)
VEGFORS, M. See GUPTA, A., 513 (c)
VENDITTI, R. C., SHULMAN, M. S. & LUTCH, S. B. Atrial fibrillation after electroconvulsive therapy, 995 (c)
VENKATRAMEN, R. See PURI, G. D., 494 (f)
VERHEECKE, G. Nitrous oxide and laparoscopy, 698 (c)
VERMA, R. A district-wide anaesthetic audit, 143 (f)
VERMEULEN, H. See BRUYNS, T., 747
VERNON, J. M. See MATTHEWS, A. J., 706 (c)
VICKERS, D. See OSBORNE, G. A., 553
VICTORY, R. A., HASSETT, P. & MORRISON, G. Transient blindness following epidural analgesia, 940
VIDAL, F. See VILA, P., 967 (f)
VILA, P., VALLÈS, J., CANET, J., MELERO, A. & VIDAL, F. Acid aspiration prophytlaxis in morbidly obese patients: famotidine vs. ranitidine,
    967 (f)
VIRDEE, M. See PHILLIPS, A. J., 697 (c)
VOLNEY, R. & CALLANDER, C. Dental trauma during Entonox inhalation via mouthpiece, 892 (c)
VRANEŠ, Z. See PERIĆ, M., 531
VYVYAN, H. A. L., KEE, S. & BRISTOW, A. A survey of secondary transfers of head injured patients in the south of England, 728
WADE, M. J. See NORTHWOOD, D., 319 (c)
WALDER, A. & TYLER, C. K. G. Hazard with a triple lumen catheter, 1091 (c)
WALKER, A. K. Y. See WEE, M. Y. K., 869
WALKER, P. See KONARZEWSKI, W., 595 (c)
WALKER, R. See MANNION, D., 585 (f)
WALKER, R. W. M. & MURRELL, D. Yet another use for the laryngeal mask airway, 591(c)
WALKER, R. W. M. Recurrent pleural effusions following superior vena cava thrombosis, 704 (c)
WALKER, W. S. See AU, J., 238 (c)
WANDLESS, J. G. See MOBLEY, K. A., 500 (f)
WARD, M. See IMRIE, M. M., 44
WARD, P. J. & RESTALL, J. Ketamine, midazolam and vecuronium infusion, 598 (c)
WARDALL, G. J. See GARRIOCH, M. A., 828
WARDE, D. J. Paediatric blood pressure and anaesthesia, 897 (c)
```

```
WAREHAM, C. A. See RALPH, S. J., 40
WARWICK, J. P. See SPITTAL, M. J., 1093 (c)
WASSEF, M. R. Posterior tibial nerve block. A new approach using the bony landmark of the sustentaculum tali, 841
WATKINSON J. C. See HARWOOD, R. J., 514 (c)
WATSON, D. M., SHERRY, K. M. & WESTON, G. A. Milrinone, a bridge to heart transplantation, 285
WATSON, D. M. Topical amethocaine in strabismus surgery, 368
WATT, J. W. G. & WILES, J. R. Does an acute pain service require a high dependency unit?, 789 (c)
WATTERS, C. H. See MCCLEANE, G. J., 59 (f)
EDWARDS, J. See NICOL, M. E., 67 (f)
WEBB, R. K. See CLAYTON, D. G., 3
WEBB, R. K. See RALSTON, A. C., 202
WEBB, R. K., RALSTON, A. C. & RUNCIMAN, W. B. Potential errors in pulse oximetry. II. Effects of changes in saturation and signal quality,
    207
WEBB, R. K. See CLAYTON, D. G., 260
WEBB, R. K. See RALSTON, A. C., 291
WEBSTER, N. See BODENHAM, A., 570
WEBSTER, R. E. See DONNELLY, J. A., 383
WEE, M. The oesophageal detector device, 1086 (c)
WEE, M. Y. K. & WALKER, A. K. Y. The oesophageal detector device. An assessment with uncuffed tubes in children, 869
WEINSTABL, C., MAYER, N., RICHLING, B., CZECH, T. & SPISS, C. K. Effect of sufentanil on intracranial pressure in neurosurgical patients, 837
WEIR, P. M. & WILSON, M. E. Are you getting the message? A look at the communication between the Department of Health,
     manufacturers and anaesthetists, 845
WEIR, P. S. See MULHOLLAND, D., 777 (f)
WELCHEW, E. A. & BREEN, D. P. Patient-controlled on-demand epidural fentanyl. A comparison of patient-controlled on-demand fentanyl
    delivered epidurally or intravenously, 438
WELCHEW, E. A. On demand epidural fentanyl: a reply, 984 (c)
WELCHEW, E. A. On demand epidural fentanyl: a reply, 985 (c)
WELLWOOD, J. MCK. See GREVILLE, A. C., 113
WENDELL, A. Adaptors for microcatheters, 896 (c)
WESTON, G. A. See WATSON, D. M., 285
WESTON, M. See EWART, I. A., 598 (c)
WHEATLEY, R. G. See STEVENS, J. D., 256
WHIRLEY, J., GOLD, M. I., HELFMAN, S. & DELISSER, E. A. Consent to clinical research: a reply, 885 (c)
WHIRLEY, J. & REYNOLDS, K. J. Dried blood does not affect pulse oximetry, 886 (c)
WHIRLEY-DIAZ, J., GOLD, M. I., HELFMAN, S. M. & DELISSER, E. A. Can esmolol manage surgically-induced tachycardia? Bolus esmolol
     treatment of intra-operative tachycardia due to surgical stimulation, 220 (f)
WHITE, A., SINCLAIR, M. & PILLAI, R. Laryngeal mask airway for coronary artery bypass grafting, 234 (c)
WHITE, A., SINCLAIR, M. & PILLAI, R. Laryngeal mask airway for coronary artery bypass grafting, 1083 (c)
WHITE, D. C. See HUMPHREY, S. J. E., 478
WHITE, D. C. See COTTER, S. M., 1009
WHITE, J. В. See POPAT, М. Т., 236 (c)
WHITE, M. See KENNY, G. N. C., 156 (c)
WHITE, M. See SANDERS, L. D., 1056 (f)
 WHITEHEAD, E. M. & WHITEHEAD, M. I. The pill, HRT and postoperative thromboembolism: cause for concern?: editorial, 521
 WHITEHEAD, J. P. See GOLDHILL, D. R., 496 (f)
 WHITEHEAD, J. P. See SURESH, D., 877 (f)
WHITEHEAD M. I. See WHITEHEAD, E. M., 521
 WHITELEY, S. M. See CARR, C. M. E., 737
WHITWAM, J. G. See KADIM, M. Y., 948
 WHITWAM, J. G. See KADIM, M. Y., 952
 WIERDA, J. M. K. H. See LAMBALK, L. M., 907
 WILDER-SMITH, O. See BORGEAT, A., 797 (c)
 WILDER-SMITH, O. H. G. See GAUSS, A., 99
WILDSMITH, J. A. W. See ARMSTRONG, P., 278
 WILDSMITH, J. A. W. See LEE, A., 447
 WILDSMITH, J. A. W. See MORRISON, L. M. M., 576 (f)
 WILDSMITH, J. A. W. & MCCLURE, J. H. Anticoagulant drugs and central nerve blockade: editorial, 613
 WILDSMITH, J. A. W. Does an acute pain service require a high dependency unit?: a reply, 789 (c)
 WILES, J. R. See WATT, J. W. G., 789 (c)
 WILKES, A. R. Evaluation of heat moisture exchangers, 888 (c)
 WILKES, R. G. See HARPER, S. J., 199
 WILKINSON, D. J. Dr F. P. de Caux - the first user of curare for anaesthesia in England, 49
 WILKINSON, D. J. Francis Percival de Caux (1892-1965). An anaesthetist at odds with social convention and the law, 300
 WILKINSON, D. J., DENMAN, W. T., HIGGINS, D., HAYES, M. & YAU, E. Disposable carbon dioxide detectors: a reply, 323 (c)
 WILKINSON, J. B. Hazard with a triple lumen catheter: a reply, 1091 (c)
 WILKINSON, J. P. Central venous cannulation: a complication: a reply, 601 (c)
 WILKINSON, K. A., CRANSTON, A., HATCH, D. J. & FLETCHER, M. E. Assessment of a hygroscopic heat and moisture exchanger for paediatric
     use, 296
 WILKINSON, K. A. & HATCH, D. Evaluation of heat and moisture exchangers: a reply, 888 (c)
 WILLATTS, S. M. See PARR, M. J. A., 557
 WILLE-JØRGENSEN, P., JØRGENSEN, L. N. & RASMUSSEN, L. S. Lumbar regional anaesthesia and prophylactic anticoagulant therapy. Is the
     combination safe?, 623
 WILLIAMS, A. R. Amorous behaviour and sexual fantasy after anaesthesia or sedation, 162 (c)
 WILLIAMS, E. G. N. See DRURY, P. M. E., 466
 WILLIAMS, P. A. D. The Rex Binning Department of Anaesthesia, 331 (c)
 WILLIAMS, S. & HECKER, J. F. Effect of glyceryl trinitrate and ice on dilation of Hand veins, 14
 WILLIAMS, S. Exploding ampoules, 322 (c)
```

WILLIAMS, S. K. Hazard: single-use parallel Lack breathing system: a reply, 316 (c)

WILLIAMS, S. K. Malfunctioning of disposable breathing systems: a reply, 592(c) WILLIAMSON, R. Bimanual cricoid pressure - another version, 510 (c) WILLIAMSON, R. & GORVEN, A. M. Cuff failure - a complication of tracheal intubation, 593(c) WILSON, C. M. See MCCOY, E. P., 309 (f) WILSON, C. M. See MCCOY, E. P., 707 WILSON, I. G., MEIKLEJOHN, B. H. & SMITH, G. Intravenous lignocaine and sympathoadrenal responses to laryngoscopy and intubation. The effect of varying time of injection, 177 WILSON, M. E. Assessing intravenous cannulation and tracheal intubation training, 578 (f) WILSON, M. E. & MAYOR, A. H. Suxamethonium in a cannula deadspace - a danger, 599 (c) WILSON, M. E. See WEIR, P. M., 845 WISE, C. See DUNNE, J., 75 (c) WITHINGTON, D. E. The laryngeal mask airway in paediatric anaesthesia, 321 (c) WITHINGTON, D. E. Pulse oximetry in the postcardiopulmonary bypass period, 517 (c) WITTMANN, F. W. See WITTMANN, P. H., 1083 (c) WITTMANN, P. H. & WITTMANN, F. W. Laryngeal mask and gastric dilatation, 1083 (c) WOOD, J. K. See TROTTER, T. N., 596 (c) WOOD, M. L. B. See SMITH, I. D., 970 (f) WOODCOCK, B. J. Sexual excitement following anaesthesia or sedation, 328 (c) WOOLLER, D. J. See NOBLE, H., 591(c) WORSLEY, M. See GRANT, I. S., 238 (c) WOTHERSPOON, H. A., KENNY, G. N. C. & MCARDLE, C. S. Analgesic efficacy of controlled-release dihydrocodeine. A comparison of 60, 90 and 120 mg tablets in cold-induced pain, 915 WRIGHT, P. M. C. & ALEXANDER, J. P. Acute airway obstruction, hypertension and kyphoscoliosis, 119 WRIGHT, P. M. C. See CARABINE, U. A., 634 WRIGHT, P. M. C. See GEORGE, K. A., 732 WRIGHT, P. M. C. See CARABINE, U. A., 1013 WRIGLEY, M. W. Dural puncture, inadvertent, during caudal anaesthesia for Saethre-Chotzen syndrome, 705 (c) WRIGLEY, S. F., JONES, H. E., JOHNSTON, D. F. & ROBB, P. F. The laryngeal mask airway in paediatric anaesthesia: a reply, 321 (c) WRIGLEY, S. R., FAIRFIELD, J. E., JONES, R. M. & BLACK, A. E. Induction and recovery characteristics of desflurane in day case patients: a comparison with propofol, 615 WYSE, R. K. H. See STACK, C. G., 582 (f) YAMA, A. Z. & MARX, G. F. Race and Apgar scores, 330 (c) YAMASHITA, M. & TSUJI, M. Identification of the epidural space in children. The application of a micro-drip infusion set, 872 YAU, E. See WILKINSON, D. J., 323 (c) YAU, G., GIN, T., EWART, M. C., KOTUR, C. F., LEUNG, R. K. W. & OH, T. E. Propofol for induction and maintenance of anaesthesia at Caesarean section; comprison with thiopentone/enflurane, 20 YAU, G., EWART, M. C. & OH, T. E. Duplicate markings on an epidural catheter, 795 (c) YAU, K. W. See LOUGHNAN, B. A., 912 YOUNG, J. D. See MCQUILLAN, P. J., 160 (c) ZATELLI, R. See TARGA, L., 141 (f) ZELIKOVSKI, A. See COHEN, J. D., 651 ZIDEMAN, D. A. See LUMLEY, J., 433 ZORAB, J. S. M. Trimeprazine premedication in children, 1088 (c) ZUCK, D. : Obituary: Dr G. S. A. Knowles, 164 (c)

Subject Index, Volume 46 (1991)

ABGs as easy as ABCs, 71 (c) Accidental bronchial intubation with RAE tubes (Black & Mackersie), 42 Accidental intra-ocular vecuronium (Parke & Smith), 796 (c) Achalasia of the oesophagus, respiratory failure as presentation of (Kendall & Lin), 1039 Acid aspiration prophylaxis (Evans, Rout & Rocke), 73 (c) Acid aspiration prophylaxis in morbidly obese patients: famotidine vs. ranitidine (Vila et al.), 967 (f) Acoustic monitoring of arterial blood pressure (Pasch), 898 (c) Acupuncture and postoperative sickness (Dundee), 512 (c) Acupuncture and transcutaneous stimulation analgesia in comparison with moderate-dose fentanyl anaesthesia in major surgery. Clinical efficacy and influence on recovery and morbidity (Kho et al.), 129 (f) Adaptors for microcatheters (Wendell), 896 (c) Ade, Humphrey, breathing system, and ventilator alarms (Murphy & Rabey), 1000 (c) Adenotonsillectomy, emergency, for acute postoperative upper airway obstruction (Livesey, Solomons & Gillies), 36 Adenotonsillectomy, emergency, for acute postoperative upper airway obstruction (Francis: Solomons: Harwood et al.), 514 (c) Adrenaline priming epidural injection: effect on epidural blockade with bupivacaine (Baranowski, Dean & Pither), 1023 Adult respiratory distress syndrome, measurement and manipulation of pulmonary artery wedge pressure in (McQuillan & Young), 160 Adult respiratory distress syndrome, fluid balance in (McConachie), 511 (c) Adult respiratory distress syndrome, pulmonary artery wedge pressure in (Cameron), 699 (c) Adults, young, a study of drawover anaesthesia in; minimum oxygen requirements during anaesthesia with the Triservice anaesthetic apparatus (Tighe et al.), 52 (f) Adults, young, a study of drawover anaesthesia in; minimum oxygen requirements during anaesthesia with the Triservice anaesthetic

apparatus (Tighe et al.) (Erratum), 338 Airway, laryngeal mask; an unusual complication (Miller & Bickler), 659 Airway, laryngeal mask, and aspiration pneumonia (Riddell: Philpott: Brain: Krapez: Griffin & Hatcher), 418 (c) Airway, laryngeal mask, and aspiration (Koehli), 419 (c) Airway, laryngeal mask, and aspiration pneumonia (Pearce & Heath), 592(c) Airway, laryngeal mask, and cricoid pressure (Brimacombe), 986 (c) Airway, laryngeal mask, and gastric dilatation (Wittmann & Wittmann), 1083 (c) Airway, laryngeal mask, and laryngeal spasm (Michel & Stubbing), 71 (c) Airway, laryngeal mask, and supplementary oxygen (Lewis & Porter), 70 (c) Airway, laryngeal mask, and tracheal tube, intra-ocular pressure changes using (Holden et al.), 922 Airway, laryngeal mask, and trainee anaesthetists (Russell), 701 (c) Airway, laryngeal mask, for coronary artery bypass grafting (White, Sinclair & Pillai), 234 (c) Airway, laryngeal mask, for coronary artery bypass grafting (Foster & Clowes), 701 (c) Airway, laryngeal mask, for coronary artery bypass grafting (White, Sinclair & Pillai), 1083 (c) Airway, laryngeal mask, foreign body in (Conacher), 164 (c) Airway, laryngeal mask, foreign body in (Goldberg), 700 (c) Airway, laryngeal mask, in children; fibreoptic assessment of positioning (Rowbottom, Simpson & Grubb), 489 (f) Airway, laryngeal mask, in children; insertion technique (Chow, Lewis & Jones), 590 (c) Airway, laryngeal mask, in paediatric anaesthesia (Withington: Wrigley et al.), 321 (c) Airway, laryngeal mask, insertion in children (McNicol), 330 (c) Airway, laryngeal mask, modification of (Michel & Crosse), 422 (c) Airway, laryngeal mask, partially inflated, insertion of (Newman), 235 (c) Airway, laryngeal mask, postoperative oxygen via (Goodwin), 700 (c) Airway, laryngeal mask, to aid tracheal intubation (Carey, Smith & Cooney), 1083 (c) Airway, laryngeal mask, trauma to the posterior pharyngeal wall caused by (Marjot), 589(c) Airway, laryngeal mask, unexpected position of (Molloy), 592(c) Airway, laryngeal mask; use in primary care (Tighe et al.), 163 (c) Airway, laryngeal mask; use to assist fibreoptic orotracheal intubation (Hasham, Kumar & Lawler), 891 (c) Airway, laryngeal mask, yet another use for (Walker & Murrell), 591(c) Airway maintenance, intra-operative, for short ophthalmological procedures in children (Sethi, Chawla & Bhattacharya), 1084 (c) Airway management in patients with an end-tracheostomy stoma (Mulla & Jones), 706 (c) Airway obstruction, acute, as a result of minitracheotomy (Campbell & O'Leary), 854 Airway obstruction, acute, hypertension and kyphoscoliosis (Wright & Alexander), 119 Airway, oropharyngeal, supraglottic (Joshi, Ooi & Feldman), 151 (c) Airway pressure during mechanical ventilation in the neonate (Tipping & Sykes), 565 Airway problems in the CHARGE Association, incidence and management of (Stack & Wyse), 582 (f) Airway protection by the laryngeal mask. A barrier to dye placed in the pharynx (John, Hill & Hughes), 366 Airway, upper blood clot obstruction of (Ewart & Weston), 598 (c) Airway, upper, obstruction, acute, postoperative, emergency adenotonsillectomy for (Livesey, Solomons & Gillies), 36 Airway, upper, obstruction, acute, postoperative, emergency adenotonsillectomy for (Francis: Solomons: Harwood et al.), 514 (c) Airway, upper obstruction by enlarged tonsils (Konarzewski, Walker & Donovan), 595 (c) 'Alarm signals' over warning signs? (Barton), 809 Alarms, ventilator, the Humphrey ADE breathing system and (Murphy & Rabey), 1000 (c) Alcuronium pharmacodynamics in the elderly (Kent & Hunter), 271 Alfentanil, propofol and thiopentone compared, with and without; the haemodynamic effects of bronchoscopy (Hill et al.), 266 Alkalinisation of bupivacaine for intercostal nerve blockade (Swann et al.), 174 Alkalinisation of bupivacaine for intercostal nerve blockade (Erratum) (Swann et al.), 707 Alton Dean pressure infusor: an evaluation (Lalor, Ortiz & holdcroft), 762 Alveolar pressure during mechanical ventilation in the neonate (Tipping & Sykes), 565 Ambulances, single operator cardiopulmonary resuscitation in; which ventilation device? (Greenslade), 391 Amethocaine, topical, in strabismus surgery (Watson), 368 Amorous behaviour and sexual fantasy after anaesthesia or sedation (Williams), 162 (c) Amorous behaviour? Be discreet (Boheimer & Thomas), 797 (c) Ampoules, exploding (Williams: Cotterell), 322 (c) Anaesthesia and the law see Law and anaesthesia, Anaesthesia, assessment of training in (Lawler et al.), 597 (c) Anaesthesia in England: Dr F. P. de Caux, the first user of curare (Wilkinson), 49 Anaesthesia, patients' desire for information about; Scottish and Canadian attitudes (Lonsdale & Hutchison), 410 (f) Anaesthesia, quality of, during spontaneous respiration; a proposed scoring system (Glen), 1081 (c) Anaesthesia see also General; Regional; Spinal, Anaesthetic and respiratory equipment (Safety Action Bulletin), 612 Anaesthetic machine check list (Safety Action Bulletin), 612 Anaesthetic machine, Engstrom Elsa (Rowbottom, Morton & Chestnut), 158 (c) Anaesthetic machine, Ohmeda Excel 410, a critical incident with (McHale: Sim), 150 (c) Anaesthetic machine, Penlon AM700, hazard with (Ravalia), 798 (c) Anaesthetic personnel chronically exposed to high occupational concentrations of nitrous oxide and halothane, immunological disturbances in (Perić, Vraneš & Marušić), 531 Anaesthetic rooms, homely, hazards from (James), 76 (c) Anaesthetic techniques, paediatric, used by trainee anaesthetists on a regional training scheme; role of the teaching hospital (Mulholland & Weir), 777 (f) Anaesthetics, first, in the world (Secher), 900 (c) Anaesthetics, occupational health and pollution from; seminar report (Halsey), 486 Anaesthetists and trauma (de Mello & Griffiths), 151 (c) Anaesthetist's appearance: impact on the patient's perception of the pre-operative visit (Sanders et al.), 1056 (f) Anaesthetists, Department of Health and manufacturers, communication between; 'alarm signals' over warning signs? (Barton), 809 Anaesthetists, Department of Health and manufacturers, communication between; are you getting the message? (Weir & Wilson), 845 Anaesthetists, glove-wearing by (Mills), 237 (c) Anaesthetists: implications of the automatic implantable cardioverter-defibrillator (Carr & Whiteley), 737

Anaesthetists, junior, research difficulties for (Akhtar), 421 (c) Anaesthetists, junior, research difficulties for (Dobb), 1089 (c) Anaesthetists, trainee, and the laryngeal mask airway (Russell), 701 (c)

Anaesthetists, trainee, on a regional training scheme, a survey of paediatric anaesthetic techniques used by; role of the teaching hospital (Mulholland & Weir), 777 (f)

Analgesia: a double-blind study of speed of onset following intramuscular administration of ketorolac tromethamine in comparison to intramuscular morphine and placebo (Rice et al.), 541

Analgesia, opiate, intravenous; are antireflux valves necessary? (Turner & Murphy), 1064 (f)

Analgesia, transcutaneous stimulation, and acupuncture in comparison with moderate-dose fentanyl anaesthesia in major surgery. Clinical efficacy and influence on recovery and morbidity (Kho et al.), 129 (f)

Analgesia see also Epidural; Extradural; Intravenous regional; Patient controlled; Postoperative; Spinal; specific agents,

Analgesic efficacy of controlled-release dihydrocodeine. A comparison of 60, 90 and 120 mg tablets in cold-induced pain (Wotherspoon, Kenny & McArdle), 915

Analgesic response to extradural morphine is not confirmed by double-blind testing (Jadad et al.), 935

Anaphylactoid reaction, pilo-erection in (Rabey & James), 897 (c)

Anaphylactoid reaction to Haemaccel, Elohes administration following (Higgins & Mackersie), 162 (c)

Angina haemmorrhagica bullosa causing respiratory obstruction postoperatively (Hosain, Bounds & Stanford), 422 (c)

Angina, Ludwig's, and tracheal tube obstruction (Chung & Liban), 228 (c)

Ankle: posterior tibial nerve block; a new approach using the bony landmark of the sustentaculum tali (Wassef), 841

Antagonism of atracurium with neostigmine. Effect of dose on speed of recovery (Goldhill et al.), 496 (f)

Anticholinergics, pre-operative, and postoperative ventilation (Swinhoe: Leigh), 231 (c)

Anticoagulant drugs and central nerve blockade (Wildsmith & McClure), 613

Anticoagulant prophylactic therapy and lumbar regional anaesthesia: is the combination safe? (Wille-Jøorgensen, Jøorgensen & Rasmussen), 623

Antiemetic, ginger as; possible side effects due to its thromboxane synthetase activity (Backon), 705 (c)

Antireflux valves in intravenous opiate analgesia: are they necessary? (Turner & Murphy), 1064 (f)

Antishock garment, pneumatic, acute renal failure in association with (O'Leary & Park), 326 (c)

APACHE II and clinical sickness score (Chang: Sinclair & Magee), 988 (c)

APACHE II compared with Clinical Sickness Score in a District General Hospital Intensive Care Unit (Sinclair et al.), 442

Apgar scores and race (Yama & Marx), 330 (c)

Apnoea, prolonged, trismus and ketamine (Jahangir & Rahman), 1086 (c)

Apnoea, suxamethonium, prolonged, in a 6-week-old infant; reversal with fresh frozen plasma (Gill, O'Connell & Scott), 1036

Apparatus deadspace, variable (Scott & Jones), 1047

ARDS see Adult respiratory distress syndrome

Arsenic poisoning, acute, massive (Jolliffe, Budd & Gwilt), 288

Arterial blood pressure, acoustic monitoring of (Pasch), 898 (c)

Arterial cannulae manufactured by DLP incorporated (Safety Action Bulletin), 165

Arterial cannulation: another complication (Brown), 326 (c)

Arterial oxygen tension: marked decrease associated with continuous intravenous nifedipine administration (Böhrer et al.), 856

Arterial, radial, cannulation, an unusual complication; extracorporeal pseudoaneurysm (Arrowsmith), 894 (c)

Arthrogryposis multiplex congenita, hypermetabolism in (Hopkins, Ellis & Halsall), 374

Ascites, tense, acute renal failure in association with (O'Leary & Park), 326 (c)

Aspiration and the laryngeal mask airway (Koehli), 419 (c)

Aspiration pneumonia and the laryngeal mask airway (Riddell: Philpott: Brain: Krapez: Griffin & Hatcher), 418 (c)

Aspiration pneumonia and the laryngeal mask airway (Pearce & Heath), 592(c)

Aspiration test in epidural analgesia, the effect of micropore filters on (Charlton & Lawes), 573

Aspiration see also Acid aspiration,

Aspirin compared with azapropazone for pain relief following dental extractions (Garrioch, Wardall & Fitch), 828

Assay, whole blood electrolyte, using ChemPro 500; a comparison of assay performance with standard laboratory measurements (Thompson et al.), 673

Association of Anaesthetists of Great Britain and Ireland. Annual Report of Council 1989-1990, 243

Association of Anaesthetists of Great Britain and Ireland, Annual Conference of Linkmen, 1990, 606

Asystole, non-drug related, associated with anaesthetic induction (Keane, Hennis & Bink-Boelkens), 38

Asystole, vasovagal, during spinal anaesthesia (McConachie), 281

Atracurium antagonism with neostigmine; effect of dose on speed of recovery (Goldhill et al.), 496 (f)

Atracurium, cardiovascular changes at antagonism of; effects of different doses of premixed neostigmine and glycopyrronium in a ratio of 5:1 (Suresh et al.), 877 (f)

Atrial fibrillation after electroconvulsive therapy (Venditti, Shulman & Lutch), 995 (c)

Atrial thrombus, septic, a complication of central venous catheterisation (Joshi, Bullingham & Soni), 1030

Atropine and neostigmine, combined effects on the lower oesophageal sphincter; comparison with atropine and edrophonium (Heijke, Smith & Key), 628

Atropine or glycopyrronium? – a dangerous dilemma (Spiers), 151 (c) Audit, anaesthetic, district-wide (Verma), 143 (f)

Audit: peri-operative drug prescribing pattern and manufacturers' guidelines (Kluger et al.), 456

Audit: premedication (Kluger & Owen), 224 (f)

Automatic implantable cardioverter-defibrillator; implications for anaesthetists (Carr & Whiteley), 737

Awake intubation: a new technique (McCrirrick & Pracilio), 661

Awareness during Caesarean section (Lyons & Macdonald), 62 (f)

Awareness during Caesarean section (Scott), 693 (c)

Awareness during Caesarean section (Matthews, Dann & Cartwright: Bogod), 157 (c)

Awareness, problems of (Cundy), 896 (c) Awareness with recall during general anaesthesia, incidence of (Liu et al.), 435

Axillary brachial plexus anaesthesia, a comparison of lignocaine with prilocaine in (McCoy & Wilson), 309 (f)

Axillary brachial plexus anaesthesia, a comparison of lignocaine with prilocaine in (Erratum) (McCoy & Wilson), 707

Ayer's T-piece system, another antipollution device for the Jackson-Rees modification of (Kumar), 792 (c)

Ayre's T-Piece system (Kumar) (Erratum), 1094

Azapropazone compared with aspirin for pain relief following dental extractions (Garrioch, Wardall & Fitch), 828

Babytherm 4200 Infant Warmer; risk of electrical fire (Hazard Notice), 1002 Bain breathing system, modified occlusion tests for (Heath & Marks), 213

Subject Index Bain coaxial breathing system, and capnography (Lee), 899 (c) Bain coaxial breathing system, higher pressure ventilation and (Nichols: Sedwards), 994 (c) Ball-valve effect of a contaminated spinal needle (Bishton & Clark), 233 (c) Baxter Edwards Critical Care: Edwards disposable pressure transducer (Safety Action Bulletin), 165 Benzodiazepine night sedation, acute tolerance from (Short & Galletly), 929 Benzodiazepine withdrawal syndrome, midazolam-induced (Mets, Horsell & Linton), 28 Bionica MDS 110 PCA ambulatory syringe pump (Hazard Notice), 612 Blame: it would have been the anaesthetist's fault (Lloyd), 999 (c) Bleeding postbronchoscopy (Hodgson & McHugh), 425 (c) Blindness, transient, following epidural analgesia (Victory, Hassett & Morrison), 940 Blood clot obstruction of the upper airway (Ewart & Weston), 598 (c) Blood clots, block of epidural needle by (Lim, Teh & Li), 597 (c) Blood clots, block of epidural needle by (Hendley), 996 (c) Blood, dried, does not affect pulse oximetry (Whirley & Reynolds), 886 (c) Blood flow, collateral, to the hand, pulse oximetry compared with Doppler ultrasound for assessment of (Pillow & Herrick), 388 Blood or fluid warmers? (Presson, Hillier & Haselby), 319 (c) Blood patch, epidural, for treatment of subarachnoid fistula in children (Kumar, Maves & Barcellos), 117 Blood pressure, arterial, acoustic monitoring of (Pasch), 898 (c) Blood pressure cuff changeover in paediatric anaesthesia (Charlton & Apadoo), 898 (c) Blood pressure measurement, continuous direct and indirect (Finapres), in the critically ill (Farquhar), 1050 Blood pressure, paediatric, and anaesthesia (Mather), 381 Blood pressure, paediatric, and anaesthesia (Warde: Mather), 897 (c) Blood pressure recording during carotid endarterectomy (Phillips & Virdee), 697 (c) Blood warmers (Nolan & Dow), 318 (c) Blood-sampling, intra-arterial, for clotting studies; effects of heparin contamination (Lew, Hutchinson & Lin), 719 Bolus and infusion administration compared; lumbar epidural diamorphine following thoracic surgery (Patrick, Meyer-Witting & Reynolds), 85 Book reviews ALDERSON & FROST (EDS): Spinal cord injuries - anaesthetic and associated care, 429 BARSAN, JASTREMSKI & SYVERUD (EDS): Emergency drug therapy, 805 BUCHAN & SHARWOOD-SMITH: Handbook of obstetric anaesthesia, 805 CAPON, MILLER & TURNDORF (EDS): Trauma, anaesthesia and intensive care, 805 COUSSONS, MCKEE & WILLIAMS (EDS): Manual of medical care of the surgical patient, 333 CUCCHIARA & MICHENFELDER (EDS): Clinical neuroanesthesia, 332 DOBB (ED): Baillière's clinical anaesthesiology. Vol. 4, No. 2: Intensive care: developments and controversies, 428 GRAVENSTEIN: gas monitoring and pulse oximetry, 430 GUZMAN, HEDLEY BROWN, BEEN, COOK, WREN & RICHENS: Manual of cardiorespiratory critical care, 78 HEALY (ED): Baillière's clinical anaesthesiology: international practice and research. Anaesthesia for day case surgery, 429 HLADKY: Pharmacokinetics, 332 KLEPPER, SANDERS & ROSEN (EDS): Ambulatory anaesthesia, 804 LIPNICK (ED): Studies of narcosis: An English translation of Charles Ernest Overton's classic German monograph, 806 MORGAN (ED): Controversies in obstetric anaesthesia, Number One, 430 OVASSAPIAN (ED): Fibreoptic airway endoscopy in anaesthesia and critical care, 79 POTTER (ED): Introduction to intensive care, 333 POTTER (ED): Introduction to intensive care (Erratum), 707 TAYLOR, REHDER, HYATT & PARKER: Clinical respiratory physiology, 78 TOBIN (ED): Problems in respiratory care, Vol. 3, No. 3; the respiratory muscles, 804 WHITE (ED): Outpatient anesthesia, 428 Bolus or continuous infusion propofol: a day case technique for the vaginal termination of pregnancy (Brownlie, Baker & Ogg), 775 (f) Bougie, gum elastic, and difficult tracheal intubation (Cossham), 234 (c) 'Bow-ties' in ITU (Bryden & Davies), 164 (c) Boyle International Mark II: nudging the emergency oxygen button (Hanafiah & Sellers), 331 (c) Boyle vaporizer hazard (Saunders & Keane), 152 (c) Brachial artery embolism, acute, following brachial plexus block, resolution of (Blumgart & Ho), 1092 (c) Brachial plexus block, resolution of acute brachial embolism following (Blumgart & Ho), 1092 (c) Brachial plexus blockade, supraclavicular, in patients with chronic renal failure, plasma concentrations of bupivacaine after (Rice, Pither & Tucker), 354 Bradycardia, reflex, on elevation of zygoma, and glycopyrronium (Cooper), 991 (c) Brain death and hypotension? (Goodman: Leigh), 324 (c) Brain laryngeal mask compared with the nasal mask in paediatric dental outpatient anaesthesia (Bailie, Barnett & Fraser), 358 Breathing system, Bain, and capnography (Lee), 899 (c) Breathing system, Bain, and higher pressure ventilation (Nichols: Sedwards), 994 (c) Breathing system, Bain, modified Bain occlusion tests for (Heath & Marks), 213 Breathing system components - Gibeck Humidifiers (Hazard Notice), 612 Breathing system, Humphrey ADE, and ventilator alarms (Murphy & Rabey), 1000 (c) Breathing system, Lack, parallel, single-use; hazard (Jones: Williams), 316 (c) Breathing systems, disposable, malfunctioning of (Shorey & Ravishankar: Williams), 592(c) Breathing systems: fuel cell type oxygen analysers/monitors (Safety Action Bulletin), 612 Breathing systems: guided isoflurane injection in a totally closed circuit (El-Attar), 1059 (f) Breathing systems, monitoring probes and sensors used in (Safety Action Bulletin), 337 Bronchial intubation, accidental, with RAE tubes (Black & Mackersie), 42 Bronchopleural fistula, computer-controlled anaesthesia in the management of (Donnelly & Webster), 383 Bronchoscopy, bleeding after (Hodgson & McHugh), 425 (c)

Bronchoscopy see also Fibreoptic bronchoscopy,

Bronchospasm following application of bilateral lower limb tourniquets (Sammut), 509 (c)

Bronchoscopy, fibreoptic, diagnostic, using the laryngeal mask (Rowbottom & Morton), 161 (c)

Bronchoscopy, haemodynamic effects of; comparison of propofol and thiopentone with and without alfentanil pretreatment (Hill et al.),

Bubbles may be deceiving (Hedley & Ooi), 895 (c)

Bupivacaine, 0.75%, and 0.75% ropivacaine, both with adrenaline, a comparison; cardiovascular effects of epidural local anaesthetics (Kerkkamp & Gielen), 361

Bupivacaine, epidural, dilution for labour; a comparison of three concentrations infused with a fixed dose of fentanyl (Noble, Enever & Thomas), 549

Bupivacaine, epidural infusion of diamorphine with, in labour; comparison with fentanyl and bupivacaine (Enever et al.), 169 Bupivacaine, exaggerated epidural blockade resulting from unusual spread of, in a patient with low back pain (Popat, Jadad & Glynn),

Bupivacaine, extradural, comparison of extradural and intravenous diamorphine as a supplement to (Lee et al.), 447

Bupivacaine for intercostal nerve blockade, alkalinisation of (Swann et al.), 174

Bupivacaine for intercostal nerve blockade, alkalinisation of (Erratum) (Swann et al.), 707

Bupivacaine plasma concentrations after supraclavicular brachial plexus blockade in patients with chronic renal failure (Rice, Pither & Tucker), 354

Bupivacaine serum concentrations following wound infiltration in children undergoing inguinal herniotomy (Mobley et al.), 500 (f)

Bupivacaine temperature: influence on spread of spinal analgesia (Callesen et al.), 17

Bupivacaine, the effect of a priming epidural injection of adrenaline on epidural blockade with (Baranowski, Dean & Pither), 1023 Bupivacaine/fentanyl mixture compared with fentanyl alone in continuous thoracic epidural for post-thoracotomy pain relief (George, Wright & Chisakuta), 732

Buprenorphine, caudal, in children: where should they be nursed? (Striebel & Gottschalk), 899 (c)

Caesarean section, a 26-gauge pencil-point needle for combined-epidural anaesthesia for (Carrie & Donald), 230 (c)

Caesarean section and wound infiltration (Notcutt: Trotter & Fell), 999 (c)

Caesarean section, awareness during (Lyons & Macdonald), 62 (f)

Caesarean section, awareness during (Scott), 693 (c)

Caesarean section, awareness during (Matthews, Dann & Cartwright: Bogod), 157 (c)

Caesarean section, diamorphine analgesia after; comparison of intramuscular and epidural administration of four dose regimens (Smith et al.), 970 (f)

Caesarean section, dosage of phenylephrine in spinal anaesthesia for (Taylor & Tunstall), 314 (c)

Caesarean section, dosage of phenylephrine in spinal anaesthesia for (Ma & Daley), 892 (c)

Caesarean section, elective, comparison of epidural diamorphine and intramuscular morphine after, with computerised continuous pulse oximetry (Stevens et al.), 256

Caesarean section, elective, under epidural analgesia, the effect of prophylactic fentanyl on shivering in (Liu & Luxton), 344

Caesarean section, gastric emptying following, and the effect of epidural fentanyl (Geddes, Thorburn & Logan), 1016

Caesarean section in undiagnosed Eisenmenger's syndrome. Report of a patient with a fatal outcome (Gilman), 371

Caesarean section, lower segment, wound infiltration of local anaesthetic after (Trotter et al.), 404 (f)

Caesarean section: plasma etomidate levels in mother and fetus (Gregory & Davidson), 716

Caesarean section, propofol for induction and maintenance of anaesthesia at; comparison with thiopentone/enflurane (Yau et al.), 20

Caesarean section: regional anaesthesia and cough effectiveness (Harrop-Griffiths et al.), 11

Caesarean section: serious complications with dextran-70 despite hapten prophylaxis (Berg, Fasting & Sellevold), 1033

Caesarean section, Sprotte needle for (Ackerman et al.: Cesarini et al.), 230 (c)

Caesarean section under epidural anaesthesia; spondyloepiphyseal dysplasia congenita (Rodney, Callander & Harmer), 648

Cannula deadspace, suxamethonium in; a danger (Wilson & Mayor), 599 (c)

Cannula, intramuscular, indwelling, for postoperative analgesia (Teillol-Foo), 897 (c)

Cannula, minitracheostomy, inserted by the Seldinger technique, inadvertent submucosal penetration with (Randell & Lindgren), 801 (c)

Cannulae, arterial, manufactured by DLP incorporated (Safety Action Bulletin), 165

Cannulae, intravenous, colour coding (Mathias), 72 (c)

Cannulation, arterial: another complication (Brown), 326 (c)

Cannulation, central venous; a complication (Morton & Dearden: Wilkinson), 601 (c) Cannulation, central venous, potential hazard of (Michel & Ryder), 156 (c)

Cannulation, intravenous, training; assessment (Wilson), 578 (f)

Cannulation, radial artery; an unusual complication, extracorporeal pseudoaneurysm (Arrowsmith), 894 (c)

Cannulation, venous, a randomised controlled trial on choice of site and ease of; topical glyceryl trinitrate and eutectic mixture of local anaesthetics in children (Teillol-Foo & Kassab), 881 (f)

Capnography and sticking valves in the circle system (Rosewarne), 599 (c)

Capnography and the Bain coaxial breathing system (Lee), 899 (c)

Carbon dioxide detector device, Fenem (Brimacombe), 77 (c)

Carbon dioxide detectors, disposable (Muir et al.: Wilkinson et al.: O'Flaherty & Adams), 323 (c)

Carbon dioxide, tidal, monitoring in spontaneously breathing patients using a mainstream analysing monitor (Marks), 154 (c)

Carbon monoxide poisoning, ventilation for; the use of the Penlon Nuffield 200 in a monoplace hyperbaric oxygen chamber (Lewis et al.), 767

Cardiac anaesthesia in a patient with myotonic dystrophy (Tanaka & Tanaka), 462

Cardiac arrest following intramyometrial injection of prostaglandin E2 (Popat, Suppiah & White), 236 (c)

Cardiac arrhythmias during rigid oesophagoscopy (Hutton & Danks), 1087 (c)

Cardiac Records Model CR2006 Defibrillator (Hazard Notice), 337

Cardiac surgery, a comparison of patient rewarming devices after (Imrie, Ward & Hall), 44

Cardiac surgery, premedication; comparison of midazolam and droperidol with papaveretum and hyoscine (Antrobus et al.), 407 (f)

Cardiopulmonary bypass, comparison of a simple protamine titration method with an empirical dose regimen for reversal of heparinisation following (Keeler, Shah & Hansbro), 925

Cardiopulmonary bypass: postoperative pulse oximetry (Withington), 517 (c)
Cardiopulmonary resuscitation, single operator, in ambulances; which ventilation device? (Greenslade), 391

Cardiorespiratory changes during upper gastrointestinal endoscopy, examination of; comparison of monitoring of arterial oxygen saturation, arterial pressure and the electrocardiogram (Murray et al.), 181

Cardiorespiratory changes during upper gastrointestinal endoscopy (Edmondson, Eltringham & Gear), 1090 (c) Cardiorespiratory effects during gastrointestinal endoscopy (Block, Jankowski & Colvin), 698 (c)

Cardiovascular changes at antagonism of atracurium. Effects of different doses of premixed neostigmine and glycopyrronium in a ratio of 5:1 (Suresh et al.), 877 (f)

Cardiovascular effects of epidural local anaesthetics. Comparison of 0.75% bupivacaine and 0.75% ropivacaine, both with adrenaline (Kerkkamp & Gielen), 361

Cardiovascular effects of epidural local anaesthetics (Ogilvy), 990 (c)

Cardiovascular effects of intravenous clonidine. Partial attenuation of the pressor response to intubation by clonidine (Carabine et al.),

Cardiovascular effects of nasotracheal intubation (Smith & Grewal), 683 (f)

Cardiovascular monitoring, son with lumière for (Gilston), 420

Cardioverter-defibrillator, implantable, automatic; implications for anaesthetists (Carr & Whiteley), 737

Carotid endarterectomy, blood pressure recording during (Phillips & Virdee), 697 (c)

Cataract surgery anaesthesia (Goold), 518

Cataract surgery anaesthesia - time for change (Strunin & Lewis: Vafidis, Barker & Hall: Rubin: Khalil: Stillman & Murad), 148 (c)

Cataract surgery, plasma catecholamine response to; comparison between general and local anaesthesia (Barker et al.), 642

Catecholamine, plasma, response in cataract surgery: a comparison between general and local anaesthesia (Barker et al.), 642

Catheter, 32-gauge, used in incremental spinal anaesthesia (Kestin & Goodman), 93

Catheter adaptors (Wendell), 896 (c)

Catheter entrapment, pulmonary artery (Lanigan & Cornwell), 600 (c)

Catheter, epidural, a technique to avoid dural puncture by (Hughes & Oldroyd), 802 (c) Catheter, epidural, duplicate markings on (Yau, Ewart & Oh: Berent & Otto), 795 (c) Catheter, interpleural; a modified technique for insertion (Marsh & McDonald), 889 (c)

Catheter mount, blocked; obstructed ventilation (Dunne & Balson), 1093 (c)

Catheter mounts, Superset, faulty (Hannington-Kiff), 671

Catheter, spinal, 32-gauge, problems with (McCoy & Furness), 423 (c)

Catheter, spinal, technique in femoro-popliteal graft surgery; clinical evaluation (Morrison, McClure & Wildsmith), 576 (f)

Catheter, triple lumen, hazard with (Walder & Tyler: Wilkinson), 1091 (c)

Catheterisation, central venous; septic atrial thrombus complication (Joshi, Bullingham & Soni), 1030

Catheterisation, epidural (Ambesh et al.), 74 (c)

Catheters: Contiplex (Braun) Katheterset (Fritz & Bradshaw: Otto), 603 (c)

Catheters, conventional, disposable, compared with a multiple-use closed system device; environmental contamination during tracheal suction (Cobley, Atkins & Jones), 957

Catheters, spinal, 32-gauge, through 26-gauge needles (Denny: Nagle, McQuay & Glynn), 599 (c)

Catheters see also Central venous catheters,

Caudal anaesthesia for Saethre-Chotzen syndrome, inadvertent dural puncture during (Wrigley), 705 (c)

Caudal block, need for special needle for (Mansour), 996 (c)

Caudal buprenorphine in children: where should they be nursed? (Striebel & Gottschalk), 899 (c)

Central nerve blockade and anticoagulant drugs (Wildsmith & McClure), 613

Central venous cannulation: a complication (Morton & Dearden: Wilkinson), 601 (c)

Central venous cannulation, potential hazard of (Michel & Ryder), 156 (c)

Central venous catheterisation complication: septic atrial thrombus (Joshi, Bullingham & Soni), 1030

Cerebrotrac 2500 for continuous monitoring of cerebral function in the intensive care unit: an assessment (Shearer, O'Sullivan & Hunter), 750

CHARGE Association, incidence and management of airway problems in (Stack & Wyse), 582 (f)

Check list for anaesthetic machines (Safety Action Bulletin), 612

Chemical meningism after lumbar facet joint block with local anaesthetic and steroids (Thomson, Lomax & Collett), 563

ChemPro 500, whole blood electrolyte assay using; comparison of assay performance with standard laboratory instruments (Thompson et al.), 673

Chickenpox pneumonia, its complications and management. A report of three cases, including the use of extracorporeal membrane oxygenation (Clark et al.), 376

Chickenpox pneumonia: NAB before IPPV? (Jankowski & Petros), 993 (c)

Child with acute intermittent porphyria, safe use of propofol in (Christian), 423 (c)

Child, young: trauma to the posterior pharyngeal wall caused by laryngeal mask airway (Marjot), 589(c)

Child, young: unexpected position of the laryngeal mask airway (Molloy), 592(c)

Children: an assessment of the oesophageal detector device with uncuffed tubes (Wee & Walker), 869

Children, caudal buprenorphine in; where should they be nursed? (Striebel & Gottschalk), 899 (c)

Children, epidural blood patch for treatment of subarachnoid fistula in (Kumar, Maves & Barcellos), 117

Children exposed to daily isoflurane for several weeks, a prospective study of liver function in (Jones et al.), 686 (f)

Children: haemodynamic effects of propofol (Short & Aun), 783 (f)

Children, hyoscine derivative in; but was it hyoscine? (Rupreht), 514 (c)

Children: identification of the epidural space; application of a micro-drip infusion set (Yamashita & Tsuji), 872

Children, insertion of laryngeal mask airway in (McNicol), 330 (c)

Children, intra-operative airway maintenance for short ophthalmological procedures in (Sethi, Chawla & Bhattacharya), 1084 (c)

Children, isoflurane anaesthesia in (Black), 1087 (c)

Children: laryngeal mask airway insertion technique (Chow, Lewis & Jones), 590 (c)

Children: the laryngeal mask airway; fibreoptic assessment of positioning (Rowbottom, Simpson & Grubb), 489 (f)

Children, topical glyceryl trinitrate and eutectic mixture of local anaesthetics in; a randomised controlled trial on choice of site and ease of venous cannulation (Teillol-Foo & Kassab), 881 (f)

Children, trimeprazine premedication in (Zorab), 1088 (c)

Children undergoing inguinal herniotomy, serum bupivacaine concentrations following wound infiltration in (Mobley et al.), 500 (f)

Children: yet another use for the laryngeal mask airway (Walker & Murrell), 591(c)

Children's fingers and spurious pulse oximetry (Serpell), 702 (c)

Cholecystectomy, laparoscopic, anaesthesia for (Stanton: Greville & Clements), 317 (c)

Cholecystectomy, laparoscopic, anaesthesia for (Parris & Lee), 997 (c)

Cholecystectomy, laparoscopic, laser, other implications of (Joshi, Mahoney & Soni), 318 (c)

Cholecystectomy, laser, laparoscopic, pulmonary air embolism during (Greville et al.), 113

Choreoathetoid reaction, acute, to propofol (Borgeat & Wilder-Smith), 797 (c)

Circle system, capnography and sticking valves in (Rosewarne), 599 (c) Circulation, extracorporeal, in the management of massive propanolol overdose (McVey & Corke), 744

Circulation, forearm; the effect of intravenous clonidine (Carabine et al.), 1013

Clinical research, consent to (Kaul & Cork: Whirley et al.), 885 (c)

Clinical sickness score and APACHE II (Chang: Sinclair & Magee), 988 (c)

Clinical Sickness Score compared with APACHE II in a District General Hospital Intensive Care Unit (Sinclair et al.), 442

Clonidine, intravenous, cardiovascular effects of; partial attenuation of the pressor response to intubation by clonidine (Carabine et al.),

Clonidine, intravenous; effect on the forearm circulation (Carabine et al.), 1013

Clonidine, intravenous: effects on ventilation (Ooi, Pattison & Feldman), 632

Clonidine—a horse or an ass (Feldman & Ooi), 1003

Closed mitral commissurotomy, end-tidal CO₂ monitoring in mitral stenosis patients undergoing (Puri, Venkatramen & Singh), 494 (f)

Clotting studies, intra-arterial blood sampling for; effects of heparin contamination (Lew, Hutchinson & Lin), 719

Coagulation screening before epidural analgesia in pre-eclampsia (Barker & Callander), 64 (f) Coagulation screening before epidural analgesia in pre-eclampsia (Trotter et al.), 596 (c)

Coaxial technique for facilitating one-lung ventilation (Conacher), 400

Co-axial technique for facilitating one-lung ventilation (Fortuna), 1094 (c)

CO, end-tidal monitoring in mitral stenosis patients undergoing closed mitral commissurotomy (Puri, Venkatramen & Singh), 494 (f)

Coeliac plexus block, paraplegia following (van Dongen & Crul), 862 Colour coding, intravenous cannulae (Mathias), 72 (c)

Communication between Department of Health, manufacturers and anaesthetists. 'Alarm signals' over warning signs? (Barton), 809 Communication between Department of Health, manufacturers and anaesthetists. Are you getting the message? (Weir & Wilson), 845

Compatibility, false, in equipment (Davies), 991 (c) Complication, avoidable; extradural vein puncture (Mannion, Walker & Clayton), 585 (f)

Complication, avoidable; extradural vein puncture (Hendley), 1092 (c)

Complication: central venous cannulation (Morton & Dearden: Wilkinson), 601 (c)

Complication of a flexible tracheostomy tube during laryngectomy (Ezri et al.), 328 (c)

Complication of arterial cannulation (Brown), 326 (c)

Complication of central venous catheterisation: septic atrial thrombus (Joshi, Bullingham & Soni), 1030

Complication of general anaesthesia: traumatic pneumocephalus following head injury (Finch & Morgan), 385

Complication of tracheal intubation: cuff failure (Williamson & Gorven), 593(c) Complication, serious, of minitracheotomy (McEwan, Francis & Clarke), 1041

Complication, unusual, of radial artery cannulation; extracorporeal pseudoaneurysm (Arrowsmith), 894 (c)

Complication, unusual, with the laryngeal mask airway (Miller & Bickler), 659

Complications after 2153 consecutive operations; the first 24 hours after surgery (Gamil & Fanning), 712

Complications, life-threatening, during anaesthesia in a patient with a ventriculo-atrial shunt and pulmonary hypertension (Butler, Wheeler & Spargo) (Erratum), 241

Complications of chickenpox pneumonia; report of three cases, including the use of extracorporeal membrane oxygenation (Clark et al.), 376

Complications of inhalational anaesthesia in 16995 patients; a cross-sectional study (Lew, Spence & Elton), 810

Complications, serious, with dextran-70 despite hapten prophylaxis. Is it best avoided prior to delivery? (Berg, Fasting & Sellevold), 1033

Computer-controlled anaesthesia in the management of bronchopleural fistula (Donnelly & Webster), 383

Computer-controlled propofol infusion; general anaesthesia and undrained pneumothorax (Crofts & Hutchison), 192

Computerised analysis of continuous pulse oximetry; comparison of epidural diamorphine and intramuscular morphine after Caesarean section (Stevens et al.), 256

Computerised axial tomography of the trachea. A useful investigation when a retrosternal goitre causes symptomatic tracheal compression (Barker, Mason & Thorpe), 195

Computerised infusion system used in intravenous propofol anaesthesia (Kenny & White), 156 (c)

Concentration: effect on pain on intradermal injection with lignocaine (Criswell), 691 (f)

Congenital diaphragmatic hernia, timing of surgery in; low mortality after pre-operative stabilisation (Charlton, Bruce & Davenport),

Congenital heart disease, anaesthesia for adults with (Jones & Scott), 698 (c) Consent to clinical research (Kaul & Cork: Whirley et al.), 885 (c)

Contaminated spinal needle, ball-valve effect of (Bishton & Clark), 233 (c)

Contamination, environmental, during tracheal suction. A comparison of disposable conventional catheters with a multiple-use closed system device (Cobley, Atkins & Jones), 957

Contamination of piped oxygen supplies (Shaw, Graham & Snowdon), 887 (c)

Continuous direct and indirect blood pressure (Finapres) in the critically ill (Farquhar), 1050

Continuous infusion or bolus propofol: a day case technique for the vaginal termination of pregnancy (Brownlie, Baker & Ogg), 775 (f)

Continuous intravenous nifedipine administration, marked decrease in arterial oxygen tension associated with (Böhrer et al.), 856 Continuous positive airway pressure see CPAP,
Continuous thoracic epidural fentanyl for post-thoracotomy pain relief: with or without bupivacaine? (George, Wright & Chisakuta), 732

Contiplex (Braun) Katheterset (Fritz & Bradshaw: Otto), 603 (c) Coronary artery bypass grafting, impairment of ventricular diastolic function during (Muralidhar), 504 (c)

Coronary artery bypass grafting, laryngeal mask airway for (White, Sinclair & Pillai), 234 (c)

Coronary artery bypass grafting, laryngeal mask airway for (Foster & Clowes), 701 (c)

Coronary artery bypass grafting, laryngeal mask airway for (White, Sinclair & Pillai), 1083 (c)

Coronary artery bypass grafting, thoracic epidural analgesia in a patient with phaeochromocytoma undergoing (Liem, Moll & Booij), 654

Cost implications of low-flow anaesthesia (Cotter et al.), 1009

Cost of intensive care (Ryan), 990 (c)

Cost of intensive therapy. A description of methodology and initial results (Ridley, Biggam & Stone), 523

Cost of propofol infusion in neurosurgery (Aitken & Farling), 329 (c)

Cost savings in oxygen concentrators for developing countries; a study based on Papua New Guinea (Dobson), 217 (f) Cough effectiveness and regional anaesthesia; a study in patients undergoing Caesarean section (Harrop-Griffiths et al.), 11 Cough effectiveness and regional anaesthesia (Conn, Moffat & Duckworth: Harrop-Griffiths et al.), 504 (c)

Cough effectiveness and regional anaesthesia (Gamil), 790 (c)

CPAP, nasal, haemodynamic effects of treatment with; postoperative obstructive sleep apnoea (Reeder et al.), 849

CPAP ventilation, use of the Inspiron nebuliser during (Hardwick, Dickson & Clutton-Brock), 664

Cricoid pressure and oesophageal rupture (Notcutt), 424 (c)

Cricoid pressure and the laryngeal mask airway (Brimacombe), 986 (c)

Cricoid pressure, bimanual; another version (Williamson), 510 (c)

Cricoid pressure in the sniffing position (Baxter), 327 (c)

Cricoid pressure, rupture of the oesophagus during (Ralph & Wareham), 40

Critical care unit: role in an epidemic (Kumar et al.), 57 (f)

Cuff, blood pressure; changeover in paediatric anaesthesia (Charlton & Apadoo), 898 (c)

Cuff failure – a complication of tracheal intubation (Williamson & Gorven), 593(c) Curare for anaesthesia in England: Dr F. P. de Caux, the first user (Wilkinson), 49

Curare, sensitivity to, in patients with upper and lower motor neurone dysfunction (Fiacchino et al.), 980 (f)

Cyclopropane and Datex Capnomac (Herlevi & Paloheimo), 893 (c)

Cyclopropane and the Datex Capnomac. Effect of cyclopropane on the single wavelength infrared measurement of volatile anaesthetic agents (Mason & Lloyd-Thomas), 398

Cylinders, incorrectly filled (Menon & Lett), 155 (c)

Dantrolene: a potential role; fatal theophylline poisoning with rhabdomyolysis (Parr & Willatts), 557

Datex Capnomac and cyclopropane (Herlevi & Paloheimo), 893 (c)

Datex Capnomac: effect of cyclopropane on the single wavelength infrared measurement of volatile anaesthetic agents (Mason & Lloyd-Thomas), 398

Day care dental treatment for mentally retarded adults; use of oral ketamine (Petros), 646

Day case laparoscopy: a survey of postoperative pain and an assessment of the value of diclofenac (Edwards et al.), 1077 (f)

Day case patients: desflurane compared with propofol in induction and recovery (Wrigley et al.), 615

Day case technique for the vaginal termination of pregnancy: bolus or continuous infusion propofol (Brownlie, Baker & Ogg), 775 (f) Day surgery, oral fluids prior to; the effect of shortening the pre-operative fluid fast on postoperative morbidity (Goodwin et al.), 1066

de Caux, F. P. - the first user of curare for anaesthesia in England (Wilkinson), 49

de Caux, Francis Percival (1892–1965). An anaesthetist at odds with social convention and the law (Wilkinson), 300

Deadspace, apparatus, variable (Scott & Jones), 1047

Defibrillator, Cardiac Records Model CR2006 (Hazard Notice), 337

Defibrillator/Monitor, Hewlett-Packard (Safety Action Bulletin), 1002

Delivery: serious complications with dextran-70 despite hapten prophylaxis (Berg, Fasting & Sellevold), 1033

Dental chair anaesthesia and laryngeal masks (Noble & Wooller), 591(c)

Dental day care treatment for mentally retarded adults; use of oral ketamine (Petros), 646

Dental extractions, a comparison of azaapropazone and aspirin for pain relief following (Garrioch, Wardall & Fitch), 828

Dental extractions: comparison of high and low doses of suxamethonium (Stewart, Hopkins & Dean), 833

Dental paediatric outpatient anaesthesia; comparison of Brain laryngeal mask with the nasal mask (Bailie, Barnett & Fraser), 358

Dental surgery: comparison of two techniques for sedation (Church et al.), 780 (f)

Dental trauma during Entonox inhalation via mouthpiece (Volney & Callander), 892 (c) Dentures: is the pre-operative removal necessary? (Cobley & Dunne), 596 (c)

Dentures, pre-operative removal of (Thomas), 1094 (c)

Dentures, pre-operative removal of (Thompson: Harrison & Horton: Brighouse: Nunn), 992 (c)

Dentures: routine removal during pre-operative preparation contributes to pre-operative distress (Cobley, Dunne & Sanders), 1019 Department of Health, manufacturers and anaesthetists, communication between; 'alarm signals' over warning signs? (Barton), 809

Department of Health, manufacturers and anaesthetists, communication between; are you getting the message? (Weir & Wilson), 845

Desflurane: induction and recovery characteristics in day case patients; comparison with propofol (Wrigley et al.), 615

Developing countries, oxygen concentrators offer cost savings for; a study based on Papua New Guinea (Dobson), 217 (f)

Dextran-70: serious complications despite hapten prophylaxis. Is it best avoided prior to delivery? (Berg, Fasting & Sellevold), 1033

Diabetes mellitus: peri-operative management (Mantha & Rao), 900 (c)

Diamorphine analgesia after Caesarean section. Comparison of intramuscular and epidural administration of four dose regimens (Smith et al.), 970 (f)

Diamorphine compared with morphine. A comparison of dose requirements and side-effects after hip surgery (Robinson, Rowbotham &

Smith), 538

Diamorphine, epidural, compared with intramuscular morphine after Caesarean section, with computerised analysis of continuous pulse

oximetry (Stevens et al.), 256 Diamorphine, epidural; effects on the somatosensory evoked potential to posterior tibial nerve stimulation (Loughnan et al.), 912

Diamorphine, epidural, for the obstetric patient (McGrady & Davis: Stevens), 787 (c)

Diamorphine epidural infusion, myoclonic spasms after (Jayawardena & Hill), 473

Diamorphine, epidural, lumbar, following thoracic surgery. A comparison of infusion and bolus administration (Patrick, Meyer-Witting & Reynolds), 85

Diamorphine, extradural and intravenous, a comparison, as a supplement to extradural bupivacaine (Lee et al.), 447

Diamorphine with bupivacaine, epidural infusion of, in labour; comparison with fentanyl and bupivacaine (Enever et al.), 169 Diastolic function, ventricular; impairment during coronary artery bypass grafting (Muralidhar), 504 (c)

Diclofenac and postoperative pain; day case laparoscopy (Edwards et al.), 1077 (f)

Diclofenac injections, continued problems with (Ali & Mathias), 1089 (c)

Diethyl ether and ethyl chloride for assessing the extent of epidural blockade (Lindsay), 596 (c)

Diethyl ether evaporation: explosion and fire hazard (Hazard Notice), 1002

Difficult intubation see Intubation,

Dihydrocodeine, controlled-release, analgesic efficacy in cold-induced pain (Wotherspoon, Kenny & McArdle), 915

Dilatation of hand veins (Kalmanovitch), 517 (c)

Dilation of hand veins, effect of glyceryl trinitrate and ice on (Williams & Hecker), 14

District General Hospital Intensive Care Unit: APACHE II compared with Clinical Sickness Score (Sinclair et al.), 442

DLP incorporated: arterial cannulae (Safety Action Bulletin), 165

Doctor technicians, the interpretation of results by (Heining) (Erratum), 241

Dogs, propofol and excitatory sequelae in (Davies & Hall), 797 (c)

Dopamine compared with dopexamine in prevention of renal impairment in patients undergoing orthotopic liver transplantation (Gray, Bodenham & Park), 638

Dopexamine compared with dopamine in prevention of renal impairment in patients undergoing orthotopic liver transplantation (Gray, Bodenham & Park), 638

Doppler ultrasound compared with pulse oximetry for assessment of collateral blood flow to the hand (Pillow & Herrick), 388

Dosage: comparison of high and low doses of suxamethonium (Stewart, Hopkins & Dean), 833

Dosage: diamorphine analgesia after Caesarean section; comparison of intramuscular and epidural administration of four dose regimens (Smith et al.), 970 (f)

Dosage: effects of different doses of premixed neostigmine and glycopyrronium in a ratio of 5:1; cardiovascular changes at antagonism of atracurium (Suresh et al.), 877 (f)

Dosage of phenylephrine in spinal anaesthesia for Caesarean section (Taylor & Tunstall), 314 (c)

Dosage of phenylephrine in spinal anaesthesia for Caesarean section (Ma & Daley), 892 (c)

Dose, induction, of propofol; influencing factors (McCleane, Fogarty & Watters), 59 (f)

Dose, induction, of propofol; influencing factors (McLauchlan, Spiers & Peacock: McCleane, 513 (c)

Dose regimen compared with protamine titration method for reversal of heparinisation following cardiopulmonary bypass (Keeler, Shah & Hansbro), 925

Dose requirements in hip surgery; morphine compared with diamorphine (Robinson, Rowbotham & Smith), 538

Dose-response relationship and time course of action of Org 9426. A new muscle relaxant of intermediate duration evaluated under various anaesthetic techniques (Lambalk et al.), 907

Down's adjustable flow generator, modification of (Fisher), 424 (c)

Down's syndrome and congenital heart disease; anaesthesia by ketamine, midazolam and vecuronium infusion (Riley & McBride), 122

Doxapram after general anaesthesia. Its role in stopping shivering during recovery (Sarma & Fry), 460 Doxapram after general anaesthesia. Its role in stopping shivering during recovery (Gautier), 1092 (c) Dr F. P. de Caux – the first user of curare for anaesthesia in England (Wilkinson), 49

Drawover anaesthesia in the young adult. Minimum requirements during anaesthesia with the Triservice anaesthetic apparatus (Tighe et al.), 52 (f)

Drawover anaesthesia in the young adult. Minimum requirements during anaesthesia with the Triservice anaesthetic apparatus (Tighe et al.) (Erratum), 338

Dressing, epidural, misdiagnosis caused by (Berry & Patrick), 425 (c)

Droperidol-midazolam premedication for cardiac surgery. A comparison with papaveretum and hyoscine (Antrobus et al.), 407 (f)

Drug potency and temperature (Northwood), 995 (c)

Drug prescribing pattern, peri-operative, and manufacturers' guidelines; an audit (Kluger et al.), 456

Dural puncture and depth of extradural space (Sutton & Linter), 97

Dural puncture by the epidural catheter: an avoidance technique (Hughes & Oldroyd), 802 (c)

Dural puncture, deliberate, with a Tuohy needle; depth measurements (Hollway & Telford), 722

Dural puncture, deliberate, with a Tuohy needle; pressure measurements (Telford & Hollway), 725

Dural puncture, headache after; a personal view (Magides), 694 (c) Dural puncture, inadvertent, during caudal anaesthesia for Saethre-Chotzen syndrome (Wrigley), 705 (c)

Dural puncture, spinal needles and flow (Lyons: Toomey), 236 (c)

Dye placed in the pharynx, a barrier to; airway protection by the laryngeal mask (John, Hill & Hughes), 366

Dyes and potential errors in pulse oximetry (Ralston, Webb & Runciman), 291

Dyshaemoglobins and potential errors in pulse oximetry (Ralston, Webb & Runciman), 291

Dystrophia myotonica see Myotonic dystrophy,

Ear pulse oximeter probes (Clayton et al.), 260

Earache, severe, following nitrous oxide anaesthesia (Dingley), 896 (c)

Eaton-Lambert myasthenic syndrome, epidural analgesia in; effects on respiratory function (Sakura et al.), 560 **Editorials**

'Alarm signals' over warning signs? (Barton), 809

Anticoagulant drugs and central nerve blockade (Wildsmith & McClure), 613

Clonidine—a horse or an ass (Feldman & Ooi), 1003

Ethics in publishing (Smith et al.), 255

Getting there (Morgan), 709

Postoperative pain relief – time to take our heads out of the sand? (Harmer), 167 Purchasing equipment (Lumley & Zideman), 433

Ropivacaine (Reynolds), 339

Supplementary oxygen-potential for disaster (Newton), 905

The future development of chronic pain relief (Diamond), 83

The pill, HRT and postoperative thromboembolism: cause for concern? (Whitehead & Whitehead), 521

Tributes and tribulations (Morgan), 1

Echocardiographic assessment of the haemodynamic effects of propofol: a comparison with etomidate and thiopentone (Gauss, Heinrich & Wilder-Smith), 99

Edrophonium and atropine, combined effects on the lower oesophageal sphincter; comparison with atropine and neostigmine (Heijke, Smith & Key), 628

Edwards disposable pressure transducer, manufactured by Baxter Edwards Critical Care (Safety Action Bulletin), 165

Eisenmenger's syndrome, undiagnosed, and Caesarean section; report of a patient with a fatal outcome (Gilman), 371 Elderly patients, a comparison of different pre-oxygenation techniques in (McCarthy et al.), 824

Elderly patients, pharmacodynamics of alcuronium in (Kent & Hunter), 271

Electroconvulsive therapy, atrial fibrillation after (Venditti, Shulman & Lutch), 995 (c)

Electrolyte assay, whole blood, using ChemPro 500; comparison of assay performance with standard laboratory instruments (Thompson et al.), 673

Elohes administration following an anaphylactoid reaction to Haemaccel (Higgins & Mackersie), 162 (c)

Embolism, air, pulmonary, during laparoscopic laser cholecystectomy (Greville et al.), 113

Embolism, brachial artery, acute, following brachial plexus block, resolution of (Blumgart & Ho), 1092 (c)

Embolism, guide wire (Barker), 595 (c)

Emergency adenotonsillectomy for acute postoperative upper airway obstruction (Livesey, Solomons & Gillies), 36

Emergency adenotonsillectomy for acute postoperative upper airway obstruction (Francis: Solomons: Harwood et al.), 514 (c) Emery-Dreifuss muscular dystrophy (Morrison & Jago), 33

EMLA and glyceryl trinitrate, topical, in children. A randomised controlled trial on choice of site and ease of venous cannulation (Teillol-Foo & Kassab), 881 (f)

Emphysema, obstructive, an unusual cause of (Buist), 283

Endoscopy, gastrointestinal, cardiorespiratory effects during (Block, Jankowski & Colvin), 698 (c)

Endoscopy, upper gastrointestinal, cardiorespiratory changes during (Edmondson, Eltringham & Gear), 1090 (c)

Endoscopy, upper gastrointestinal, examination of cardiorespiratory changes during; comparison of monitoring of arterial oxygen saturation, arterial pressure and the electrocardiogram (Murray et al.), 181

End-tidal CO₂ monitoring in mitral stenosis patients undergoing closed mitral commissurotomy (Puri, Venkatramen & Singh), 494 (f)

Enflurane/thiopentone compared with propofol for induction and maintenance at Caesarean section (Yau et al.), 20

Engstrom Elsa anaesthetic machine (Rowbottom, Morton & Chestnut), 158 (c)

Enoximone: prolonged action in renal failure (Burns & Park), 864

Entonox inhalation via mouthpiece, dental trauma during (Volney & Callander), 892 (c)

Epidemic, the role of a critical care unit in (Kumar et al.), 57 (f)

Epidural anaesthesia for Caesarean section; spondyloepiphyseal dysplasia congenita (Rodney, Callander & Harmer), 648

Epidural analgesia and hypotension (O'Keeffe), 163 (c)

Epidural analgesia, coagulation screening before, in pre-eclampsia (Trotter et al.), 596 (c)

Epidural analgesia in Eaton-Lambert myasthenic syndrome. effects on respiratory function (Sakura et al.), 560

Epidural analgesia in pre-eclampsia, coagulation screening before (Barker & Callander), 64 (f)

Epidural analgesia, the effect of micropore filters on the aspiration test in (Charlton & Lawes), 573

Epidural analgesia, the effect of prophylactic fentanyl on shivering in elective Caesarean section under (Liu & Luxton), 344

Epidural analgesia, thoracic, in a patient with bilateral phaeochromocytoma undergoing coronary artery bypass grafting (Liem, Moll & Booii), 654

Epidural analgesia, transient blindness following (Victory, Hassett & Morrison), 940

Epidural and intramuscular administration compared for four dose regimens; diamorphine analgesia after Caesarean section (Smith et al.), 970 (f)

Epidural and intravenous routes compared in patient-controlled on-demand fentanyl (Welchew & Breen), 438

Epidural blockade, ethyl chloride and diethyl ether for assessing the extent of (Lindsay), 596 (c)

Epidural blockade, exaggerated, resulting from unusual spread of bupivacaine in a patient with low back pain (Popat, Jadad & Glynn),

Epidural blockade with bupivacaine, the effect of a priming epidural injection of adrenaline on (Baranowski, Dean & Pither), 1023

Epidural blood patch for treatment of subarachnoid fistula in children (Kumar, Maves & Barcellos), 117

Epidural bupivacaine dilution for labour, a comparison of three concentrations infused with a fixed dose of fentanyl (Noble, Enever & Thomas), 549

Epidural catheter, a technique to avoid dural puncture by (Hughes & Oldroyd), 802 (c)

Epidural catheter, duplicate markings on (Yau, Ewart & Oh: Berent & Otto), 795 (c)

Epidural catheterisation (Ambesh et al.), 74 (c)

Epidural diamorphine and intramuscular morphine after Caesarean section, comparison of, with computerised analysis of continuous pulse oximetry (Stevens et al.), 256

Epidural diamorphine: effects on the somatosensory evoked potential to posterior tibial nerve stimulation (Loughnan et al.), 912

Epidural diamorphine for the obstetric patient (McGrady & Davis: Stevens), 787 (c)

Epidural diamorphine infusion, myoclonic spasms after (Jayawardena & Hill), 473

Epidural dressing, misdiagnosis caused by (Berry & Patrick), 425 (c)

Epidural fentanyl: effect on gastric emptying following Caesarean section (Geddes, Thorburn & Logan), 1016

Epidural fentanyl, on demand (Kluger & Owen: Ali, Digger & Perks: Welchew: Welchew), 983 (c)

Epidural fentanyl, thoracic, continuous, for post-thoracotomy pain relief: with or without bupivacaine? (George, Wright & Chisakuta),

Epidural fentanyl, thoracic versus lumbar, a randomised, double-blind comparison; pain following thoracotomy (Coe et al.), 918 Epidural infusion of diamorphine with bupivacaine in labour. A comparison with fentanyl and bupivacaine (Enever et al.), 169 Epidural local anaesthetics, cardiovascular effects; comparison of 0.75% bupivacaine and 0.75% ropivacaine, both with adrenaline (Kerkkamp & Gielen), 361

Epidural local anaesthetics, cardiovascular effects of (Ogilvy), 990 (c)

Epidural lumbar diamorphine following thoracic surgery. A comparison of infusion and bolus administration (Patrick, Meyer-Witting & Reynolds), 85

Epidural needle block by blood clots (Lim, Teh & Li), 597 (c)

Epidural needle block by blood clots (Hendley), 996 (c)

Epidural needle, Portex, faulty (Cozanitis: Green), 516 (c)

Epidural space, a new way to measure the width of (Eldor & Guedj), 162 (c)

Epidural space, accidental injection of ether into (Mappes & Schaer), 124

Epidural space identification in children. The application of a micro-drip infusion set (Yamashita & Tsuji), 872

Epidural vein trauma; a retrospective analysis (Skidmore), 516 (c)

Epidurals, lumbar, pressure generated during insertion of (Hayes: Peters: Langton & Meiklejohn), 506 (c)

Equipment: does complicated mean better? (Gilston), 515 (c)

Equipment: false compatibility (Davies), 991 (c)

Equipment purchasing (Lumley & Zideman), 433

Erection, persistent, and general anaesthesia (Hosie & Todd), 76 (c)

Errata, 241, 338, 707, 1094

Esmolol in infundibular spasm (Dhir & Dhir), 998 (c)

Esmolol treatment of intra-operative tachycardia due to surgical stimulation (Whirley-Diaz et al.), 220 (f)

Ethanol 1% tag solution used in monitoring of irrigating fluid absorption during transurethral prostatectomy (Hultén et al.), 349 Ether: accidental injection into the epidural space (Mappes & Schaer), 124

Ethics in publishing (Smith et al.), 255

Ethyl chloride and diethyl ether for assessing the extent of epidural blockade (Lindsay), 596 (c)

Etomidate and thiopentone compared with propofol in echocardiographic assessment of the haemodynamic effects (Gauss, Heinrich & Wilder-Smith), 99

Etomidate plasma levels in mother and fetus (Gregory & Davidson), 716

Eutectic mixture of local anaesthetics see EMLA,

Excel 410 machine fault (Lohmann: Sim), 695 (c)

Extensometer, better (Brimacombe & Macfie), 1088 (c)

Extensometer: potential applications in anaesthesia and intensive care (Brimacombe, MacFie & McCrirrick), 756

Extracorporeal circulation in the management of massive propanolol overdose (McVey & Corke), 744

Extracorporeal membrane gas exchange in severe, acute respiratory failure, life-saving use of (Fisher et al.), 866

Extracorporeal membrane oxygenation: use in chickenpox pneumonia (Clark et al.), 376

Extracorporeal pseudoaneurysm: an unusual complication of radial artery cannulation (Arrowsmith), 894 (c) Extradural analgesia and previous spinal surgery. A radiological appraisal (Calleja), 946

Extradural and intravenous diamorphine compared, as a supplement to extradural bupivacaine (Lee et al.), 447

Extradural bupivacaine, comparison of extradural and intravenous diamorphine as a supplement to (Lee et al.), 447

Extradural morphine, double-blind testing fails to confirm analgesic response to (Jadad et al.), 935

Extradural space depth and dural puncture (Sutton & Linter), 97

Extradural vein puncture - an avoidable complication (Mannion, Walker & Clayton), 585 (f)

Extradural vein puncture—an avoidable complication (Hendley), 1092 (c)

Eye surgery, local anaesthesia for (Khalil), 232 (c)

Eyes: accidental intra-ocular vecuronium (Parke & Smith), 796 (c)

Eyes see also Intraocular pressure; ophthalmic; Visual,

Famotidine vs. ranitidine; acid aspiration prophylaxis in morbidly obese patients (Villa et al.), 967 (f)

Fatal theophylline poisoning with rhabdomyolysis. a potential role for dantrolene treatment (Parr & Willatts), 557

Faulty Portex epidural needle (Cozanitis: Green), 516 (c)

Femoro-popliteal graft surgery, clinical evaluation of a spinal catheter technique (Morrison, McClure & Wildsmith), 576 (f)

Femur, postoperative analgesia after triple nerve block for fractured neck of (Hood, Edbrooke & Gerrish), 138 (f)

Femur, three in one block for fractured neck of (Jones), 517 (c)
Fenem carbon dioxide detectors, disposable (Muir et al.: Wilkinson et al.: O'Flaherty & Adams), 323 (c)

Fenem CO₂ detector device (Brimacombe), 77 (c)

Fentanyl anaesthesia, moderate-dose, in comparison with acupuncture and transcutaneous stimulation analgesia in major surgery. Clinical efficacy and influence on recovery and morbidity (Kho et al.), 129 (f)

Fentanyl and bupivacaine, comparison with epidural infusion of diamorphine with bupivacaine, in labour (Enever et al.), 169 Fentanyl and midazolam, anaesthetist-administered, compared with patient-controlled propofol; intra-operative patient-controlled sedation (Osborne et al.), 553

Fentanyl, epidural; effect on gastric emptying following Caesarean section (Geddes, Thorburn & Logan), 1016

Fentanyl, epidural, on demand (Kluger & Owen: Ali, Digger & Perks: Welchew: Welchew), 983 (c)

Fentanyl, epidural, thoracic, continuous, for post-thoracotomy pain relief: with or without bupivacaine? (George, Wright & Chisakuta), 732

Fentanyl, epidural, thoracic versus lumbar, a randomised, double-blind comparison; pain following thoracotomy (Coe et al.), 918

Fentanyl, nebulised, inhaled, for postoperative analgesia (Higgins, Asbury & Brodie), 973 (f)

Fentanyl, patient-controlled on-demand; comparison of epidural and intravenous routes (Welchew & Breen), 438

Fentanyl, prophylactic: effect on shivering in elective Caesarean section under epidural analgesia (Liu & Luxton), 344

Fetus and mother, plasma etomidate levels in (Gregory & Davidson), 716

Fibreoptic bronchoscopy, diagnostic, using the laryngeal mask (Rowbottom & Morton), 161 (c)

Fibreoptic orotracheal intubation assisted by use of laryngeal mask airway (Hasham, Kumar & Lawler), 891 (c)

Fibrillation, atrial, after electroconvulsive therapy (Venditti, Shulman & Lutch), 995 (c)

Fibrillation, ventricular, during examination of nose (Stannard), 794 (c)

Filters, micropore: effect on the aspiration test in epidural analgesia (Charlton & Lawes), 573

Finapres: continuous direct and indirect blood pressure measurement in the critically ill (Farquhar), 1050

Finger pulse oximeter probes (Clayton et al.), 260 'Finger-painting' and the pulse oximeter (Sneyd), 420 (e)

Fingers, children's, and spurious pulse oximetry (Serpell), 702 (c)

Fistula, bronchopleural, computer-controlled anaesthesia in the management of (Donnelly & Webster), 383

Fistula, subarachnoid, in children, epidural blood patch for treatment of (Kumar, Maves & Barcellos), 117

Fluid balance in ARDS (McConachie), 511 (c)

Fluid fast shortening, pre-operative; effect on postoperative morbidity in day surgery (Goodwin et al.), 1066 (f)

Fluid Warmer, Level 1 (Nolan & Dow), 318 (c)

Fluid warmers (Presson, Hillier & Haselby), 319 (c)

Flumazenil in intensive care. The duration of arousal after an assessment dose (Fisher, Clapham & Hutton), 413 (f)

Flumazenil, resedation after bolus administration of midazolam to an infant and its reversal by (Collins & Carter), 471

Flutter valve, sticking (Parry, Jewkes & Smith), 229 (c)

Forearm circulation: the effect of intravenous clonidine (Carabine et al.), 1013

Forehead pulse oximeter probes (Clayton et al.), 260

Foreign body in a laryngeal mask airway (Goldberg), 700 (c)

Fracture, unstable, of the cervical spine, use of the laryngeal mask in a patient with (Logan), 987 (c)

Freezing of thiopentone solution (Cross), 602 (c)

Fuel cell type oxygen analysers/monitors in breathing systems: location of the sensor (Safety Action Bulletin), 612

Gardner Medical (GME) medical gas terminal units (Safety Action Bulletin), 904

Garment, antishock, pneumatic, acute renal failure in association with (O'Leary & Park), 326 (c)

Gastric dilatation and the laryngeal mask airway (Wittmann & Wittmann), 1083 (c)

Gastric emptying following Caesarean section and the effect of epidural fentanyl (Geddes, Thorburn & Logan), 1016

Gastric volume and pH in patients undergoing gynaecological laparoscopy; comparison of the effects of oral nizatidine and ranitidine (Popat, Dyar & Blogg), 816

Gastrointestinal endoscopy, cardiorespiratory effects during (Block, Jankowski & Colvin), 698 (c)

Gastrointestinal endoscopy, upper, examination of cardiorespiratory changes during; comparison of monitoring of arterial oxygen saturation, arterial pressure and the electrocardiogram (Murray et al.), 181

Gastrointestinal, upper, endoscopy, cardiorespiratory changes during (Edmondson, Eltringham & Gear), 1090 (c)

Gemini IV solution administration sets (Safety Action Bulletin), 904

General anaesthesia: a complication; traumatic pneumocephalus following head injury (Finch & Morgan), 385

General anaesthesia and local anaesthesia compared; plasma catecholamine response to cataract surgery (Barker et al.), 642

General anaesthesia and persistent erection (Hosie & Todd), 76 (c)

General anaesthesia and undrained pneumothorax. The use of a computer-controlled propofol infusion (Crofts & Hutchison), 192

General anaesthesia, doxapram after; role in stopping shivering during recovery (Sarma & Fry), 460

General anaesthesia, doxapram after; role in stopping shivering during recovery (Gautier), 1092 (c)

General anaesthesia, incidence of awareness with recall during (Liu et al.), 435

Giant axonal neuropathy, anaesthesia for a patient with (Mitchell & Moskovits), 469

Gibeck Humidifiers (Hazard Notice), 612

Gilbert's disease, sensitivity to papaveretum in (Danks & Jackson), 998 (c)

Ginger as an antiemetic: possible side effects due to its thromboxane synthetase activity (Backon), 705 (c)

Glove-wearing by anaesthetists (Mills), 237 (c)

Glyceryl trinitrate and eutectic mixture of local anaesthetics, topical, in children. A randomised controlled trial on choice of site and ease of venous cannulation (Teillol-Foo & Kassab), 881 (f)

Glyceryl trinitrate and ice: effect on dilation of hand veins (Williams & Hecker), 14

Glycopyrronium and neostigmine in a ratio of 1:5, effects of different doses of; cardiovascular changes at antagonism of atracurium 877 (Suresh et al.), 877 (f)

Glycopyrronium and reflex bradycardia on elevation of zygoma (Cooper), 991 (c)

Glycopyrronium or atropine? - a dangerous dilemma (Spiers), 151 (c)

Goitre, retrosternal, causing symptomatic tracheal compression; computerised axial tomography of the trachea (Barker, Mason & Thorpe), 195

Grand mal seizure, isolated, 5 days after propofol anaesthesia (Thomas & Boheimer), 508 (c) Graseby MS2000 syringe driver; accidental overinfusion of prostacyclin (Dunne & Wise), 75 (c) Graseby PCAS evaluation; a clinical and laboratory study (Jackson, Semple & Stevens), 482

Graseby PEAS syringe pump (Safety Action Bulletin), 337

Guide marks, intubation, on tracheal tubes (Lindsay), 702 (c)

Guide wire embolism (Barker), 595 (c)

Guided isoflurane injection in a totally closed circuit (El-Attar), 1059 (f)

Gynaecological laparoscopy, comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH in patients undergoing (Popat, Dyar & Blogg), 816

Gynaecological short procedures: comparison of recovery over 2 days after anaesthetic with propofol or thiopentone as sole anaesthetic agent (Sanders et al.), 451

Haemaccel, Elohes administration following an anaphylactoid reaction to (Higgins & Mackersie), 162 (c)

Haemodynamic effects of bronchoscopy. Comparison of propofol and thiopentone with and without alfentanil pretreatment (Hill et al.),

Haemodynamic effects of propofol, echocardiographic assessment of; comparison with etomidate and thiopentone (Gauss, Heinrich & Wilder-Smith), 99

Haemodynamic effects of propofol in children (Short & Aun), 783 (f)

Halothane, immunological disturbances in anaesthetic personnel chronically exposed to high occupational concentrations of (Perić, Vraneš & Marušić), 531

Hand, pulse oximetry compared with Doppler ultrasound for assessment of collateral blood flow to (Pillow & Herrick), 388

Hand vein dilatation (Kalmanovitch), 517 (c)

Hand veins, effect of glyceryl trinitrate and ice on dilation of (Williams & Hecker), 14

Handley Clockwork Syringe Driver: fatal incident (Hazard Notice), 1002

Hanging, noncardiogenic pulmonary oedema after attempted suicide by (Mantha & Rao) (Erratum), 242

Hapten prophylaxis, serious complications with dextran-70 despite; is it best avoided before delivery? (Berg, Fasting & Sellevold), 1033

Hazard: a critical incident with the Ohmeda Excel 410 machine (McHale: Sim), 150 (c)

Hazard: a false compatibility (Davies), 991 (c)

Hazard: a problem with thiopentone solution (Thickett), 74 (c)

Hazard: a sticking flutter valve (Parry, Jewkes & Smith), 229 (c)

Hazard: accidental bronchial intubation with RAE tubes (Black & Mackersie), 42

Hazard: accidental injection of ether into the epidural space (Mappes & Schaer), 124

Hazard: accidental intra-arterial injection of tubocurarine (Devlin & Bali), 75 (c)

Hazard: accidental intra-ocular vecuronium (Parke & Smith), 796 (c)

Hazard: accidental overinfusion of prostacyclin (Dunne & Wise), 75 (c)

Hazard: an unusual complication with the laryngeal mask airway (Miller & Bickler), 659

Hazard: atropine or glycopyrronium? - a dangerous dilemma (Spiers), 151 (c)

Hazard: avoidable overinflation of a tourniquet (Mills), 229 (c)

Hazard: cuff failure, a complication of tracheal intubation (Williamson & Gorven), 593(c)

Hazard: defective spinal needle (Adley & Geraghty: Stevenson), 159 (c)

Hazard: exploding ampoules (Williams: Cotterell), 322 (c)

Hazard: failure of an Ohmeda Oxicap 4700 (Spiers & Harris), 420 (c)

Hazard: failure of the Ruben circle control valve (Logan: Syders), 325 (c)

Hazard: fault with an Ohmeda Excel 410 machine (Lohmann: Sim), 695 (c)

Hazard: faulty Superset plastic catheter mounts (Hannington-Kiff), 671

Hazard: foreign body in a laryngeal mask airway (Conacher), 164 (c)

Hazard: foreign body in a laryngeal mask airway (Goldberg), 700 (c)

Hazard: freezing of thiopentone solution (Cross), 602 (c)

Hazard: higher pressure ventilation and the Bain coaxial breathing system (Nichols: Sedwards), 994 (c) Hazard: inadvertent dural puncture during caudal anaesthesia for Saethre-Chotzen syndrome (Wrigley), 705 (c)

Hazard: inadvertent submucosal penetration with a minitracheostomy cannula inserted by the Seldinger technique (Randell & Lindgren),

Hazard: incorrectly filled cylinders (Menon & Lett), 155 (c)

Hazard: leaking T-connector in Toptronic oxygen analyser (Smart), 890 (c) Hazard: Luer lock connections—a potential hazard? (Bickford-Smith), 996 (c)

Hazard: Macintosh laryngoscope; dangerous repairs (Daley & Amoroso), 997 (c)

Hazard: malfunction of a Laerdal resuscitation valve (Hunter & Duthie: Morallee), 505 (c)

Hazard: malfunctioning of disposable breathing systems (Shorey & Ravishankar: Williams), 592(c)

Hazard: misdiagnosis caused by an epidural dressing (Berry & Patrick), 425 (c)

Hazard Notices, 165, 240, 337, 612, 1002

Hazard: nudging the emergency oxygen button (Hanafiah & Sellers), 331 (c)
Hazard: obstructed ventilation; the blocked catheter mount (Dunne & Balson), 1093 (c)

Hazard: Penlon Nuffield Anaesthesia Ventilator Series 200. The case for vigilance? (Nichols: Sedwards), 994 (c)

Hazard, potential, of central venous cannulation (Michel & Ryder), 156 (c)

Hazard: single-use parallel Lack breathing system (Jones: Williams), 316 (c)

Hazard: sticking valves in the circle system (Rosewarne), 599 (c) Hazard: supplementary oxygen (Newton), 905

Hazard: suxamethonium in a cannula deadspace (Wilson & Mayor), 599 (c)

Hazard: the length of RAE preformed tubes (Schaefer, Marsch & Flatt: Hannington-Kiff: Mackersie), 791 (c)

Hazard: the potential hazards of using iodine as an antiseptic solution (O'Kelly & Parsons), 1000 (c)

Hazard: tourniquets, pneumatic (Heath), 593 (c)

Hazard: two incidents of complete failure of OAV 7750 ventilators (Spittal, Hunter & Laidlow: Davies), 788 (c)

Hazard with a triple lumen catheter (Walder & Tyler: Wilkinson), 1091 (c)

Hazard with Boyle vaporizer (Saunders & Keane), 152 (c)

Hazard with the Penlon AM 700 anaesthetic machine (Ravalia), 798 (c)

Hazards from homely anaesthetic rooms (James), 76 (c) 'Hazards' of oxygen therapy during spinal anaesthesia (Riley, Hammond & Currie), 421 (c)

Hazards see also Alarm; Contamination; Hazard Notices; Misconnexion; Obstruction; Safety Action Bulletins, Head injured patients in the south of England, a survey of secondary transfers of (Vyvyan, Kee & Bristow), 728

Head injury, traumatic pneumocephalus following; complication of general anaesthesia (Finch & Morgan), 385

Headache, postdural puncture; a personal view (Magides), 694 (c)

'Headache postspinal' associated with incidental intracranial pathology (Dutton), 1044

Headache, 'spinal', with no headache (McGrady & Freshwater), 794 (c)

Heart disease, congenital, anaesthesia for adults with (Jones & Scott), 698 (c)

Heart disease, congenital, and Down's syndrome; anaesthesia by ketamine, midazolam and vecuronium infusion (Riley & McBride), 122

Heart transplantation and milrinone (Watson, Sherry & Weston), 285

Heat and moisture exchanger, assessment for paediatric use (Wilkinson et al.), 296 Heat and moisture exchangers, evaluation of (Wilkes: Wilkinson & Hatch), 888 (c)

Heparin contamination effects; intra-arterial blood sampling for clotting studies (Lew, Hutchinson & Lin), 719

Heparin dose response: in vitro versus in vivo technique (Dhir), 232 (c)

Heparinisation following cardiopulmonary bypass, comparison of a simple protamine titration method with an empirical dose regimen for reversal of (Keeler, Shah & Hansbro), 925

Hernia, diaphragmatic, congenital, timing of surgery in; low mortality after pre-operative stabilisation (Charlton, Bruce & Davenport), 820

Herniotomy, inguinal, serum bupivacaine concentrations following wound infiltration in children undergoing (Mobley et al.), 500 (f)

Hewlett Packard ECG/PB monitors (Safety Action Bulletin), 904

Hewlett-Packard Defibrillator/Monitors (Safety Action Bulletin), 1002

High dependency unit: is it required by an acute pain service? (Watt & Wiles: Wildsmith), 789 (c)

High frequency jet ventilation: use in removal of a laryngeal foreign body (Tan, Dhara & Kim), 741

Hip surgery, dose requirements and side-effects after; comparison of morphine with diamorphine (Robinson, Rowbotham & Smith), 538

History: Dr F. P. de Caux - the first user of curare for anaesthesia in England (Wilkinson), 49

History: first anaesthetics in the world (Secher), 900 (c)

History: Francis Percival de Caux (1892-1965). An anaesthetist at odds with social convention and the law (Wilkinson), 300

History: Harold King, a notable contributor to anaesthesia (Gray), 679

Hormone replacement therapy, the pill and postoperative thromboembolism: cause for concern? (Whitehead & Whitehead), 521

Hoskins Accident Trolley (Safety Action Bulletin), 707

Human immunodeficiency virus see HIV,

Human rights, basic, and pain (Goodman: Harmer), 790 (c)

Humidifiers, Gibeck (Hazard Notice), 612

Humphrey ADE see ADE,

Hydrocortisone: failure to prevent postoperative sore throat (Thomas: Stride), 512 (c)

Hyoscine derivative in children - but was it hyoscine? (Rupreht), 514 (c)

Hyoscine-papaveretum premedication for cardiac surgery; comparison with midazolam and droperidol (Antrobus et al.), 407 (f)

Hyperbaric oxygen chambers, intravenous drug administration to patients in (Spittal, Warwick & Hunter), 1093 (c)

Hypermetabolism in arthrogryposis multiplex congenita (Hopkins, Ellis & Halsall), 374

Hypertension, acute airway obstruction and kyphoscoliosis (Wright & Alexander), 119

Hypertension, pulmonary, life-threatening complications during anaesthesia in a patient with a ventriculo-atrial shunt and (Butler,

Wheeler & Spargo) (Erratum), 241

Hyperthermia, malignant, a case of? (Broekema, Boersma & Hennis), 942

Hypotension and brain death? (Goodman: Leigh), 324 (c)

Hypotension and epidural analgesia (O'Keeffe), 163 (c)

Hypoxaemia during induction of anaesthesia (Gupta, Vegfors & Lennmarken), 513 (c)

Hysteria. A cause of failure to recover after anaesthesia (Adams & Goroszeniuk), 932

Ice and glyceryl trinitrate: effect on dilation of hand veins (Williams & Hecker), 14

Immunological disturbances in anaesthetic personnel chronically exposed to high occupational concentrations of nitrous oxide and halothane (Perić, Vraneš & Marušić), 531

Inadvertent submucosal penetration with a minitracheostomy cannula inserted by the Seldinger technique (Randell & Lindgren), 801 (c) Induction, anaesthetic, non-drug related asystole associated with (Keane, Hennis & Bink-Boelkens), 38

Induction and recovery characteristics of desflurane in day case patients: a comparison with propofol (Wrigley et al.), 615

Infant, 6-week-old, reversal of prolonged suxamethonium apnoea with fresh frozen plasma in (Gill, O'Connell & Scott), 1036

Infant, resedation after bolus administration of midazolam to, and reversal by flumazenil (Collins & Carter), 471

Infant, spontaneously breathing, propofol for sedation of (van Dijk, Bakker & de Lange), 893 (c) Infant warmer, Babytherm 4200; risk of electrical fire (Hazard Notice), 1002

Infants exposed to daily isoflurane for several weeks, a prospective study of liver function in (Jones et al.), 686 (f)

Infants under 6 months of age, papaveretum infusions in (Jones & Stokes), 688 (f)
Information about anaesthesia, patients' desire for; Scottish and Canadian attitudes (Lonsdale & Hutchison), 410 (f)

Infrared single wavelength measurement of volatile anaesthetic agents using Datex Capomac, the effect of cyclopropane on (Mason & Lloyd-Thomas), 398

Infundibular spasm, esmolol in (Dhir & Dhir), 998 (c)

Infusion and bolus administration compared; lumbar epidural diamorphine following thoracic surgery (Patrick, Meyer-Witting & Reynolds), 85

Infusion, continuous, or bolus propofol: a day case technique for the vaginal termination of pregnancy (Brownlie, Baker & Ogg), 775 (f) Infusion system, computerised, used in intravenous propofol anaesthesia (Kenny & White), 156 (c)

Infusor, pressure, Alton Dean; an evaluation (Lalor, Ortiz & holdcroft), 762

Inguinal herniotomy, serum bupivacaine concentrations following wound infiltration in children undergoing (Mobley et al.), 500 (f)

Inhalational anaesthesia: cross-sectional study of complications in 16995 patients (Lew, Spence & Elton), 810

Injection, intradermal, of lignocaine, discomfort caused by, and pH-adjustment (Martin) (Erratum), 242

Injection, intradermal, with lignocaine, pain on; effect of concentration (Criswell), 691 (f)

Injection pain of propofol, modification of; comparison between lignocaine and procaine (Nicol et al.), 67 (f)

Injection pain, propofol; effect of prior administration of cold saline; comparison with cold propofol and propofol with lignocaine (Barker et al.), 1069 (f)

Inspiron nebuliser use during continuous positive airway pressure ventilation (Hardwick, Dickson & Clutton-Brock), 664

Intensive care and suxamethonium (Coakley), 330 (c)

Intensive care: cost (Ryan), 990 (c)

Intensive care, flumazenil in; the duration of arousal after an assessment dose (Fisher, Clapham & Hutton), 413 (f)

Intensive care: potential applications of the Extensometer (Brimacombe, MacFie & McCrirrick), 756

Intensive care unit, an assessment of the Cerebrotrac 2500 for continuous monitoring of cerebral function (Shearer, O'Sullivan & Hunter), 750

Intensive Care Unit: APACHE II compared with clinical Sickness Score (Sinclair et al.), 442

Intensive Care Unit, 'bow-ties' in (Bryden & Davies), 164 (c)

Intensive care unit: percutaneous dilational tracheostomy, a bedside procedure (Bodenham et al.), 570

Intensive care unit, posthypoxic myoclonus (the Lance-Adams syndrome) in (Harper & Wilkes), 199 Intensive therapy costs: a description of methodology and initial results (Ridley, Biggam & Stone), 523

Intercostal nerve blockade, alkalinisation of bupivacaine for (Swann et al.), 174

Intercostal nerve blockade, alkalinisation of bupivacaine for (Erratum) (Swann et al.), 707

Intermittent positive pressure ventilation in chickenpox pneumonia (Jankowski & Petros), 993 (c)

International congress calendar, 335, 604, 902

Interpleural catheter: a modified technique for insertion (Marsh & McDonald), 889 (c)

Intra-abdominal pressure, raised, and renal failure (Hargreaves), 796 (c)

Intra-arterial blood sampling for clotting studies. Effects of heparin contamination (Lew, Hutchinson & Lin), 719

Intra-arterial injection, accidental, of tubocurarine (Devlin & Bali), 75 (c)

Intracranial pathology, incidental, a 'postspinal headache' associated with (Dutton), 1044

Intracranial pressure in neurosurgical patients, effect of sufentanil on (Weinstabl et al.), 837

Intradermal injection of lignocaine, discomfort caused by, and pH-adjustment (Martin) (Erratum), 242

Intradermal injections with lignocaine, pain on; effect of concentration (Criswell), 691 (f)

Intramuscular and epidural administration compared for four dose regimens; diamorphine analgesia after Caesarean section (Smith et al.), 970 (f)

Intramuscular indwelling cannula for postoperative analgesia (Teillol-Foo), 897 (c)

Intramuscular ketorolac tromethamine, a double-blind study of the speed of onset of analgesia following, in comparison to intramuscular morphine and placebo (Rice et al.), 541

Intramuscular morphine compared with epidural diamorphine after Caesarean section, with computerised analysis of continuous pulse oximetry (Stevens et al.), 256

Intramyometrial injection of prostaglandin E2, cardiac arrest following (Popat, Suppiah & White), 236 (c)

Intra-ocular pressure changes using the laryngeal mask airway and tracheal tube (Holden et al.), 922

Intra-ocular vecuronium, accidental (Parke & Smith), 796 (c)

Intra-operative airway maintenance for short ophthalmological procedures in children (Sethi, Chawla & Bhattacharya), 1084 (c)

Intra-operative patient-controlled sedation (Rudkin, Osborne & Curtis), 90

Intra-operative patient-controlled sedation. Comparison of patient-controlled propofol with anaesthetist-administered midazolam and fentanyl (Osborne et al.), 553

Intra-operative tachycardia due to surgical stimulation, bolus esmolol treatment of (Whirley-Diaz et al.), 220 (f) Intravenous anaesthesia, total, with propofol, ketamine as analgesic for (Guit et al.), 24

Intravenous analgesia, nurse-controlled, after thoracotomy (Murphy & Opie), 772 (f)

Intravenous and epidural routes compared in patient-controlled on-demand fentanyl (Welchew & Breen), 438

Intravenous and extradural diamorphine compared, as a supplement to extradural bupivacaine (Lee et al.), 447

Intravenous cannulae colour coding (Mathias), 72 (c)

Intravenous cannulation training; assessment (Wilson), 578 (f)

Intravenous clonidine, cardiovascular effects; partial attenuation of the pressor response to intubation by clonidine (Carabine et al.), 634

Intravenous clonidine: effect on the forearm circulation (Carabine et al.), 1013

Intravenous clonidine: effects on ventilation (Ooi, Pattison & Feldman), 632

Intravenous continuous nifedipine administration, marked decrease in arterial oxygen tension associated with (Böhrer et al.), 856

Intravenous drug administration to patients in hyperbaric oxygen chambers (Spittal, Warwick & Hunter), 1093 (c)

Intravenous lignocaine and sympathoadrenal responses to laryngoscopy and intubation. The effect of varying time of injection (Wilson, Meiklejohn & Smith), 177

Intravenous lignocaine, intubation with propofol augmented with (Mulholland & Carlisle), 312 (f)

Intravenous opiate analgesia: are antireflux valves necessary? (Turner & Murphy), 1064 (f)

Intravenous propofol anaesthesia using a computerised infusion system (Kenny & White), 156 (c)

Intravenous regional anaesthesia, addition of fentanyl to prilocaine for (Armstrong, Power & Wildsmith), 278

Intubation, awake; a new technique (McCrirrick & Pracilio), 661

Intubation, bronchial, accidental, with RAE tubes (Black & Mackersie), 42

Intubation, difficult, caused by skiers neck (Bryan & Jones), 802 (c)

Intubation, difficult, prediction of (Frerk), 1005 Intubation, difficult, successful (Marks: Dogra, Falconer & Latto), 72 (c)

Intubation, difficult, unexpected, a technique for; intubation through the laryngeal mask (Heath & Allagain), 545

Intubation guide marks for correct tube placement. A clinical study (Mehta), 306 (f)

Intubation guide marks on tracheal tubes (Lindsay), 702 (c)

Intubation, intravenous lignocaine and sympathoadrenal responses to laryngoscopy and; effect of varying time of injection (Wilson,

Meiklejohn & Smith), 177

Intubation, nasotracheal, cardiovascular effects of (Smith & Grewal), 683 (f)

Intubation, orotracheal, fibreoptic, assisted by use of laryngeal mask airway (Hasham, Kumar & Lawler), 891 (c)

Intubation, partial attenuation of the pressor response by clonidine; cardiovascular effects of intravenous clonidine (Carabine et al.), 634

Intubation through the laryngeal mask. A technique for unexpected difficult intubation (Heath & Allagain), 545

Intubation through the laryngeal mask (Frerk: Heath & Allagain), 985 (c)

Intubation, tracheal, aided by laryngeal mask (Carey, Smith & Cooney), 1083 (c)

Intubation, tracheal, difficult, and gum elastic bougie (Cossham), 234 (c)

Intubation with propofol augmented with intravenous lignocaine (Mulholland & Carlisle), 312 (f)

Iodine as an antiseptic solution, the potential hazards of (O'Kelly & Parsons), 1000 (c)

Irrigating fluid absorption monitoring during transurethral prostatectomy using a 1% ethanol tag solution (Hultén et al.), 349

Isoflurane, a prospective study of liver function in infants and children exposed daily to, for several weeks (Jones et al.), 686 (f)

Isoflurane anaesthesia in children (Black), 1087 (c)

Isoflurane field anaesthesia at extreme temperatures (Merridew & Fraser), 1000 (c)

Isoflurane guided injection in a totally closed circuit (El-Attar), 1059 (f)

Jackson-Rees modification of Ayer's T-Piece system, another antipollution device for (Kumar), 792 (c)

Ketamine and propofol for TIVA (Penberthy & Harrison: Koning, Mackie & Guit), 1085 (c)

Ketamine as analgesic for total intravenous anaesthesia with propofol (Guit et al.), 24

Ketamine does not always work in treatment of priapism (Appadu & Calder), 426 (c)

Ketamine, midazolam and vecuronium infusion, Anaesthesia for Down's syndrome and congenital heart disease (Riley & McBride), 122

Ketamine, midazolam and vecuronium infusion (Ward & Restall), 598 (c)

Ketamine, oral (Rowbottam et al.), 1084 (c)

Ketamine, oral, for mentally retarded adults requiring day care dental treatment (Petros), 646

Ketamine, prolonged apnoea and trismus (Jahangir & Rahman), 1086 (c)

Ketorolac tromethamine, intramuscular, a double-blind study of the speed of onset of analgesia following, in comparison to intramuscular morphine and placebo (Rice et al.), 541

King, Harold, a notable contributor to anaesthesia (Gray), 679

Knee replacement, total; comparison of lumbar plexus block with conventional opioid analgesia (Serpell, Millar & Thomson), 275

Knee replacement, total, lumbar plexus block after (Dahl: Levack: Serpell, Thomson & Millar), 793 (c)

Kyphoscoliosis, hypertension and acute airway obstruction (Wright & Alexander), 119

Labelling on oxygen analysers (James), 155 (c)
Labour, epidural bupivacaine dilution for; a comparison of three concentrations infused with a fixed dose of fentanyl (Noble, Enever & Thomas), 549

Labour: epidural infusion of diamorphine with bupivacaine; comparison with fentanyl and bupivacaine (Enever et al.), 169

Labour, oral intake during; a survey of the policies of maternity units in England and Wales (Michael, Reilly & Caunt), 1071 (f)

Lack breathing system, parallel, single-use; hazard (Jones: Williams), 316 (c)

Laerdal resuscitation valve malfunction (Hunter & Duthie: Morallee), 505 (c)

Lambert-Eaton see Eaton-Lambert (Sakura et al.), 560

Lamtec anaesthetic agent monitor, evaluation of (Humphrey, Luff & White), 478

Lance-Adams syndrome in the intensive care unit (Harper & Wilkes), 199

Laparoscopic cholecystectomy, anaesthesia for (Stanton: Greville & Clements), 317 (c)

Laparoscopic cholecystectomy, anaesthesia for (Parris & Lee), 997 (c)

Laparoscopic cholecystectomy, laser, other implications of (Joshi, Mahoney & Soni), 318 (c)

Laparoscopic laser cholecystectomy, pulmonary air embolism during (Greville et al.), 113

Laparoscopic sterilization, rectus sheath and mesosalpinx block for (Smith et al.), 875 (f)

Laparoscopy and nitrous oxide (Verheecke: Greville & Clements), 698 (c)

Laparoscopy, day case; a survey of postoperative pain and an assessment of the value of diclofenac (Edwards et al.), 1077 (f)

Laparoscopy, gynaecological, comparison of the effects of oral nizatidine and ranitidine on gastric volume and pH in patients undergoing (Popat, Dyar & Blogg), 816

Laryngeal foreign body removal using high frequency jet ventilation (Tan, Dhara & Kim), 741

Laryngeal mask airway and cricoid pressure (Brimacombe), 986 (c)

Laryngeal mask airway: an unusual complication (Miller & Bickler), 659

Laryngeal mask airway and aspiration pneumonia (Riddell: Philpott: Brain: Krapez: Griffin & Hatcher), 418 (c)

Laryngeal mask airway and aspiration (Koehli), 419 (c)

Laryngeal mask airway and aspiration pneumonia (Pearce & Heath), 592(c)

Laryngeal mask airway and gastric dilatation (Wittmann & Wittmann), 1083 (c) Laryngeal mask airway and laryngeal spasm (Michel & Stubbing), 71 (c)

Laryngeal mask airway and supplementary oxygen (Lewis & Porter), 70 (c)

Laryngeal mask airway and tracheal tube, intra-ocular pressure changes using (Holden et al.), 922

Laryngeal mask airway and trainee anaesthetists (Russell), 701 (c)

Laryngeal mask airway for coronary artery bypass grafting (White, Sinclair & Pillai), 234 (c)

Laryngeal mask airway for coronary artery bypass grafting (Foster & Clowes), 701 (c)

Laryngeal mask airway for coronary artery bypass grafting (White, Sinclair & Pillai), 1083 (c)

Laryngeal mask airway, foreign body in (Conacher), 164 (c)

Laryngeal mask airway, foreign body in (Goldberg), 700 (c)

Laryngeal mask airway in children; fibreoptic assessment of positioning (Rowbottom, Simpson & Grubb), 489 (f)

Laryngeal mask airway in children: insertion technique (Chow, Lewis & Jones), 590 (c)

Laryngeal mask airway in paediatric anaesthesia (Withington: Wrigley et al.), 321 (c)

Laryngeal mask airway insertion in children (McNicol), 330 (c)

Laryngeal mask airway modification (Michel & Crosse), 422 (c) Laryngeal mask airway, partially inflated, insertion of (Newman), 235 (c)

Laryngeal mask airway, postoperative oxygen via (Goodwin), 700 (c)

Laryngeal mask, airway protection by; barrier to dye placed in the pharynx (John, Hill & Hughes), 366

Laryngeal mask airway to aid tracheal intubation (Carey, Smith & Cooney), 1083 (c)

Laryngeal mask airway, trauma to the posterior pharyngeal wall caused by (Marjot), 589(c) Laryngeal mask airway, unexpected position of (Molloy), 592(c)

Laryngeal mask airway: use in primary care (Tighe et al.), 163 (c)

Laryngeal mask airway: use to assist fibreoptic orotracheal intubation (Hasham, Kumar & Lawler), 891 (c)

Laryngeal mask airway, yet another use for (Walker & Murrell), 591(c)

Laryngeal mask and the oesophagus (Brain), 701 (c)

Laryngeal mask, Brain, compared with the nasal mask in paediatric dental outpatient anaesthesia (Bailie, Barnett & Fraser), 358

Laryngeal mask: facilitation of insertion (Leader), 987 (c)

Laryngeal mask insertion: comparison of propofol and thiopentone (Brown, Patel & Ellis), 771 (f)

Laryngeal mask, intubation through; a technique for unexpected difficult intubation (Heath & Allagain), 545

Laryngeal mask, intubation through (Frerk: Heath & Allagain), 985 (c)

Laryngeal mask studies: first, learn the art (Brain), 417 (c)

Laryngeal mask: use in a patient with an unstable fracture of the cervical spine (Logan), 987 (c)

Laryngeal mask: use in diagnostic fibreoptic bronchoscopy (Rowbottom & Morton), 161 (c) Laryngeal masks and chair dental anaesthesia (Noble & Wooller), 591(c)

Laryngeal spasm and the laryngeal mask airway (Michel & Stubbing), 71 (c)

Laryngectomy, a complication of a flexible tracheostomy tube during (Ezri et al.), 328 (c)

Laryngoscope, Macintosh; dangerous repairs (Daley & Amorosa), 997 (c)

Laryngoscopy and intubation, intravenous lignocaine and sympathoadrenal responses to; effect of varying time of injection (Wilson, Meiklejohn & Smith), 177

Laser cholecystectomy, laparoscopic, pulmonary air embolism during (Greville et al.), 113

Laser laparoscopic cholecystectomy, other implications of (Joshi, Mahoney & Soni), 318 (c) Lateral femoral cutaneous nerve, evaluation of local anaesthetic blockade of (Hopkins, Ellis & Halsall), 95

Level 1 Fluid Warmer (Nolan & Dow), 318 (c)

Levorphanol, withdrawal of (James), 71 (c)

Levorphanol, withdrawal of (Coniam), 518 (c)

Life-saving use of extracorporeal membrane gas exchange in severe, acute respiratory failure (Fisher et al.), 866

Lignocaine and procaine compared in modification of pain on injection of propofol (Nicol et al.), 67 (f)

Lignocaine and propofol; pain during propofol injection (Barker et al.), 1069 (f)

Lignocaine compared with prilocaine in axillary brachial plexus anaesthesia (McCoy & Wilson), 309 (f)

Lignocaine compared with prilocaine in axillary brachial plexus anaesthesia (Erratum) (McCoy & Wilson), 707

Lignocaine, intravenous, and sympathoadrenal responses to laryngoscopy and intubation. The effect of varying time of injection (Wilson, Meiklejohn & Smith), 177

Lignocaine, intravenous, intubation with propofol augmented with (Mulholland & Carlisle), 312 (f)

Lignocaine, pH-adjustment and discomfort caused by intradermal injection of (Martin) (Erratum), 242

Limbs: bronchospasm following application of bilateral lower limb tourniquets (Sammut), 509 (c)

Liver function in infants and children exposed to daily isoflurane for several weeks; a prospective study (Jones et al.), 686 (f)

Liver transplantation, orthotopic, a comparison of dopexamine and dopamine to prevent renal impairment in patients undergoing (Gray, Bodenham & Park), 638

Local anaesthesia and general anaesthesia compared; plasma catecholamine response in cataract surgery (Barker et al.), 642

Local anaesthesia for eye surgery (Khalil), 232 (c)

Local anaesthetic blockade of the lateral femoral cutaneous nerve, evaluation of (Hopkins, Ellis & Halsall), 95

Local anaesthetic eutectic mixture and glyceryl trinitrate, topical, in children. A randomised controlled trial on choice of site and ease of venous cannulation (Teillol-Foo & Kassab), 881 (f)

Local anaesthetic wound infiltration after lowert segment Caesarean section (Trotter et al.), 404 (f)

Local anaesthetics, epidural, and cardiovascular effects (Ogilvy), 990 (c)

Local anaesthetics, epidural, cardiovascular effects; comparison of 0.75% bupivacaine and 0.75% ropivacaine, both with adrenaline (Kerkkamp & Gielen), 361

Local analgesia, prolonged, is not always ideal (Blumgart), 233 (c)

Low back pain, exaggerated epidural blockade resulting from unusual spread of bupivacaine in a patient with (Popat, Jadad & Glynn),

Low-flow anaesthesia. Practice, cost implications and acceptability (Cotter et al.), 1009

Ludwig's angina and tracheal tube obstruction (Chung & Liban), 228 (c)

Luer lock connections—a potential hazard? (Bickford-Smith), 996 (c)

Lumbar epidural diamorphine following thoracic surgery. A comparison of infusion and bolus administration (Patrick, Meyer-Witting & Reynolds), 85

Lumbar epidurals, pressure generated during insertion of (Hayes: Peters: Langton & Meiklejohn), 506 (c)

Lumbar facet joint block with local anaesthetic and steroids, chemical meningism after (Thomson, Lomax & Collett), 563

Lumbar plexus block after total knee replacement (Dahl: Levack: Serpell, Thomson & Millar), 793 (c)

Lumbar plexus block compared with conventional opioid analgesia after total knee replacement (Serpell, Millar & Thomson), 275 Lumbar regional anaesthesia and prophylactic anticoagulant therapy. Is the combination safe? (Wille-Jøorgensen, Jøorgensen & Rasmussen), 623

Lumbar versus thoracic epidural fentanyl, a randomised, double-blind comparison; pain following thoracotomy (Coe et al.), 918

Macintosh laryngoscope: dangerous repairs (Daley & Amorosa), 997 (c)

Malignant hyperthermia, a case of? (Broekema, Boersma & Hennis), 942

Manufacturers, Department of Health and anaesthetists, communication between; 'alarm signals' over warning signs? (Barton), 809 Manufacturers, Department of Health and anaesthetists, communication between; are you getting the message? (Weir & Wilson), 845 Markings, duplicate, on an epidural catheter (Yau, Ewart & Oh: Berent & Otto), 795 (c)

Mask, Rendell-Baker Soucek, novel use of (Northwood & Wade), 319 (c)

Masks see also Laryngeal; Nasal,

Masseter spasm during anaesthesia; Williams syndrome (Patel & Harrison), 115

Masseter spasm in Williams syndrome (Matthews & Vernon: Harrison), 706 (c)

Maternity units in England and Wales: a survey of policies for oral intake during labour (Michael, Reilly & Caunt), 1071 (f)

Meningism, chemical, after lumbar facet joint block with local anaesthetic and steroids (Thomson, Lomax & Collett), 563

Meningitis following spinal anaesthesia (Van-Andel & Lavies), 427 (c)

Mentally retarded adults requiring day care dental treatment; use of oral ketamine (Petros), 646

Mercury poisoning, acute (McLauchlan), 110

Mesosalpinx and rectus sheath block for laparoscopic sterilization (Smith et al.), 875 (f)

Methaemoglobinaemia, prilocaine associated, and the pulse oximeter (Marks & Desgrand), 703 (c)

Microcatheter adaptors (Wendell), 896 (c)

Micro-drip infusion set; identification of the epidural space in children (Yamashita & Tsuji), 872

Midazolam and fentanyl, anaesthetist-administered, compared with patient-controlled propofol; intra-operative patient-controlled sedation (Osborne et al.), 553

Midazolam, ketamine and vecuronium infusion. Anaesthesia for Down's syndrome and congenital heart disease (Riley & McBride), 122 Midazolam, ketamine and vecuronium infusion (Ward & Restall), 598 (c)

Midazolam: resedation after bolus administration to an infant and its reversal by flumazenil (Collins & Carter), 471

Midazolam withdrawal syndrome (McLellan & Douglas), 420 (c)

Midazolam-droperidol premedication for cardiac surgery. A comparison with papaveretum and hyoscine (Antrobus et al.), 407 (f)

Midazolam-induced benzodiazepine withdrawal syndrome (Mets, Horsell & Linton), 28

Milrinone, a bridge to heart transplantation (Watson, Sherry & Weston), 285

Minitracheostomy cannula inserted by the Seldinger technique, inadvertent submucosal penetration with (Randell & Lindgren), 801 (c)

Minitracheotomy: a serious complication (McEwan, Francis & Clarke), 1041

Minitracheotomy, acute airway obstruction as a result of (Campbell & O'Leary), 854

Minitracheotomy Seldinger - assessment of a new technique (Jackson et al.), 475

Misconnexion, interesting (Hayes), 508 (c)

Misdiagnosis caused by an epidural dresssing (Berry & Patrick), 425 (c)

Mitral stenosis patients undergoing closaed mitral commissurotomy, end-tidal CO2 monitoring in (Puri, Venkatramen & Singh), 494 (f)

Monitor, anaesthetic agent, Lamtec, evaluation of (Humphrey, Luff & White), 478

Monitoring, acoustic, of arterial blood pressure (Pasch), 898 (c)

Monitoring, cardiovascular, son with lumière for (Gilston), 420

Monitoring, continuous, of cerebral function in the intensive care unit, an assessment of the Cerebrotrac 2500 (Shearer, O'Sullivan & Hunter), 750

Monitoring, end-tidal CO2, in mitral stenosis patients undergoing closed mitral commissurotomy (Puri, Venkatramen & Singh), 494 (f) Monitoring kit with Edwards disposable pressure transducer, manufactured by Baxter Edwards Critical Care (Safety Action Bulletin),

Monitoring of arterial oxygen saturation, arterial pressure and the electrocardiogram during upper gastrointestinal endoscopy (Murray et

Monitoring of irrigating fluid absorption during transurethral prostatectomy. A study in anaesthetised patients using a 1% ethanol tag solution (Hultén et al.), 349

Monitoring of tidal carbon dioxide in spontaneously breathing patients using a mainstream analysing monitor (Marks), 154 (c)

Monitoring probes and sensors used in breathing systems (Safety Action Bulletin), 337

Morbidity, postoperative, in day surgery; the effect of shortening the pre-operative fluid fast (Goodwin et al.), 1066 (f)

Morbidly obese patients, acid aspiration prophylaxis in; famotidine vs. ranitidine (Villa et al.), 967 (f)

Morphine compared with diamorphine. A comparison of dose requirements and side-effects after hip surgery (Robinson, Rowbotham & Smith), 538

Morphine, extradural, double-blind testing fails to confirm analgesic response to (Jadad et al.), 935

Morphine, intramuscular, and placebo, a double-blind study of the speed of onset of analgesia following intramuscular ketorolac tromethamine in comparison to (Rice et al.), 541

Morphine, intramuscular, compared with epidural diamorphine after Caesarean section, with computerised analysis of continuous pulse oximetry (Stevens et al.), 256

Morphine, subcutaneous (Semple & Macintyre), 75 (c)

Mortality associated with anaesthesia. A case review study (Gannon), 962

Mother and fetus, plasma etomidate levels in (Gregory & Davidson), 716

Motor neurone dysfunction, upper and lower, sensitivity to curare in patients with (Fiacchino et al.), 980 (f)

Mouthpiece, dental trauma during Entonox inhalation via (Volney & Callander), 892 (c)

Muscle relaxant Org 9426, new; dose-response relationships and time course of action (Lambalk et al.), 907

Muscle relaxant, Org 9426, the neuromuscular blocking effect of (Booij & Knape), 341

Muscular dystrophy, Emery-Dreifuss (Morrison & Jago), 33

Myalgias, suxamethonium, attenuation of (Laurence & Smith: Mingus, Herlich & Eisenkraft), 588 (c)

Myalgias, suxamethonium, attenuation of (Edwards, Martin & Catling), 803 (c)

Myasthenic patient, response to suxamethonium in, during remission (Abel, Eisenkraft & Patel), 30

Myoclonic spasms after epidural diamorphine infusion (Jayawardena & Hill), 473

Myoclonus, posthypoxic (the Lance-Adams syndrome) in the intensive care unit (Harper & Wilkes), 199

Myotonic dystrophy and cardiac anaesthesia (Tanaka & Tanaka), 462

Myotonic dystrophy, propofol in (Bouly, Nathan & Feiss), 705 (c)

Nasal assisted breathing before IPPV in chickenpox pneumonia? (Jankowski & Petros), 993 (c)

Nasal pulse oximetry, explanation for the overestimation of oxygen saturation seen using (Broome & Reilly), 424 (c)

Nasogastric tube position; bubbles may be deceiving (Hedley & Ooi), 895 (c)

Nasogastric tube: riddle of the persistent leak (Hodgson & Mostafa), 799 (c)

Nasogastric tubes, fixation of (Middleton), 600 (c)

Nasotracheal intubation, cardiovascular effects of (Smith & Grewal), 683 (f)

Nasotracheal tubes, fixation of (Middleton), 600 (c)

Nausea and vomiting with use of a patient-controlled analgesia system (Robinson & Fell), 580 (f)

Nebuliser, Inspiron: use during continuous positive airway pressure ventilation (Hardwick, Dickson & Clutton-Brock), 664

Neck, skiers; an unusual cause of difficult intubation (Bryan & Jones), 802 (c)

Needle, epidural, block by blood clots (Lim, Teh & Li), 597 (c)

Needle, epidural, block by blood clots (Hendley), 996 (c)

Needle, epidural, Portex, faulty (Cozanitis: Green), 516 (c)

Needle, pencil-point, 26-gauge, for combined-epidural anaesthesia for Caesarean section (Carrie & Donald), 230 (c) Needle, special, needed for caudal block (Mansour), 996 (c)

Needle, spinal, comtaminated, ball-valve effect of (Bishton & Clark), 233 (c)

Needle, spinal, defective (Adley & Geraghty: Stevenson), 159 (c)

Needle, Sprotte, for Caesarean section (Ackerman et al.: (Cesarini et al.), 230 (c)

Needle, Tuohy, observations on deliberate dural puncture with; depth measurements (Hollway & Telford), 722

Needle, Tuohy, observations on deliberate dural puncture with; pressure measurements (Telford & Hollway), 725

Needle, Whitacre, 25-gauge; use for spinal anaesthesia in orthopaedic surgery (Lynch & Krings-Ernst), 891 (c) Needles, 26-gauge, 32-gauge spinal catheters through (Denny: Nagle, McQuay & Glynn), 599 (c)

Needles, spinal, device to maintain the position of (Johnson), 890 (c)

Needles, spinal, flow and dural puncture (Lyons: Toomey), 236 (c)

Neonate, tracheal tube resistance and airway and alveolar pressures during mechanical ventilation in (Tipping & Sykes), 565

Neostigmine and atropine, combined effects on the lower oesophageal sphincter; comparison with stropine and edrophonium (Heijke, Smith & Key), 628

Neostigmine and glycopyrronium in a ratio of 5:1, effects of different doses of; cardiovascular changes at antagonism of atracurium (Suresh et al.), 877 (f)

Neostigmine, antagonism of atracurium with; effect of dose on speed of recovery (Goldhill et al.), 496 (f)

Nerve block, posterior tibial; a new approach using the bony landmark of the sustentaculum tali (Wassef), 841

Neuromuscular blocking effect of Org 9426 (Booij & Knape), 341

Neurosurgery, cost of propofol infusion in (Aitken & Farling), 329 (c)

Neurosurgical patients, effect of sufentanil on intracranial pressure in (Weinstabl et al.), 837

Nifedipine administration, intravenous, continuous, marked decrease in arterial oxygen tension associated with (Böhrer et al.), 856

Nitrous oxide anaesthesia, severe earache following (Dingley), 896 (c)

Nitrous oxide and laparoscopy (Verheecke: Greville & Clements), 698 (c) Nitrous oxide, immunological disturbances in anaesthetic personnel chronically exposed to high occupational concentrations of 531 (Perić, Vraneš & Marušić), 531

Nose pulse oximeter probes (Clayton et al.), 260

Nose, ventricular fibrillation during examination of (Stannard), 794 (c)

Nudging the emergency oxygen (Hanafiah & Sellers), 331 (c)

Nurse-controlled intravenous analgesia. Effective control of pain after thoracotomy (Murphy & Opie), 772 (f)

Obituaries

Bodley, P. O., 335 Butterworth, H. C., 902 Butt-Kwan, N. S. G., 80 Donnelly, P. B., 902 Dorrian, G., 604 Elliott, G. W., 902 Griffiths, H. W. C., 604 Hain, W. R., 335 Hunter, A. R., 604 Knowles, G. S. A., 80, 164 (c) Lang, P. V., 604 Leishman, W. J., 335 Walton, W. C., 604 Warren, S. J., 604 Welply, N. C., 335 Young, H. S. A., 80, 335

OAV 7750 ventilators: two incidents of complete failure (Spittal, Hunter & Laidlow: Davies), 788 (c)

Obstetric analgesia: epidural bupivacaine dilution for labour; comparison of three concentrations infused with a fixed dose of fentanyl (Noble, Enever & Thomas), 549

Obstetric patient, epidural diamorphine for (McGrady & Davis: Stevens), 787 (c)

Obstructed ventilation: the blocked catheter mount (Dunne & Balson), 1093 (c)

Obstruction, airway, acute, as a result of minitracheotomy (Campbell & O'Leary), 854

Obstruction, airway, acute, hypertension and kyphoscoliosis (Wright & Alexander), 119 Obstruction, blood clot, of the upper airway (Ewart & Weston), 598 (c)

Obstruction, intermittent, of tracheal tube revealed during pressure-supported ventilation (Forrest & Millett), 799 (c)

Obstruction, respiratory, caused postoperatively by angina haemorrhagica bullosa (Hosain, Bounds & Stanford), 422 (c)

Obstruction, respiratory, postoperative, a cause of; vocal cord paralysis in the Shy-Drager syundrome (Drury & Williams), 466

Obstruction, tracheal tube, and Ludwig's angina (Chung & Liban), 228 (c)

Obstruction, upper airway, by enlarged tonsils (Konarzewski, Walker & Donovan), 595 (c)

Obstruction, upper airway, postoperative, acute, emergency adenotonsillectomy for (Livesey, Solomons & Gillies), 36 Obstruction, upper airway, postoperative, acute, emergency adenotonsillectomy for (Francis: Solomons: Harwood et al.), 514 (c)

Obstructive emphysema, an unusual cause of (Buist), 283

Occlusion tests, modified, for the Bain breathing system (Heath & Marks), 213

Occupational health and pollution from anaesthetics. A report of a seminar (Halsey), 486

Oedema, pulmonary, noncardiogenic, after attempted suicide by hanging (Mantha & Rao) (Erratum), 242

Oedema, pulmonary, unilateral, of the contralateral lung following transaxillary sympathectomy (Cohen et al.), 651

Oesophageal detector device (Baraka), 697 (c)

Oesophageal detector device (Wee), 1086 (c)

Oesophageal detector device. An assessment with uncuffed tubes in children (Wee & Walker), 869

Oesophageal rupture and cricoid pressure (Notcutt), 424 (c)

Oesophageal sphincter, lower; comparison of the combined effects of atropine and neostigmine with atropine and edrophonium (Heijke, Smith & Key), 628

Oesophageal sphincter, lower, tone, the effect of the Trendelenburg position on (Heijke, Smith & Key), 185

Oesophagoscopy, rigid, cardiac arrhythmias during (Hutton & Danks), 1087 (c)

Oesophagus and the laryngeal mask (Brain), 701 (c)

Oesophagus, respiratory failure as presentation of achalasia of (Kendall & Lin), 1039

Oesophagus, rupture of, during cricoid pressure (Ralph & Wareham), 40

Ohmeda 9000 syringe pump (Sherry), 788 (c)

Ohmeda Excel 410 machine, a critical incident with (McHale: Sim), 150 (c)

Ohmeda Excel 410 machine fault (Lohmann: Sim), 695 (c)

Ohmeda Oxicap 4700 failure (Spiers & Harris), 420 (c)

One-lung ventilation, a coaxial technique for facilitation of (Conacher), 400

One-lung ventilation, a co-axial technique for facilitation of (Fortuna), 1094 (c)

Operating position and rhabdomyolysis (Targa et al.), 141 (f)

Operating theatre, scavenging in (Amoroso & Sale), 159 (c)

Operating theatre, scavenging in (Gil-Rodriguez), 704 (c)

Ophthalmological procedures, short, in children, intra-operative airway maintenance for (Sethi, Chawla & Bhattacharya), 1084 (c)

Opiate intravenous analgesia: are antireflux valves necessary? (Turner & Murphy), 1064 (f)

Opioid administration, reversible renal failure following (Hill et al.), 938

Opioid analgesia compared with lumbar plexus block after total knee replacement (Serpell, Millar & Thomson), 275

Oral fluids prior to day surgery. The effect of shortening the pre-operative fluid fast on postoperative morbidity (Goodwin et al.), 1066 (1)

Oral intake during labour: a survey of the policies of maternity units in England and Wales (Michael, Reilly & Caunt), 1071 (f)

Oral ketamine (Rowbottam et al.), 1084 (c)

Oral ketamine. Its use for mentally retarded adults requiring day care dental treatment (Petros), 646

Oral nizatidine and ranitidine: comparison of their effects on gastric volume and pH in patients undergoing gynaecological laparoscopy (Popat, Dyar & Blogg), 816

Org 9426, a new steroidal muscle relaxant; neuromuscular blocking effect (Booij & Knape), 341

Org 9426, dose-response relationship and time course of action; a new muscle relaxant of intermediate duration evaluated under various anaesthetic techniques (Lambalk et al.), 907

Oropharyngeal airway, supraglottic (Joshi, Ooi & Feldman), 151 (c)

Orotracheal intubation, fibreoptic, assisted by use of laryngeal mask airway (Hasham, Kumar & Lawler), 891 (c)

Outpatient paediatric dental anaesthesia; comparison of Brain laryngeal mask with the nasal mask (Bailie, Barnett & Fraser), 358

Overdose, propanolol, massive, extracorporeal circulation in management of (McVey & Corke), 744

Oximetry, pulse see Pulse oximetry,

Oxygen analyser, Toptronic, leaking T-connector in (Smart), 890 (c)

Oxygen analysers, labelling on (James), 155 (c)

Oxygen analysers/monitors, fuel cell type, in breathing systems (Safety Action Bulletin), 612
Oxygen chamber, hyperbaric, monoplace, use of the Penlon Nuffield 200 in; evaluation and a clinical report in two patients requiring ventilation for carbon monoxide poisoning (Lewis et al.), 767

Oxygen concentrators offer cost savings for developing countries. A study based on Papua New Guinea (Dobson), 217 (f)

Oxygen delivery systems - a comparison of two devices (Kho et al.), 135 (f)

Oxygen emergency button, nudging the (Hanafiah & Sellers), 331 (c)

Oxygen, hyperbaric chambers, intravenous drug administration to patients in (Spittal, Warwick & Hunter), 1093 (c)

Oxygen: minimum requirements during anaesthesia with the Triservice anaesthetic apparatus; a study of drawover anaesthesia in the young adult (Tighe et al.), 52 (f)

Oxygen: minimum requirements during anaesthesia with the Triservice anaesthetic apparatus; a study of drawover anaesthesia in the young adult (Tighe et al.) (Erratum), 338

Oxygen, postoperative, via the laryngeal mask airway (Goodwin), 700 (c)

Oxygen saturation, arterial; monitoring during upper gastrointestinal endoscopy (Murray et al.), 181

Oxygen saturation seen using nasal pulse oximetry, explanation for the overestimation of (Broome & Reilly), 424 (c)

Oxygen, supplementary, and the laryngeal mask airway (Lewis & Porter), 70 (c)

Oxygen, supplementary; subject for disaster (Newton), 905

Oxygen supplies, piped, contamination of (Shaw, Graham & Snowdon), 887 (c)

Oxygen system, portable, new, using liquid oxygen (Ramage, Kee & Bristow), 395

Oxygen tension, arterial; marked decrease associated with continuous intravenous nifedipine administration (Böhrer et al.), 856

Oxygen therapy during spinal anaesthesia, 'hazards' of (Riley, Hammond & Currie), 421 (c)

Oxygen see also Pre-oxygenation,

Oxylitre emergency/rescue medical gas manifold assembly (Hazard Notice), 240

Paediatric anaesthesia; a questionnaire survey of parents' reactions (Ryder & Spargo), 977 (f)

Paediatric anaesthesia, blood pressure cuff changeover in (Charlton & Apadoo), 898 (c)

Paediatric anaesthesia, laryngeal mask airway in (Withington: Wrigley et al.), 321 (c)

Paediatric anaesthesia: parents do not always want to be present at induction (Kellow), 993 (c) Paediatric anaesthetic techniques used by trainee anaesthetists on a regional training scheme; role of the teaching hospital (Mulholland &

Weir), 777 (f) Paediatric blood pressure and anaesthesia (Mather), 381

Paediatric blood pressure and anaesthesia (Warde: Mather), 897 (c)

Paediatric dental outpatient anaesthesia; comparison of Brain laryngeal mask with the nasal mask (Bailie, Barnett & Fraser), 358

Paediatric use, assessment of a heat and moisture exchanger for (Wilkinson et al.), 296

Pain, acute: introducing a service (Cartwright et al.), 188

Pain, acute, service: does it require a high dependency unit? (Watt & Wiles: Wildsmith), 789 (c)

Pain after surgery (Jones & Harrop-Griffiths: Spence), 502 (c)

Pain and basic human rights (Goodman: Harmer), 790 (c)

Pain, chronic, relief, the future development of (Diamond), 83

Pain, cold-induced; analgesic efficacy of controlled-release dihydrocodeine (Wotherspoon, Kenny & McArdle), 915

Pain during propofol injection; effect of prior administration of cold saline; comparison with cold propofol and propofol with lignocaine (Barker et al.), 1069 (f)

Pain following thoracotomy. A randomised, double-blind comparison of lumbar versus thoracic epidural fentanyl (Coe et al.), 918

Pain, low back, exaggerated epidural blockade resulting from unusual spread of bupivacaine in a patient with (Popat, Jadad & Glynn),

Pain on injection of propofol, modification of; comparison between lignocaine and procaine (Nicol et al.), 67 (f)

Pain on intradermal injection with lignocaine. The effect of concentration (Criswell), 691 (f)

Pain relief following dental extractions: a comparison of azapropazone and aspirin (Garrioch, Wardall & Fitch), 828

Pain see also Postoperative pain,

Papaveretum infusions in infants under 6 months of age (Jones & Stokes), 688 (f)

Papaveretum, sensitivity to, in Gilbert's disease (Danks & Jackson), 998 (c)

Papaveretum-hyoscine premedication for cardiac surgery; comparsion with midazolam and droperidol (Antrobus et al.), 407 (f)

Papua New Guinea: oxygen concentrators offer cost savings (Dobson), 217 (f)

Paraplegia following coeliac plexus block (van Dongen & Crul), 862

Parents do not always want to be present at induction of anaesthesia of their children (Kellow), 993 (c)

Parents in the anaesthetic room. A questionnaire survey of parents' reactions (Ryder & Spargo), 977 (f)

Patient rewarming devices after cardiac surgery, a comparison of (Imrie, Ward & Hall), 44

Patient-controlled analgesia: Bionica MDS 110 ambulatory syringe pump (Hazard Notice), 612
Patient-controlled analgesia: evaluation of the Graseby PCAS; a clinical and laboratory study (Jackson, Semple & Stevens), 482

Patient-controlled analgesia exacerbating postoperative pain; a case (Mills & Goddard), 893 (c)

Patient-controlled analgesia system, nausea and vomiting with use (Robinson & Fell), 580 (f) Patient-controlled analgesia variables (Merry: Owen, Kluger & Plummer), 786 (c)

Patient-controlled intra-operative sedation (Rudkin, Osborne & Curtis), 90

Patient-controlled on-demand epidural fentanyl. A comparison of patient-controlled on-demand fentanyl delivered epidurally or intravenously (Welchew & Breen), 438

Patient-controlled sedation, intra-operative; comparison of patient-controlled propofol with anaesthetist-administered midazolam and fentanyl (Osborne et al.), 553

Patients, critically ill, continuous direct and indirect blood pressure measurement (Finapres) in (Farquhar), 1050

Patients, critically ill, long distance transport of (Runcie & Telfer), 800 (c)

Patient's desire for information about anaesthesia. Scottish and Canadian attitudes (Lonsdale & Hutchison), 410 (f)

Patient's perception of the pre-operative visit, the impact of the appearance of the anaesthetist on (Sanders et al.), 1056 (f)

Penlon AM700 anaesthetic machine, hazard with (Ravalia), 798 (c)

Penlon Nuffield 200: use in a monoplace hyperbaric oxygen chamber; an evaluation of its use and a clinical report in two patients requiring ventilation for carbon monoxide poisoning (Lewis et al.), 767

Penlon Nuffield Anaesthesia Ventilator Series 200. The case for vigilance: (Nichols: Sedwards), 994 (c)

Penlon vaporizer off-line hoses (Safety Action Bulletin), 1002

Percutaneous dilational tracheostomy. A bedside procedure on the intensive care unit (Bodenham et al.), 570

Percutaneous tracheostomy insertion can be difficult (Cooper), 1091 (c)

Perfusion, poor, a comparison of the performance of 20 pulse oximeters under conditions of (Clayton et al.), 3 Perfusion, poor, and pulse oximeters (Hanning & Langton), 887 (c)

Peri-operative drug prescribing pattern and manufacturers' guidelines. An audit (Kluger et al.), 456 Peri-operative management of diabetes mellitus (Mantha & Rao), 900 (c)

Personnel, anaesthetic, chronically exposed to high occupational concentrations of nitrous oxide and halothane, immunological disturbances in (Perić, Vraneš & Marušić), 531

pH, conversion to H± concentration (Serpell), 71 (c)

pH, gastric, in patients undergoing gynaecological laparoscopy; comparison of the effects of oral nizatidine and ranitidine (Popat, Dyar & Blogg), 816

pH-adjustment and discomfort caused by the intradermal injection of lignocaine (Martin) (Erratum), 242

Phaeochromocytoma, bilateral, thoracic epidural analgesia in a patient with, undergoing coronary artery bypass grafting (Liem, Moll &

Pharmacodynamics of alcuronium in the elderly (Kent & Hunter), 271

Pharyngeal wall, posterior; trauma caused by a laryngeal mask airway (Marjot), 589(c)

Pharynx, a barrier to dye placed in; airway protection by the laryngeal mask (John, Hill & Hughes), 366 Phenylephrine dosage in spinal anaesthesia for Caesarean section (Taylor & Tunstall), 314 (c)

Phenylephrine dosage in spinal anaesthesia for Caesarean section (Ma & Daley), 892 (c)

Physio Control lifepack and defibrillator/monitors: field retrofit software up-grade (Safety Action Bulletin), 904

Pigments and potential errors in pulse oximetry (Ralston, Webb & Runciman), 291

Pill, HRT and postoperative thromboembolism: cause for concern? (Whitehead & Whitehead), 521

Pilo-erection in anaphylactoid reaction (Rabey & James), 897 (c)

Piped oxygen supplies, contamination of (Shaw, Graham & Snowdon), 887 (c)

Plasma catecholamine response to cataract surgery: a comparison between general and local anaesthesia (Barker et al.), 642

Plasma concentrations of bupivacaine after supraclavicular brachial plexus blockade in patients with chronic renal failure (Rice, Pither & Tucker), 354

Plasma etomidate levels in mother and fetus (Gregory & Davidson), 716

Plasma, frozen, fresh, in reversal of prolonged suxamethonium apnoea in a 6-week-old infant (Gill, O'Connell & Scott), 1036

Pleural effusions, recurrent, following superior vena cava thrombosis (Walker), 704 (c)

Pneumatic tourniquets (Heath), 593 (c)

Pneumocephalus, traumatic, following head injury; a complication of general anaesthesia (Finch & Morgan), 385

Pneumonia, aspiration, and the laryngeal mask airway (Riddell: Philpott: Brain: Krapez: Griffin & Hatcher), 418 (c)

Pneumonia, aspiration, and the laryngeal mask airway (Pearce & Heath), 592(c)

Pneumonia, chickenpox, its complications and management; report of three cases, including the use of extracorporeal membrane oxygenation (Clark et al.), 376

Pneumonia, chickenpox; NAB before IPPV? (Jankowski & Petros), 993 (c)

Pneumothorax, undrained, and general anaesthesia. The use of a computer-controlled propofol infusion (Crofts & Hutchison), 192 Poisoning, arsenic, acute, massive (Jolliffe, Budd & Gwilt), 288

Poisoning, theophylline, fatal, with rhabdomyolysis. a potential role for dantrolene treatment (Parr & Willatts), 557

Polarisation of a 2.5 mm tracheal tube (Hinton & Bellwood), 791 (c)

Pollution from anaesthetics and occupational health; seminar report (Halsey), 486

Porphyria, intermittent, acute, safe use of propofol in a child with (Christian), 423 (c)

Portex epidural needle, faulty (Cozanitis: Green), 516 (c)

Posterior tibial nerve block. A new approach using the bony landmark of the sustentaculum tali (Wassef), 841

Posterior tibial nerve stimulation, effects of epidural diamorphine on the somatosensory evoked potential (Loughnan et al.), 912

Posthypoxic myoclonus (the Lance-Adams syndrome) in the intensive care unit (Harper & Wilkes), 199

Postoperative analgesia after triple nerve block for fractured neck of femur (Hood, Edbrooke & Gerrish), 138 (f) Postoperative analgesia after triple nerve block for fractured neck of femur (Jones), 517 (c)

Postoperative analgesia: continuous thoracic epidural fentanyl after thoracotomy; with or without bupivacaine? (George, Wright & Chisakuta), 732

Postoperative analgesia, indwelling intramuscular cannula for (Teillol-Foo), 897 (c) Postoperative analgesia, inhaled nebulised fentanyl for (Higgins, Asbury & Brodie), 973 (f)

Postoperative analgesia: intravenous, nurse-controlled, after thoracotomy (Murphy & Opie), 772 (f)

Postoperative morbidity in day surgery: the effect of shortening the pre-operative fluid fast (Goodwin et al.), 1066 (f)

Postoperative obstructive sleep apnoea. Haemodynamic effects of treatment with nasal CPAP (Reeder et al.), 849

Postoperative oxygen via the laryngeal mask airway (Goodwin), 700 (c)

Postoperative pain control. A survey of current practice (Semple & Jackson), 1074 (f)

Postoperative pain exacerbated by patient controlled analgesia; a case (Mills & Goddard), 893 (c)

Postoperative pain in day case laparoscopy; a survey and an assessment of the value of diclofenac (Edwards et al.), 1077 (f)

Postoperative pain relief-time to take our heads out of the sand? (Harmer), 167

Postoperative period, the first 24 hours; study of complications after 2153 consecutive operations (Gamil & Fanning), 712

Postoperative pulse oximetry in cardiopulmonary bypass (Withington), 517 (c)

Postoperative respiratory obstruction caused by angina haemorrhagica bullosa (Hosain, Bounds & Stanford), 422 (c)

Postoperative respiratory obstruction; vocal cord paralysis in the Shy-Drager syndrome (Drury & Williams), 466

Postoperative sickness and acupuncture (Dundee), 512 (c)

Postoperative sore throat; failure of prevention with hydrocortisone (Thomas: Stride), 512 (c)

Postoperative thromboembolism, the pill and HRT: cause for concern? (Whitehead & Whitehead), 521

Postoperative upper airway obstruction, acute, emergency adenotonsillectomy for (Livesey, Solomons & Gillies), 36

Postoperative upper airway obstruction, acute, emergency adenotonsillectomy for (Francis: Solomons: Harwood et al.), 514 (c)

Postoperative ventilation and pre-operative anticholinergics (Swinhoe: Leigh), 231 (c) 'Postspinal headache' associated with incidental intracranial pathology (Dutton), 1044

Pre-eclampsia, coagulation screening before epidural analgesia in (Barker & Callander), 64 (f)

Pre-eclampsia, coagulation screening before epidural analgesia in (Trotter et al.), 596 (c)

Pregnancy termination, vaginal, a day case technique; bolus or continuous infusion propofol (Brownlie, Baker & Ogg), 775 (f)

Premedication: an audit (Kluger & Owen), 224 (f)

Premedication, midazolam-droperidol, for cardiac surgery; comparison with papaveretum and hyoscine (Antrobus et al.), 407 (f)

Premedication, trimeprazine, in children (Zorab), 1088 (c)

Pre-operative anticholinergics and postoperative ventilation (Swinhoe: Leigh), 231 (c)

Pre-operative fluid fast shortening: effect on postoperative morbidity in day surgery (Goodwin et al.), 1066 (f)

Pre-operative preparation: the removal of dentures contributes to pre-operative distress (Cobley, Dunne & Sanders), 1019

Pre-operative removal of dentures (Thompson: Harrison & Horton: Brighouse: Nunn), 992 (c)

Pre-operative visit, the impact of the appearance of the anaesthetist on the patient's perception of (Sanders et al.), 1056 (f)

Pre-oxygenation, routine (Skea, Jones & Snowdon), 510 (c)

Pre-oxygenation techniques in the elderly: a comparison (McCarthy et al.), 824

Pressor response to intubation, partial attenuation by clonidine; cardiovascular effects of intravenous clonidine (Carabine et al.), 634

Pressure, arterial; monitoring during upper gastrointestinal endoscopy (Murray et al.), 181
Pressure generated during insertion of lumbar epidurals (Hayes: Peters: Langton & Meiklejohn), 506 (c)

Pressure, intracranial, in neurosurgical patients, effect of sufentanil on (Weinstabl et al.), 837

Pressure transducer, disposable, Edwards, manufactured by Baxter Edwards Critical Care (Safety Action Bulletin), 165

Pressure, wedge, pulmonary artery, in ARDS (Cameron), 699 (c)

Pressure, wedge, pulmonary artery, measurement and manipulation of, in adult respiratory distress syndrome (McQuillan & Young), 160

Pressures, airway and alveolar, during mechanical ventilation in the neonate 565 (Tipping & Sykes), 565 Priapism, ketamine does not always work in the treatment of (Appadu & Calder), 426 (c)

Prilocaine, addition of fentanyl to, for intravenous regional anaesthesia (Armstrong, Power & Wildsmith), 278

Prilocaine associated methaemoglobinaemia and the pulse oximeter (Marks & Desgrand), 703 (c)

Prilocaine compared with lignocaine in axillary brachial plexus anaesthesia (McCoy & Wilson), 309 (f)

Prilocaine compared with lignocaine in axillary brachial plexus anaesthesia (Erratum) (McCoy & Wilson), 707

Procaine and lignocaine compared in modification of pain on injection of propofol (Nicol et al.), 67 (f)

Propanolol overdose, massive, extracorporeal circulation in management of (McVey & Corke), 744

Prophylactic anticoagulant therapy and lumbar regional anaesthesia: is the combination safe? (Wille-Jøorgensen, Jøorgensen & Rasmussen), 623

Propofol, acute choreoathetoid reaction to (Borgeat & Wilder-Smith), 797 (c)

Propofol anaesthesia, an isolated grand mal seizure 5 days after (Thomas & Boheimer), 508 (c)

Propofol and excitatory sequelae in dogs (Davies & Hall), 797 (c)

Propofol and ketamine for TIVA (Penberthy & Harrison: Koning, Mackie & Guit), 1085 (c)

Propofol and thiopentone compared, with and without alfentanil pretreatment; the haemodynamic effects of bronchoscopy (Hill et al.),

Propofol augmented with intravenous lignocaine, intubation with (Mulholland & Carlisle), 312 (f)

Propofol: bolus or continuous infusion. A day case technique for the vaginal termination of pregnancy (Brownlie, Baker & Ogg), 775 (f)

Propofol compared with desflurane for induction and recovery in day case patients (Wrigley et al.), 615

Propofol compared with thiopentone for laryngeal mask insertion (Brown, Patel & Ellis), 771 (f)

Propofol, echocardiographic assessment of the haemodynamic effects of; comparison with etomidate and thiopentone (Gauss, Heinrich & Wilder-Smith), 99

Propofol, factors that influence the induction dose of (McCleane, Fogarty & Watters), 59 (f)

Propofol, factors that influence the induction dose of (McLauchlan, Spiers & Peacock: McCleane), 513 (c)

Propofol for induction and maintenance of anaesthesia at Caesarean section; comprison with thiopentone/enflurane (Yau et al.), 20

Propofol for sedation of a spontaneously breathing infant (van Dijk, Bakker & de Lange), 893 (c)

Propofol: haemodynamic effects in children (Short & Aun), 783 (f)

Propofol in myotonic dystrophy (Bouly, Nathan & Feiss), 705 (c)

Propofol in short gynaecological procedures. Comparison of recovery over 2 days after anaesthesia with propofol or thiopentone as sole anaesthetic agent (Sanders et al.), 451

Propofol infusion, computer-controlled; general anaesthesia and undrained pneumothorax (Crofts & Hutchison), 192

Propofol infusion in neurosurgery, cost of (Aitken & Farling), 329 (c)

Propofol injection pain; effect of prior administration of cold saline; comparison with cold propofol and propofol with lignocaine (Barker et al.), 1069 (f)

Propofol intravenous anaesthesia using a computerised infusion system (Kenny & White), 156 (c)

Propofol, ketamine as analgesic for total intravenous anaesthesia with (Guit et al.), 24

Propofol, patient-controlled, compared with anaesthetist-administered midazolam and fentanyl; intra-operative patient controlled sedation (Osborne et al.), 553

Propofol: safe use in a child with acute intermittent porphyria (Christian), 423 (c)

Propofol: safe use in a patient receiving tranylcypromine (Hyde & Mortimer), 1090 (c)

Propofol, withdrawal syndrome after (Imray & Hay), 704 (c)

Propofol, withdrawal syndrome after (Grant & Worsley: Scott & Walker), 238 (c)

Prostacyclin, accidental overinfusion of (Dunne & Wise), 75 (c)

Prostaglandin E2, cardiac arrest following intramyometrial injection of (Popat, Suppiah & White), 236 (c)

Prostate resection, transurethral, visual evoked potentials and visual acuity after (Mantha et al.), 491 (f)

Prostate, visual disturbances after transurethral resection of (Prakash), 163 (c)

Prostate: visual disturbances after transurethral resection (Anandaciva), 894 (c)

Prostatectomy, transurethral, monitoring of irrigating fluid absorption during, using a 1% ethanol tag solution (Hultén et al.), 349 Protamine—the need to determine the dose. Comparison of a simple protamine titration method with an empirical dose regimen for

reversal of heparinisation following cardiopulmonary bypass (Keeler, Shah & Hansbro), 925 Proteus syndrome, anaesthesia for (Pennant & Harris), 126

Pseudoaneurysm, extracorporeal; an unusual complication of radial artery cannulation (Arrowsmith), 894 (c)

Pulmonary air embolism during laparoscopic laser cholecystectomy (Greville et al.), 113

Pulmonary artery catheter entrapment (Lanigan & Cornwell), 600 (c)

Pulmonary artery wedge pressure in ARDS (Cameron), 699 (c)

Pulmonary artery wedge pressure, measurement and manipulation of, in adult respiratory distress syndrome (McQuillan & Young), 160

Pulmonary hypertension, life-treatening complications during anaesthesia in a patient with ventriculo-atrial shunt and (Butler, Wheeler & Spargo) (Erratum), 241

Pulmonary oedema, noncardiogenic, after attempted suicide by hanging (Mantha & Rao) (Erratum), 242

Pulmonary oedema, unilateral, of the contralateral lung following transaxillary sympathectomy (Cohen et al.), 651

Pulse oximeter and 'finger-painting' (Sneyd), 420 (e)

Pulse oximeter and prilocaine associated methaemoglobinaemia (Marks & Desgrand), 703 (c)

Pulse oximeter: noncompatibility of sensors (Safety Action Bulletin), 240

Pulse oximeter probes. A comparison between finger, nose, ear and forehead probes under conditions of poor perfusion (Clayton et al.), 260

Pulse oximeters, 20: a comparison of their performance under conditions of poor perfusion (Clayton et al.), 3

Pulse oximeters and poor perfusion (Hanning & Langton), 887 (c)

Pulse oximetry compared with Doppler ultrasound for assessment of collateral blood flow to the hand (Pillow & Herrick), 388

Pulse oximetry, computerised analysis of; epidural diamorphine compared with intramuscular morphine after Caesarean section (Stevens et al.), 256

Pulse oximetry evaluation; potential errors (Ralston, Webb & Runciman), 202

Pulse oximetry in pulseless patients (Dawalibi, Rozario & van den Bergh), 990 (c) Pulse oximetry in the postcardiopulmonary bypass period (Withington), 517 (c)

Pulse oximetry inaccuracy in patients with severe tricuspid regurgitation (Stewart & Rowbottom), 668

Pulse oximetry is not affected by dried blood (Whirley & Reynolds), 886 (c)

Pulse oximetry, nasal, explanation for the overestimation of oxygen saturation seen using (Broome & Reilly), 424 (c)

Pulse oximetry, potential errors; effects of changes in saturation and signal quality (Webb, Ralston & Runciman), 207

Pulse oximetry, potential errors; effects of interference, dyes, dyshaemoglobins and other pigments (Ralston, Webb & Runciman), 291

Pulse oximetry, spurious, and children's fingers (Serpell), 702 (c)

Pumps see also Syringe pumps, Purchasing equipment: editorial (Lumley & Zideman), 433

Race and Apgar scores (Yama & Marx), 330 (c)

Radial artery cannulation, an unusual complication; extracorporeal pseudoaneurysm (Arrowsmith), 894 (c)

Radiological approach: extradural analgesia and previous spinal surgery (Calleja), 946

RAE preformed tube lengths (Schaefer, Marsch & Flatt: Hannington-Kiff: Mackersie), 791 (c)

RAE tubes, accidental bronchial intubation with (Black & Mackersie), 42

Ranitidine and nizatidine, oral; comaprison of effects on gastric volume and pH in patients undergoing gynaecological laparoscopy (Popat, Dyar & Blogg), 816

Ranitidine vs. famotidine; acid aspiration prophylaxis in morbidly obese patients (Villa et al.), 967 (f)

Recovery after general anaesthesia, role of doxapram in stopping shivering during (Sarma & Fry), 460 Recovery after general anaesthesia, role of doxapram in stopping shivering during (Gautier), 1092 (c)

Recovery and morbidity: acupuncture and transcutaneous stimulation analgesia in comparison with moderate-dose fentanyl anaesthesia

in major surgery (Kho et al.), 129 (f)

Recovery characteristics of desflurane in day case patients; comparison with propofol (Wrigley et al.), 615 Recovery, effect of dose on speed of; antagonism of atracurium with neostigmine (Goldhill et al.), 496 (f)

Recovery: hysteria, a cause of failure to recover after anaesthesia (Adams & Goroszeniuk), 932

Recovery room trolley (Safety Action Bulletin), 520

Rectus sheath and mesosalpinx block for laparoscopic sterilization (Smith et al.), 875 (f)

Regional anaesthesia and cough effectiveness. A study in patients undergoing Caesarean section (Harrop-Griffiths et al.), 11

Regional anaesthesia and cough effectiveness (Conn, Moffat & Duckworth: Harrop-Griffiths et al.), 504 (c)

Regional anaesthesia and cough effectiveness (Gamil), 790 (c)

Regional anaesthesia, intravenous, addition of fentanyl to prilocaine for (Armstrong, Power & Wildsmith), 278

Regional anaesthesia must be properly managed (Dale), 329 (c)

Relaxant, muscle, Org 9426, the neuromuscular blocking effect of (Booij & Knape), 341

Renal failure, acute, associated with a pneumatic antishock garment and with tense ascites (O'Leary & Park), 326 (c)

Renal failure and raised intra-abdominal pressure (Hargreaves), 796 (c)

Renal failure, chronic, plasma concentrations of bupivacaine after supraclavicular brachial plexus blockade in patients with (Rice, Pither & Tucker), 354

Renal failure, prolonged action of enoximone in (Burns & Park), 864

Renal failure, reversible, following opioid administration (Hill et al.), 938

Renal impairment prevention in patients undergoing orthotopic liver transplantation; comparison of dopexamine and dopamine (Gray, Bodenham & Park), 638

Rendell-Baker Soucek mask, novel use of (Northwood & Wade), 319 (c)

Research difficulties for junior anaesthetists (Akhtar), 421 (c)

Research difficulties for junior anaesthetists (Dobb), 1089 (c)

Research see also Clinical research,

Resedation after bolus administration of midazolam to an infant and its reversal by flumazenil (Collins & Carter), 471

Respiration, spontaneous, quality of anaesthesia during; a proposed scoring system (Glen), 1081 (c) Respiratory distress syndrome, adult, measurement and manipulation of pulmonary artery wedge pressure in (McQuillan & Young), 160 (c)

Respiratory distress syndrome, adult, fluid balance in (McConachie), 511 (c)

Respiratory distress syndrome, adult, pulmonary artery wedge pressure in (Cameron), 699 (c)

Respiratory equipment (Safety Action Bulletin), 612

Respiratory failure, acute, severe, life-saving use of extracorporeal membrane gas exchange in (Fisher et al.), 866

Respiratory failure as presentation of achalasia of the oesophagus (Kendall & Lin), 1039

Respiratory function effects; epidural analgesia in Eaton-Lambert myasthenic syndrome (Sakura et al.), 560

Respiratory obstruction caused postoperatively by angina haemorrhagica bullosa (Hosain, Bounds & Stanford), 422 (c)

Respiratory obstruction, postoperative, a cause of; vocal cord paralysis in the Shy-Drager syndrome (Drury & Williams), 466 Response to suxamethonium in a myasthenic patient during remission (Abel, Eisenkraft & Patel), 30

Resuscitation, cardiopulmonary, single operator, in ambulances; which ventilation device? (Greenslade), 391

Resuscitators: regular testing and inspection (Safety Action Bulletin), 1002 Rex Binning Department of Anaesthesia (Williams), 331 (c)

Rhabdomyolysis and operating position (Targa et al.), 141 (f)

Rhabdomyolysis, fatal theophylline poisoning with; a potential role for dantrolene treatment (Parr & Willatts), 557

Ropivacaine, 0.75%, and 0.75% bupivacaine, both with adrenaline, a comparison; cardiovascular effects of epidural local anaesthetics (Kerkkamp & Gielen), 361

Ropivacaine: editorial (Reynolds), 339

Ruben circle control valve failure (Logan: Syders), 325 (c)

Saethre-Chotzen syndrome, inadvertent dural puncture during caudal anaesthesia for (Wrigley), 705 (c)

Safe use of propofol in a child with acute intermittent porphyria (Christian), 423 (c)

Safe use of propofol in a patient receiving tranylcypromine (Hyde & Mortimer), 1090 (c)

Safety Action Bulletins, 165, 240, 337, 520, 612, 707, 904, 1002

Safety of the combination of lumbar regional anaesthesia and prophylactic coagulant therapy (Wille-Jøorgensen, Jøorgensen & Rasmussen), 623

Saline, cold; effect of prior administration on pain during propofol injection (Barker et al.), 1069 (f)

Scavenging in the operating theatre (Amoroso & Sale), 159 (c)

Scavenging in the operating theatre (Gil-Rodriguez), 704 (c)

Sedation in dental surgery: comparison of two techniques (Church et al.), 780 (f)

Sedation, intra-operative, patient-controlled; comparison of patient-controlled propofol with anaesthetist-administered midazolam and fentanyl (Osborne et al.), 553

Sedation, night, benzodiazepine, acute tolerance from (Short & Galletly), 929

Sedation of a spontaneously breathing infant, propofol for (van Dijk, Bakker & de Lange), 893 (c)

Sedation, patient-controlled, intra-operative (Rudkin, Osborne & Curtis), 90

Sedation, sexual excitement following (Woodcock), 328 (c)

Sedation, sexual fantasy and amorous behaviour after (Williams), 162 (c)

Seldinger minitracheotomy - assessment of a new technique (Jackson et al.), 475

Seldinger technique, inadvertent submucosal penetration with a minitracheostomy cannula inserted by (Randell & Lindgren), 801 (c)

Sengstaken (oesophageal varices) tubes manufactured by Warne Surgical Products (Hazard Notice), 165

Septic atrial thrombus. A complication of central venous catheterisation (Joshi, Bullingham & Soni), 1030

Serotonin syndrome (Ooi), 507 (c)

Servicing and checking of vaporizers (Gill & Lack: Bridges), 695 (c)

Sexual arousal following anaesthesia, forewarning patients of (Schaefer & Marsch), 238 (c)

Sexual excitement following anaesthesia or sedation (Woodcock), 328 (c)

Sexual fantasy and amorous behaviour after anaesthesia or sedation (Williams), 162 (c)

Shivering during recovery after general anaesthesia; stopping by doxapram (Sarma & Fry), 460

Shivering during recovery after general anaesthesia: stopping by doxapram (Gautier), 1092 (c)

Shivering in elective Caesarean section under epidural analgesia, the effect of prophylactic fentanyl on (Liu & Luxton), 344

Shy-Drager syndrome and vocal cord paralysis; cause of postoperative respiratory obstruction (Drury & Williams), 466

Sickness, postoperative, and acupuncture (Dundee), 512 (c)

Side effects of ginger as an antiemetic due to its thromboxane synthetase activity (Backon), 705 (c)

Side-effects after hip surgery; morphine compared with diamorphine (Robinson, Rowbotham & Smith), 538

Skiers neck: an unusual cause of difficult intubation (Bryan & Jones), 802 (c)

Sleep apnoea, obstructive, postoperative; haemodynamic effects of treatment with nasal CPAP (Reeder et al.), 849

Sniffing position, cricoid pressure in (Baxter), 327 (c)

Soda lime canister, small, in a to-and-fro system, evaluation of (Kadim et al.), 952

Somatosensory evoked potential to posterior tibial nerve stimulation, effects of epidural diamorphine on (Loughnan et al.), 912

Spasm, infundibular, esmolol in (Dhir & Dhir), 998 (c)

Spasm, laryngeal, and the laryngeal mask airway (Michel & Stubbing), 71 (c)

Spasm, masseter, during anaesthesia; Williams syndrome (Patel & Harrison), 115

Spasm, Masseter, in Williams syndrome (Matthews & Vernon: Harrison), 706 (c)

Sphincter, lower oesophageal, tone, the effect of the Trendelenburg position on (Heijke, Smith & Key), 185

Sphincter, oesophageal, lower; comparison of the combined effects of atropine and neostigmine with atropine and edrophonium (Heijke, Smith & Key), 628

Spinal anaesthesia for Caesarean section, dosage of phenylephrine in (Taylor & Tunstall), 314 (c)

Spinal anaesthesia for Caesarean section, dosage of phenylephrine in (Ma & Daley), 892 (c)

Spinal anaesthesia, 'hazards' of oxygen therapy during (Riley, Hammond & Currie), 421 (c) Spinal anaesthesia in orthopaedic surgery: use of 25-gauge Whitacre needle (Lynch & Krings-Ernst), 891 (c)

Spinal anaesthesia, incremental, using a 32-gauge catheter (Kestin & Goodman), 93

Spinal anaesthesia, meningitis following (Van-Andel & Lavies), 427 (c)

Spinal anaesthesia, vasovagal asystole during (McConachie), 281

Spinal analgesia, influence of temperature of bupivacaine on spread of (Callesen et al.), 17

Spinal catheter, 32-gauge, problems with (McCoy & Furness), 423 (c)

Spinal catheter technique in femoro-popliteal graft surgery; clinical evaluation (Morrison, McClure & Wildsmith), 576 (f) Spinal catheters, 32-gauge, through 26-gauge needles (Denny: Nagle, McQuay & Glynn), 599 (c)

'Spinal' headache—with no headache (McGrady & Freshwater), 794 (c)

Spinal needle, contaminated, ball-valve effect of (Bishton & Clark), 233 (c)

Spinal needle, defective (Adley & Geraghty: Stevenson), 159 (c)

Spinal needles, device to maintain the position of (Johnson), 890 (c) Spinal needles, flow and dural puncture (Lyons: Toomey), 236 (c)

Spinal surgery, previous, and extradural analgesia; a radiological approach (Calleja), 946

Spine, cervical, use of the laryngeal mask in a patient with an unstable fracture of (Logan), 987 (c)

Spondyloepiphyseal dysplasia congenita. Caesarean section under epidural anaesthesia (Rodney, Callander & Harmer), 648

Sprotte needle for Caesarean section (Ackerman et al.: Cesarini et al.), 230 (c)

Stellate ganglion blockade, possible inadvertent subdural block following (Bruyns et al.), 747

Stenosis, tracheal, anaesthetic management of (Grove-White), 602 (c)

Stenosis, tracheal, congenital, the anaesthetic management of (Murphy & Lloyd-Thomas), 106

Sterilization, laparoscopic, rectus sheath and mesosalpinx block for (Smith et al.), 875 (f) Steroids, chemical meningism after lumbar facet joint block with local anaesthetic and 563 (Thomson, Lomax & Collett), 563

Stethoscopes, precordial (Kumar et al.), 594 (c)

Stoma, end-tracheostomy, airway management in patients with (Mulla & Jones), 706 (c)

Strabismus surgery, topical amethocaine in (Watson), 368

Stressful pre-operative preparation procedures. The routine removal of dentures during pre-operative preparation contributes to pre-operative stress (Cobley, Dunne & Sanders), 1019

Stretcher canvases/sheets (Safety Action Bulletin), 520

Subarachnoid fistula in children, epidural blood patch for treatment of (Kumar, Maves & Barcellos), 117

Subcutaneous morphine (Semple & Macintyre), 75 (c)

Subdural block, inadvertent, possible, following attempted stellate ganglion blockade (Bruyns et al.), 747

Submucosal penetration, inadvertent, with a minitracheostomy cannula inserted by the Seldinger technique (Randell & Lindgren), 801 (c) Suction, tracheal, environmental contamination during; comparison of disposable conventional catheters with a multiple-use closed system device (Cobley, Atkins & Jones), 957

Sufentanil: effect on intracranial pressure in neurosurgical patients (Weinstabl et al.), 837

Suicide, attempted, by hanging, noncardiogenic pulmonary oedema after (Mantha & Rao) (Erratum), 242

Superior vena cava thrombosis, recurrent pleural effusions following (Walker), 704 (c)

Superset plastic catheter mounts, faulty (Hannington-Kiff), 671

Supraglottic oropharyngeal airway (Joshi, Ooi & Feldman), 151 (c)

Surgery, cardiac, a comparison of patient rewarming devices after (Imrie, Ward & Hall), 44

Surgery, cardiac, premedication; comparison of midazolam and droperidol with papaveretum and hyoscine (Antrobus et al.), 407 (f)

Surgery, cataract, anaesthesia (Goold), 518

Surgery, cataract, anaesthesia - time for change (Strunin & Lewis: Vafidis, Barker & Hall: Rubin: Khalil: Stillman & Murad), 148 (c)

Surgery, cataract, plasma catecholamine response to; comparison between general and local anaesthesia (Barker et al.), 642

Surgery, dental: comparison of two techniques for sedation (Church et al.), 780 (f)

Surgery: emergency adenotonsillectomy for acute postoperative upper airway obstruction (Livesey, Solomons & Gillies), 36

Surgery: emergency adenotonsillectomy for acute postoperative upper airway obstruction (Francis: Solomons: Harwood et al.), 514 (c)

Surgery, eye, local anaesthesia for (Khalil), 232 (c)

Surgery, femoro-popliteal graft, clinical evaluation of a spinal catheter technique (Morrison, McClure & Wildsmith), 576 (f)

Surgery, hip, dose requirements and side-effects after; comparison of morphine with diamorphine (Robinson, Rowbotham & Smith), 538 Surgery in congenital diaphragmatic hernia, timing of, low mortality after pre-operative stabilisation (Charlton, Bruce & Davenport), 820

Surgery, major, acupuncture and transcutaneous stmulation analgesia in comparison with moderate-dose fentanyl anaesthesia in; clinical efficacy and influence on recovery and morbidity (Kho et al.), 129 (f)

Surgery, orthopaedic, use of a 25-gauge Whitacre needle for spinal anaesthesia in (Lynch & Krings-Ernst), 891 (c)

Surgery, pain after (Jones & Harrop-Griffiths: Spence), 502 (c)

Surgery: pulmonary air embolism during laparoscopic laser cholecystectomy (Greville et al.), 113

Surgery, spinal, previous, and extradural analgesia; a radiological approach (Calleja), 946

Surgery, strabismus, topical amethocaine in (Watson), 368

Surgery, thoracic, lumbar epidural diamorphine following; a comparison of infusion and bolus administration (Patrick, Meyer-Witting & Reynolds), 85

Surgery see also Daycase; Neurosurgery; Outpatient,

Surgical stimulation, bolus esmolol treatment of intra-operative tachycardia due to (Whirley-Diaz et al.), 220 (f)

Suxamethonium and intensive care (Coakley), 330 (c)

Suxamethonium apnoea, prolonged, in a 6-week-old infant; reversal with fresh frozen plasma (Gill, O'Connell & Scott), 1036

Suxamethonium: comparison of high and low doses (Stewart, Hopkins & Dean), 833

Suxamethonium in a cannula deadspace - a danger (Wilson & Mayor), 599 (c)

Suxamethonium myalgias, attenuation of (Laurence & Smith: Mingus, Herlich & Eisenkraft), 588 (c)

Suxamethonium myalgias, attenuation of (Edwards, Martin & Catling), 803 (c)

Suxamethonium, response to, in a myasthenic patient during remission (Abel, Eisenkraft & Patel), 30

Sympathectomy, transaxillary, unilateral pulmonary oedema of the contralateral lung following (Cohen et al.), 651

Sympathoadrenal responses to laryngoscopy and intubation, and intravenous lignocaine; effect of varying time of injection (Wilson, Meiklejohn & Smith), 177

Syringe driver, Graseby MS2000; accidental overinfusion of prostacyclin (Dunne & Wise), 75 (c)

Syringe driver, Handley; fatal incident (Hazard Notice), 1002

Syringe pump, Bionica MDS 110 PCA (Hazard Notice), 612

Syringe pump, Ohmeda 9000 (Sherry), 788 (c)

Syringe pumps, Graseby PEAS (Safety Action Bulletin), 337

Tachycardia, intra-operative, due to surgical stimulation, bolus esmolol treatment of (Whirley-Diaz et al.), 220 (f)

T-connector, leaking, in Toptronic oxygen analyser (Smart), 890 (c)

Teaching hospital role: a survey of paediatric anaesthetic techniques used by trainee anaesthetists on a regional training scheme (Mulholland & Weir), 777 (f)

Technicians, doctor, the interpretation of results by (Heining) (Erratum), 241

Temperature: a comparison of patient rewarming devices after cardiac surgery (Imrie, Ward & Hall), 44

Temperature and drug potency (Northwood), 995 (c)

Temperature of bupivacaine: influence on spread of spinal analgesia (Callesen et al.), 17

Temperatures, extreme, isoflurane field anaesthesia at (Merridew & Fraser), 1000 (c)

Theophylline poisoning, fatal, with rhabdomyolysis. A potential role for dantrolene treatment (Parr & Willatts), 557

Thiopentone and etomidate compared with propofol in echocardiographic assessment of the haemodynamic effects (Gauss, Heinrich & Wilder-Smith), 99

Thiopentone and propofol compared, with and without alfentanil pretreatment; the haemodynamic effects of bronchoscopy (Hill et al.), 266

Thiopentone compared with propofol as sole anaesthetic agent in short gynaecological procedures; recovery over 2 days after anaesthesia (Sanders et al.), 451

Thiopentone compared with propofol for laryngeal mask insertion (Brown, Patel & Ellis), 771 (f)

Thiopentone solution, a problem with (Thickett), 74 (c)

Thiopentone solution, freezing of (Cross), 602 (c)

Thiopentone/enflurane compared with propofol for induction and maintenance of anaesthesia at Caesarean section (Yau et al.), 20 Thoracic epidural analgesia in a patient with bilateral phaeochromocytoma undergoing coronary artery bypass grafting (Liem, Moll & Booii), 654

Thoracic epidural fentanyl, continuous, for post-thoracotomy pain relief: with or without bupivacaine? (George, Wright & Chisakuta),

Thoracic versus lumbar epidural fentanyl, a randomised, double-blind comparison; pain following thoracotomy (Coe et al.), 918 Thoracotomy, pain following; a randomised, double-blind comparison of lumbar versus thoracic epidural fentanyl (Coe et al.), 918 Throat, sore, postoperative; failure of prevention with hydrocortisone (Thomas: Stride), 512 (c)

Throat spray, alternative (Nott), 518 (c)

Thromboembolism, postoperative, the pill and HRT: cause for concern? (Whitehead & Whitehead), 521

Thrombosis, superior vena cava recurrent pleural effusions following (Walker), 704 (c)

Thromboxane synthetase activity of ginger; possible side effects as an antiemetic (Backon), 705 (c)

Thrombus, atrial, septic; a complication of central venous catheterisation (Joshi, Bullingham & Soni), 1030

To-and-fro low-flow system. Laboratory study of mixing of anaesthetic and driving gases during mechanical ventilation (Kadim et al.), 948

Tolerance, acute, from benzodiazepine night sedation (Short & Galletly), 929

Tomography, axial, computerised, of the trachea. A useful investigation when a retrosternal goitre causes symptomatic tracheal compression (Barker, Mason & Thorpe), 195

To-and-fro system, evaluation of a small soda lime canister in (Kadim et al.), 952

Tonsils, enlarged, upper airway obstruction by (Konarzewski, Walker & Donovan), 595 (c)

Topical amethocaine in strabismus surgery (Watson), 368

Topical glyceryl trinitrate and eutectic mixture of local anaesthetics in children. A randomised controlled trial on choice of site and ease of venous cannulation (Teillol-Foo & Kassab), 881 (f)

Toptronic oxygen analyser, leaking T-connector in (Smart), 890 (c)

Total intravenous anaesthesia, ketamine and propofol for (Penberthy & Harrison: Koning, Mackie & Guit), 1085 (c)

Tourniquet, avoidable overinflation of (Mills), 229 (c)

Tourniquets, lower limb, bilateral, bronchospasm following application of (Sammut), 509 (c)

Tourniquets, pneumatic (Heath), 593 (c)

T-Piece system, Ayer's, another antipollution device for the Jackson-Rees modification of (Kumar), 792 (c)

Trachea, computerised axial tomography of; a useful investigation when a retrosternal goitre causes symptomatic tracheal compression (Barker, Mason & Thorpe), 195

Tracheal intubation complication: cuff failure (Williamson & Gorven), 593(c)

Tracheal intubation training; assessment (Wilson), 578 (f)

Tracheal intubation see Intubation.

Tracheal stenosis, anaesthetic management of (Grove-White), 602 (c)

Tracheal stenosis, congenital, the anaesthetic management of (Murphy & Lloyd-Thomas), 106

Tracheal suction, environmental contamination during; comparison of disposable conventional catheters with a multiple-use closed system device (Cobley, Atkins & Jones), 957

Tracheal tube, 2.5 mm, polarisation of (Hinton & Bellwood), 791 (c)

Tracheal tube and the laryngeal mask airway, intra-ocular pressure changes using (Holden et al.), 922

Tracheal tube: intermittent obstruction revealed during pressure-supported ventilation (Forrest & Millett), 799 (c) Tracheal tube obstruction and Ludwig's angina (Chung & Liban), 228 (c)

Tracheal tube resistance and airway and alveolar pressures during mechanical ventilation in the neonate (Tipping & Sykes), 565

Tracheal tubes: failure of hydrocortisone to prevent postoperative sore throat (Thomas: Stride), 512 (c)

Tracheal tubes, fixation of (Srivatsa), 153 (c)

Tracheal tubes, intubation guide marks on (Lindsay), 702 (c)

Tracheostomy, dilational, percutaneous; a bedside procedure on the intensive care unit (Bodenham et al.), 570

Tracheostomy, percutaneous; insertion can be difficult (Cooper), 1091 (c)

Tracheostomy tube, flexible, complication of, during laryngectomy (Ezri et al.), 328 (c)

Trainee anaesthetists and the laryngeal mask airway (Russell), 701 (c)

Trainee anaesthetists on a regional training scheme, a survey of paediatric anaesthetic techniques used by; role of the teaching hospital (Mulholland & Weir), 777 (f)

Training in anaesthesia and related skills, assessment of (Lawler et al.), 597 (c)

Training, intravenous cannulation and tracheal intubation; assessment (Wilson), 578 (f)

Transcutaneous stimulation analgesia and acupuncture in comparison with moderate-dose fentanyl anaesthesia in major surgery. Clinical efficacy and influence on recovery and morbidity (Kho et al.), 129 (f)

Transfers, secondary, of head injured patients in the south of England; a survey (Vyvyan, Kee & Bristow), 728

Transplantation, heart, and milrinone (Watson, Sherry & Weston), 285

Transplantation, liver, orthotopic, a comparison of dopexamine and dopamine to prevent renal impairment in patients undergoing (Gray, Bodenham & Park), 638

Transport, long distance, of the critically ill (Runcie & Telfer), 800 (c)

Tranylcypromine, safe use of propofol in a patient receiving (Hyde & Mortimer), 1090 (c)

Trauma and anaesthetists (de Mello & Griffiths), 151 (c)

Trauma, dental, during Entonox inhalation via mouthpiece (Volney & Callander), 892 (c)

Trauma, epidural vein; a retrospective analysis (Skidmore), 516 (c)

Trauma to the posterior pharyngeal wall caused by a laryngeal mask airway (Marjot), 589(c)

Traumatic pneumocephalus following head injury. A complication of general anaesthesia (Finch & Morgan), 385

Travenol Infusor: use in patients in hyperbaric oxygen chambers (Spittal, Warwick & Hunter), 1093 (c)

Trendelenburg position: effect on lower oesophageal sphincter tone (Heijke, Smith & Key), 185

Tricuspid regurgitation, severe, inaccuracy of pulse oximetry in patients with (Stewart & Rowbottom), 668

Trimeprazine premedication in children (Zorab), 1088 (c)

Triple nerve block for fractured neck of femur, postoperative analgesia after (Hood, Edbrooke & Gerrish), 138 (f)

Triple nerve block for fractured neck of femur (Jones), 517 (c)

Triservice anaesthetic apparatus, minimum oxygen requirements during anaesthesia; a study of drawover anaesthesia in the young adult (Tighe et al.), 52 (f)
Triservice anaesthetic apparatus, minimum oxygen requirements during anaesthesia; a study of drawover anaesthesia in the young adult

(Tighe et al.) (Erratum), 338 Trismus, prolonged apnoea and ketamine (Jahangir & Rahman), 1086 (c)

Trolley, accident, Hoskins (Safety Action Bulletin), 707

Trolley, recovery room (Safety Action Bulletin), 520

Tube, nasogastric, position; bubbles may be deceiving (Hedley & Ooi), 895 (c)

Tube, nasogastric; riddle of the persistent leak (Hodgson & Mostafa), 799 (c)

Tube, tracheostomy, flexible, complication of, during laryngectomy (Ezri et al.), 328 (c)

Tubes, nasogastric, fixation of (Middleton), 600 (c)

Tubes, nasotracheal, fixation of (Middleton), 600 (c)

Tubes, RAE, accidental bronchial intubation with (Black & Mackersie), 42

Tubes, RAE, preformed, length of (Schaefer, Marsch & Flatt: Hannington-Kiff: Mackersie), 791 (c)

Tubes, Sengstaken (oesophageal varices), manufactured by Warne Surgical Products (Hazard Notice), 165 Tubes, uncuffed, an assessment of the oesophageal detector device with, in children (Wee & Walker), 869

Tubes see also Tracheal tubes,

Tubocurarine, accidental intra-arterial injection of (Devlin & Bali), 75 (c)

Tuohy needle, observations on deliberate dural puncture with; depth measurements (Hollway & Telford), 722

Tuohy needle, observations on deliberate dural puncture with; pressure measurements (Telford & Hollway), 725

Twins, identical; anaesthetic technique comparison (Evans), 800 (c)

Unexpected position of the laryngeal mask airway (Molloy), 592(c)

Upper airway see Airway,

Upper gastrointestinal endoscopy see Gastrointestinal endoscopy,

Valve, control, Ruben circle, failure of (Logan: Syders), 325 (c)

Valve, flutter, sticking (Parry, Jewkes & Smith), 229 (c)

Valve, resuscitation, Laerdal, malfunction of (Hunter & Duthie: Morallee), 505 (c)

Valves, antireflux, in intravenous opiate analgesia: are they necessary? (Turner & Murphy), 1064 (f)

Valves, sticking, in the circle system (Rosewarne), 599 (c)

Vaporizer, Boyle; hazard (Saunders & Keane), 152 (c)

Vaporizers, anaesthetic (Safety Action Bulletin), 1002

Vaporizers - serviced and checked? (Gill & Lack: Bridges), 695 (c)

Vasovagal asystole during spinal anaesthesia (McConachie), 281

Vecuronium, intra-ocular, accidental (Parke & Smith), 796 (c)
Vecuronium, ketamine and midazolam infusion. Anaesthesia for Down's syndrome and congenital heart disease (Riley & McBride), 122

Vecuronium, ketamine and midazolam infusion (Ward & Restall), 598 (c)

Vein, epidural, trauma; a retrospective analysis (Skidmore), 516 (c)

Vein puncture, extradural, an avoidable complication (Mannion, Walker & Clayton), 585 (f)

Vein puncture, extradural, an avoidable complication (Hendley), 1092 (c)

Veins, hand dilatation of (Kalmanovitch), 517 (c)

Veins, hand, effect of glyceryl trinitrate and ice on dilation of (Williams & Hecker), 14

Ventilation, CPAP, use of the Inspiron nebuliser during (Hardwick, Dickson & Clutton-Brock), 664

Ventilation devices used for single operator cardiopulmonary resuscitation in ambulances, comparison of (Greenslade), 391

Ventilation: evaluation of a small soda lime canister in a to-and-fro system (Kadim et al.), 952

Ventilation for carbon monoxide poisoning: a clinical report on the use of the Penlon Nuffield 200 in a monoplace hyperbaric oxygen chamber (Lewis et al.), 767

Ventilation, high frequency jet: use in removal of a laryngeal foreign body (Tan, Dhara & Kim), 741

Ventilation, higher pressure, and the Bain coaxial breathing system (Nichols: Sedwards), 994 (c)

Ventilation, mechanical, in the neonate, tracheal tube resistance and airway and alveolar pressures during (Tipping & Sykes), 565

Ventilation, mechanical, laboratory study of mixing of anaesthetic and driving gases during; a low-flow to-and-fro system (Kadim et al.), 948

Ventilation, obstructed; the blocked catheter mount (Dunne & Balson), 1093 (c)

Ventilation, one-lung, a coaxial technique for facilitation of (Conacher), 400

Ventilation, one-lung, a co-axial technique for facilitation of (Fortuna), 1094 (c)

Ventilation: Penlon Nuffield Anaesthesia Ventilator Series 200. The case for vigilance? (Nichols: Sedwards), 994 (c)

Ventilation, postoperative, and pre-operative anticholinergics (Swinhoe: Leigh), 231 (c)

Ventilation, pressure-supported, intermittent obstruction of tracheal tube revealed during (Forrest & Millett), 799 (c)

Ventilation: riddle of the persistent leak (Hodgson & Mostafa), 799 (c)

Ventilation, spontaneous; anaesthesia in the field (Tighe: Restall & Johnston), 319 (c)

Ventilation, the effects of intravenous clonidine on (Ooi, Pattison & Feldman), 632

Ventilator alarms, the Humphrey ADE breathing system and (Murphy & Rabey), 1000 (c)

Ventilators, OAV 7750, two incidents of complete failure (Spittal, Hunter & Laidlow: Davies), 788 (c)

Ventricular diastolic function impairment during coronary artery bypass grafting (Muralidhar), 504 (c)

Ventricular fibrillation during examination of nose (Stannard), 794 (c)

Ventriculo-atrial shunt and pulmonary hypertension, life-threatening complications during anaesthesia in a patient with (Butler, Wheeler & Spargo) (Erratum), 241

Visual disturbances after transurethral resection of the prostate (Prakash), 163 (c)

Visual disturbances after transurethral resection of the prostate (Anandaciva), 894 (c)

Visual evoked potentials and visual acuity after transurethral resection of the prostate (Mantha et al.), 491 (f)

Vi-Tal Hospital Products (Hazard Notice), 240

Vocal cord paralysis in the Shy-Drager syndrome. A cause of postoperative respiratory obstruction (Drury & Williams), 466

Volatile anaesthetic agents, the effect of cyclopropane on the Datex Capnomac single wavelength infrared measurement of (Mason &

Vomiting and nausea with use of a patient-controlled analgesia system (Robinson & Fell), 580 (f)

Vaporizer, level (Saunders & Nesling), 152 (c)

Warne Surgical Products: Sengstaken (oesophageal varices) tubes (Hazard Notice), 165

Whitacre needle, 25-gauge; use for spinal anaesthesia in orthopaedic surgery (Lynch & Krings-Ernst), 891 (c)

Whole blood electrolyte assay using ChemPro 500. A comparison of assay performance with standard laboratory instruments (Thompson et al.), 673

Williams syndrome: masseter spasm during anaesthesia (Patel & Harrison), 115 Williams syndrome, Masseter spasm in (Matthews & Vernon: Harrison), 706 (c)

Withdrawal of levorphanol (James), 71 (c)

Withdrawal of levorphanol (Coniam), 518 (c)

Withdrawal syndrome after propofol (Imray & Hay), 704 (c)

Withdrawal syndrome after propofol (Grant & Worsley: Scott & Walker), 238 (c)

Withdrawal syndrome, benzodiazepine, midazolam-induced (Mets, Horsell & Linton), 28

Withdrawal syndrome, midazolam (McLellan & Douglas), 420 (c)

Woolley and Roe case (Maltby), 426 (c)

Woolley and Roe case (Alderson: Hutter), 235 (c)

Wound infiltration and Caesarean section (Notcutt: Trotter & Fell), 999 (c)

Wound infiltration in children undergoing inguinal herniotomy, serum bupivacaine concentrations following (Mobley et al.), 500 (f)

Wound infiltration of local anaesthetic after lower segment Caesarean section (Trotter et al.), 404 (f)

Zygoma, glycopyrronium and reflex bradycardia on elevation of (Cooper), 991 (c)

Keyword Index, Volume 46 (1991)

Acupuncture, morbidity, 129 (f)

Acute tolerance, 929 Adrenaline, 1023

Aerosols, analgesic administration, 973 (f)

Age factors, geriatric, 271

Airway, obstruction, trachea, thoracic aorta, 119

Airway, resistance, 296

Airway resistance, 565

Anaesthesia, 410 (f)

Anaesthesia, audit, 143 (f), 777 (f), 810, 845, 962

Anaesthesia, cardiac, 462

Anaesthesia, cardiovascular, 737

Anaesthesia, cyclopropane, 398

Anaesthesia, dental, outpatient, 358

Anaesthesia, evaluation, pre-operative, 1005 Anaesthesia, general, 683 (f)

Anaesthesia, general, instrumentation, 213, 366

Anaesthesia, intravenous, 38

Anaesthesia, intravenous, ketamine, 122

Anaesthesia, intravenous, midazolam, 122

Anaesthesia, intravenous, total, 24

Anaesthesia, intravenous, vecuronium, 122

Anaesthesia, local, EMLA, 881 (f)

Anaesthesia, neurosurgical, 837

Anaesthesia, obstetric, 11, 62 (f), 64 (f), 371, 549, 585 (f), 648, 970 (f), 1016, 1071 (f)

Anaesthesia, outpatient, 1066 (f)

Anaesthesia, outpatient, recovery, 553

Anaesthesia, paediatric, 381, 489 (f), 686 (f), 688 (f), 777 (f), 783 (f), 869, 872, 881 (f)

Anaesthesia, paediatric, induction, parental presence, 977 (f)

Anaesthesia, paediatric, neonate, 565

Anaesthesia, pre-oxygenation, 824

Anaesthesia, recovery, 451

Anaesthetic gases, trace concentrations, 531

Anaesthetic, local, bupivacaine, 17

Anaesthetic, obstetric, 20

Anaesthetic techniques, 33, 106

Anaesthetic techniques, continuous infusion, 122

Anaesthetic techniques, extradural, 946

Anaesthetic techniques, intravenous, 20

Anaesthetic techniques, one-lung ventilation, 400

Anaesthetic techniques, patient-controlled sedation, 553

Anaesthetic techniques, regional, ankle, 841

Anaesthetic techniques, regional, brachial plexus, 309 (f), 707

Anaesthetic techniques, regional, brachial plexus block, 354

Anaesthetic techniques, regional, coeliac plexus block, 862

Anaesthetic techniques, regional, epidural, 11, 64 (f), 85, 97, 124, 169, 256, 344, 361, 438, 473, 560, 573, 585 (f), 623, 654, 732, 859, 872, 912, 918, 935, 940, 970 (f), 1023

Anaesthetic techniques, regional, epidural, blood patch, 117

Anaesthetic techniques, regional, epidural infusion, 549 Anaesthetic techniques, regional, extradural, 447

Anaesthetic techniques, regional, intercostal nerve blockade, 174, 707

Anaesthetic techniques, regional, intravenous, 278, 438

Anaesthetic techniques, regional, lateral cutaneous nerve of thigh, 95

Anaesthetic techniques, regional, lumbar plexus block, 275 Anaesthetic techniques, regional, mesosalpinx block, 875 (f)

Anaesthetic techniques, regional, obstetric, 1016

Anaesthetic techniques, regional, rectus sheath block, 875 (f)

Anaesthetic techniques, regional, retrobulbar block, 642 Anaesthetic techniques, regional, spinal, 11, 17, 93, 281, 576 (f), 623, 1044

Anaesthetic techniques, regional, stellate ganglion block, 747

Anaesthetic techniques, regional, triple subcostal nerve block, 138 (f)

Anaesthetic techniques, regional, triple nerve block, 138 (f) Anaesthetic techniques, regional, wound infiltration, 404 (f)

Anaesthetic techniques, wound infiltration, 500 (f)

Anaesthetics, gases, nitrous oxide, 907

Anaesthetics, gases, trace concentrations, 486

Anaesthetics, intravenous, alfentanil, 1066 (f)

Anaesthetics, intravenous, droperidol, 907

Anaesthetics, intravenous, etomidate, 99, 716

Anaesthetics, intravenous, fentanyl, 907 Anaesthetics, intravenous, ketamine, 24

Anaesthetics, intravenous, lignocaine, 312 (f)

Anaesthetics, intravenous, propofol, 20, 24, 59 (f), 67 (f), 90, 99, 192, 266, 312 (f), 383, 451, 553, 615, 771 (f), 775 (f), 783 (f), 907, 1066

(f), 1069 (f) Anaesthetics, intravenous, thiopentone, 99, 266, 451, 771 (f)

Anaesthetics, local, bupivacaine, 275, 354, 361, 404 (f), 447, 500 (f), 732, 1023

Anaesthetics, local, bupivacaine, alkalinisation, 174, 707

Anaesthetics, local, lignocaine, 177, 309 (f), 691 (f), 707

Anaesthetics, local, prilocaine, 278, 309 (f), 707

Anaesthetics, local, ropivacaine, 361

Anaesthetics, topical, amethocaine, 368

Anaesthetics, volatile, complications, 810

Anaesthetics, volatile, desflurane, 615

Anaesthetics, volatile, enflurane, 907, 1009

Anaesthetics, volatile, halothane, 907

Anaesthetics, volatile, isoflurane, 686 (f), 907, 942, 1009

Anaesthetics, volatile, trace concentrations, 486, 531

Anaesthetists, appearance, 1056 (f) Analgesia, epidural, 1074 (f)

Analgesia, intramuscular, 1074 (f)

Analgesia, intravenous, postoperative, 772 (f)

Analgesia, patient-controlled, 1074 (f)

Analgesia, postoperative, 129 (f), 275, 538, 580 (f), 1077 (f)

Analgesic techniques, infusion, continuous, 1064 (f)

Analgesics, aspirin, 828

Analgesics, azapropazone, 828

Analgesics, diamorphine, 447, 473, 912, 970 (f)

Analgesics, diclofenac, 1077 (f)

Analgesics, dihydrocodeine, 915

Analgesics, fentanyl, 278

Analgesics, local, lignocaine, 67 (f)

Analgesics, local prilocaine, 138 (f)

Analgesics, local, procaine, 67 (f)

Analgesics, narcotic, alfentanil, 266

Analgesics, narcotic, diamorphine, 85, 169, 256, 538 Analgesics, narcotic, fentanyl, 169, 344, 438, 732, 973 (f), 1016

Analgesics, narcotic, morphine, 256, 538, 541, 935, 1064 (f) Analgesics, narcotic, papaveretum, 772 (f), 1064 (f)

Analgesics, narcotic, pethidine, 1064 (f)

Analgesics, narcotic, sufentanil, 837

Analgesics, papaveretum, 688 (f), 938

Anatomy, lumbar facet joint, 563

Antagonists, flumazenil, 471

Antagonists, miscellaneous, benzodiazepines, 413 (f)

Antagonists, miscellaneous, flumazenil, 413 (f)

Antagonists, neostigmine, 496 (f)

Antagonists, neuromuscular relaxants, neostigmine, 628, 877 (f)

Antagonists, neuromuscular relaxants, edrophonium, 628

Anti-inflammatory agents, nonsteroidal, 541

Awake intubation, laryngeal mask, 661

Blood, anticoagulants, heparin, 623 Blood, anticoagulants, warfarin, 623 Blood, coagulation, heparin, 719, 925 Blood, coagulation, protamine, 925 Brain, cerebral perfusion pressure, 837 Brain, intracranial pressure, 837

Cannulation, intravenous, 578 (f) Carbon dioxide, absorption, 952 Carbon dioxide, alveolar, 494 (f) Carbon dioxide, elimination, 494 (f) Carbon dioxide, tension, 494 (f) Complications, 381, 683 (f), 744, 747, 859 Complications, accident, 124 Complications, accident, pneumocephalus, 385

Complications, achalasia, 1039 Complications, acute ventilatory failure, 866 Complications, air embolism, 113

Complications, airway, 582 (f)

Complications, airway obstruction, 659, 854 Complications, anaphylaxia, 1033

Complications, arthrogryposis multiplex congenita, 374 Complications, aspiration, morbid obesity, 967 (f)

Complications, asystole, 38, 281 Complications, atelectasis, 462

Complications, awareness, 62 (f), 435 Complications, blindness, 940 Complications, bronchopleural fistula, 383 Complications, chemical meningism, 563

Complications, coagulopathies, 64 (f)

Complications, death, 962 Complications, dural puncture, 97, 722, 725

Complications, Eaton-Lambert (Lambert-Eaton) myasthenic syndrome, 560 Complications, Eisenmenger's syndrome, 371

Complications, Emery-Dreifuss muscular dystrophy, 33

Complications, fistula, 117

Complications, giant axonal neuropathy, 469

Complications, glycine absorption, 491 (f)

Complications, haematoma, 623 Complications, headache, 1044 Complications, hepatoxicity, 686 (f)

Complications, hypoxaemia, 181 Complications, hysterical anaesthesia, 932

Complications, inhalation of gastric contents, 1071 (f)

Complications, irrigation fluid absorption, 349 Complications, kidney failure, acute, 638 Complications, kyphoscoliosis, 119 Complications, misplaced introducer, 1041

Complications, muscle rigidity, 460 Complications, myalgia, 833

Complications, myasthenia gravis, 30 Complications, myoclonus, 473

Complications, myotonic dystrophy, 462 Complications, obstructive emphysema, 283 Complications, oesophageal rupture, 40

Complications, pain, 67 (f), 691 (f)

Complications, paraplegia, 862

Complications, peri-operative medication, 456

Complications, pneumonia, 376 Complications, pneumothorax, 192 Complications, postoperative, 712 Complications, pre-eclampsia, 64 (f) Complications, pre-operative anxiety, 1019 Complications, prolonged apnoea, 1036 Complications, Proteus syndrome, 126

Complications, regurgitation, 628 Complications, renal failure, 354

Complications, respiratory failure, 1039 Complications, resuscitation, myoclonus, 199

Complications, shivering, 344, 460 Complications, Shy-Drager syndrome, 466 Complications, sick sinus syndrome, 462 Complications, sleep apnoea, 849

Complications, spondyloepiphyseal dysplasia congenita, 648

Complications, thromboembolism, 623 Complications, tracheal intubation, 582 (f)

Complications, trauma, 728

Complications, vessel puncture, 585 (f)

Complications, Williams syndrome, 115 Complications, withdrawal syndrome, 28 Congenital heart disease, 122 Costs, 217 (f), 1009

Dentures, 1019 Developing countries, 217 (f) Drugs, isoflurane, 1059 (f)

Education, medical students, 578 (f) Education, paramedical staff, 578 (f) Education, training, 143 (f) Emesis, postoperative, 580 (f) Enzyme, plasma cholinesterase, 1036 Equipment, 664, 845 Equipment, analyser, 478 Equipment, automatic implantable cardioverter-defibrillator, 737 Equipment, bacterial filters, 573 Equipment, breathing systems, absorbers, 948, 952 Equipment, breathing systems, closed, 1009, 1059 (f) Equipment, bronchial intubation, 400 Equipment, catheter mounts, 671 Equipment, catheters, intrathecal, 93, 576 (f) Equipment, catheters, suction, 957 Equipment, Cerobrotrac 2500, 750 Equipment, coaxial breathing systems, 213 Equipment, computers, 383 Equipment, Datex Capnomac, 398 Equipment, deadspace, variable, 1047 Equipment, Doppler ultrasound, 388 Equipment, fibreoptic laryngoscope, 489 (f) Equipment, Finapres, 1050 Equipment, humidifiers, deadspace, 296 Equipment, infusion pumps, 383, 482 Equipment, infusion systems, 762, 1064 (f) Equipment, laryngeal mask, 358, 545, 659, 771 (f) Equipment, laryngeal mask airway, 489 (f), 922 Equipment, laser, 113 Equipment, liquid oxygen, 395 Equipment, micro-drip infusion set, 872 Equipment, minitracheotomy, 854, 1041 Equipment, oesophageal detector device, 869 Equipment, patient rewarming devices, 44 Equipment, patient-controlled analgesia, 538 Equipment, patient-controlled analgesia system, 580 (f) Equipment, percutaneous tracheostomy kit, 570 Equipment, pulse oximeter, 3, 202, 207, 291, 388 Equipment, pulse oximeters, 260 Equipment, RAE tracheal tubes, 42 Equipment, tracheal tubes, 565, 922 Equipment, Triservice anaesthetic apparatus, 52 (f) Equipment, tubes, tracheostomy, 475 Equipment, Tuohy needle, 722, 725 Equipment, ventilator, Penlon Nuffield 200, 767

Eye, intra-ocular pressure, 922 Fluid balance, oral fluids, 1066 (f)

Extracorporeal membrame oxygenation, 866 Eye, blindness, retinal haemorrhage, 940

Equipment, ventilators, 391

Gastrointestinal tract, lower oesophageal sphincter, 185 Gastrointestinal tract, oesophagus, 628 Gastrointestinal tract, pH stomach, 816 Gastrointestinal tract, stomach, pH and volume, 967 (f) Gastrointestinal tract, stomach, volume, 1016

Heart, arrhythmias, electroconversion, 737
Heart, cardiac massage, 391
Heart disease, tricuspid regurgitation, 668
Heart, mitral valve, 494 (f)
Heart, right atrial thrombus, 1030
Heart, tachycardia, 220 (f)
Hernia, diaphragmatic, congenital, 820
Histamine, H₂ antagonist, famotidine, 967 (f)
Histamine, H₂ antagonist, ranitidine, 967 (f)
Histamine, H₂ receptor antagonists, nizatidine, 816
Histamine, H₂ receptor antagonists, ranitidine, 816

History, F. P. de Caux, 49, 300
History, Harold King, 679
Hormones, catecholamines, 642
Hormones, corticosteroids, 563
Hyperbaric, chamber, 767
Hypertension, paediatric, 381
Hyperthermia, 374
Hyperthermia, malignant, 942
Hypnotics, benzodiazepines, flunitrazepam, 929
Hypnotics, benzodiazepines, midazolam, 28, 413 (f), 471, 553, 780 (f), 929

Immune response, 531 Immunoprophylaxis, dextran 1, 1033 Induction, dose, 59 (f) Induction, rapid sequence, 824 Infection, chickenpox, 376 Infection, contamination, bacterial, 957 Infection, gastroenteritis, 57 (f) Infection, poliomyelitis, 57 (f) Infection, septicaemia, 1030 Intensive care, 57 (f) Intensive care, cost, 523 Intensive care, illness severity scoring, 442 Interactions, drug, anaesthetics, 456 Intubation, nasotracheal, 683 (f) Intubation, tracheal, 578 (f), 634 Intubation, tracheal, complications, 42, 177, 312 (f), 1005 Intubation, tracheal, cricoid pressure, 545 Intubation, tracheal, technique, 306 (f) Ions, calcium, 673 Ions, hydrogen, 673 Ions, potassium, 673 Ions, sodium, 673

Kidney, anuria, 938 Kidney failure, acute, 864

Labour, oral intake, 1071 (f)
Larynx, abductor paralysis, 466
Larynx, circoid pressure, 40
Larynx, foreign body, 741
Liver, function, hepatoxicity, 686 (f)
Lung, hypoxic pulmonary vasoconstriction, 856
Lung, oedema, 651
Lung, tracheal stenosis, 106
Lungs, extracorporeal membrane oxygenation, 376

Masseter spasm, 115 Measurement, 3, 202, 207, 260, 291 Measurement techniques, computer assisted tomography, 195 Measurement techniques, electroencephalography, 99 Measurement techniques, electromyography, neuromuscular blockade, 30 Measurement techniques, extensometer, 756 Measurement techniques, intracranial pressure, 837 Measurement techniques, ion-sensitive electrodes, 673 Measurement techniques, plethysmography, 1050 Measurement techniques, transoesophageal echocardiography, 99 Measurement techniques, venous occlusive plethysmography, 1013 Medicolegal, 962 Medicolegal, consent, 410 (f) Mental retardation, 646 Monitoring, blood pressure, 181 Monitoring, cerebral function, 750 Monitoring, electrocardiography, 181 Monitoring, ethanol, 349 Monitoring, pulse oximetry, 181, 668 Monitoring, somatosensory evoked potentials, 912 Monitoring, temperature, 344 Monitoring, train-of-four stimulation, 496 (f) Monitoring, ventilation, 756 Monitoring, visual evoked potentials, 491 (f) Muscle, skeletal, injury, 141 (f)

Nerve, posterior tibial, 841 Neuromuscular relaxants, alcuronium, 271 Neuromuscular relaxants, atracurium, 496 (f), 877 (f) Neuromuscular relaxants, curare, 49 Neuromuscular relaxants, dantrolene, 557 Neuromuscular relaxants, Org 9426, 341, 907 Neuromuscular relaxants, suxamethonium, 30, 833, 942, 1036 Neuromuscular relaxants, syringomyelia, 980 (f) Nominal group technique, 810

Oxygen, blood levels, 52 (f) Oxygen, delivery system, 135 (f) Oxygen, measurements, 256 Oxygen, supplies, concentrators, 217 (f) Oxygen therapy, portable, 395

Pain, 1069 (f) Pain, chronic, 563 Pain, cold-induced, 915 Pain, measurement, 541 Pain, placebo effect, 935 Pain, postoperative, 85, 438, 447, 482, 688 (f), 875 (f), 918, 1074 (f) Pain, postoperative, patient controlled analgesia, 404 (f) Pain, postoperative, prevention, 188 Parasympathetic nervous system, glycopyrronium, 877 (f) Pharmacodynamics, 271 Pharmacokinetics, 354 Pharmacology, calcium channel blockers, nifedipine, 856 Pharmacology, clonidine, 632, 634, 1013 Pharmacology, doxapram, 460 Pharmacology, glyceryl trinitrate, 14, 881 (f) Pharmacology, milrinone, 285 Phosphodiesterase inhibitors, metabolism, 864 Placental transfer, etomidate, fetal/maternal ratio, 716 Poisoning, acute, arsenic, 288 Poisoning, mercury, 110 Poisoning, mercury chloride, 110 Poisoning, theophylline, 557 Position, effects, 141 (f) Position, Trendelenburg, 185 Premedication, droperidol, 407 (f) Premedication, hyoscine, 407 (f) Premedication, ketamine, oral, 646 Premedication, midazolam, 407 (f)

Recovery, complications, 712 Recovery, prolonged, 932

Psychomotor, tests, 451

Premedication, opioids, 224 (f) Premedication, papaveretum, 407 (f) Premedication, pre-operative care, 224 (f)

Safety, 213 Sleep, apnoea, 36 Surgery, bronchoscopy, 266 Surgery, cardiovascular, 44, 654 Surgery, day case, 615 Surgery, dental, 90, 780 (f), 828 Surgery, gastrointestinal endoscopy, 181 Surgery, heart transplantation, 285 Surgery, laparoscopic cholecystectomy, 113 Surgery, laparoscopy, 875 (f) Surgery, laparoscopy, outpatient, 1077 (f) Surgery, liver transplantation, 638 Surgery, ophthalmological, 642 Surgery, orthopaedic, 138 (f) Surgery, otolaryngological adenotonsillectomy, 36 Surgery, peri-operative period, 456 Surgery, phaeochromocytoma, 654 Surgery, postoperative period, 712 Surgery, spinal laminectomy, 946 Surgery, strabismus, 368 Surgery, sympathectomy, 651 Surgery, thoracic, 866 Surgery, thyroidectomy, 195 Surgery, tracheostomy, 570 Surgery, transurethral resection of the prostate, 349 Surgery, urological, transurethral resection of the prostate, 491 (f) Sympathetic nervous system, β-adrenergic antagonists, esmolol, 220 (f)

Sympathetic nervous system, pharmacology, dopexamine, 638 Sympathetic nervous system, pharmacology, dopamine, 638

Sympathetic nervous system, β-adrenergic antagonists, propanolol, 744

Syndrome, CHARGE Association, 582 (f)

Temperature, 17 Temperature, body, 44 Transcutaneous nerve stimulation, 129 (f)

Veins, cannulation, complications, 1030
Veins, venepuncture, 14
Ventilation, artificial, 391
Ventilation, clonidine, 632
Ventilation, continuous positive airway pressure, 664
Ventilation, continuous positive pressure, 849
Ventilation, high frequency, 741
Ventilation, mechanical, 565, 1047
Ventilation, obstruction, 36
Ventilation, pharmacology, 632

